

Groundwater Statistical Analysis Report

First Semi-Annual 2025 Sampling Event

**Eagle Point Landfill, LLC
Permit # 058-012D(MSWL)
Forsyth County, Georgia**

March 2025

Prepared by:



**18 Lexington Oaks Court
Foristell, MO 63348**

**314-496-4654
www.jettenviro.com**

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	SITE BACKGROUND AND MONITORING NETWORK	1
3.0	GROUNDWATER FLOW RATE & DIRECTION	2
4.0	STATISTICAL PROCEDURES AND GROUNDWATER RESULTS.....	2
5.0	SURFACE WATER SUMMARY	3
6.0	UNDERDRAIN SUMMARY.....	3
7.0	SEMI-ANNUAL RESULTS SUMMARY & CONCLUSIONS	4
8.0	REFERENCES.....	5

TABLES

Table 1	Monitoring Program Summary
Table 2	Groundwater Inorganic Results Summary
Table 3	Surface Water Results Summary
Table 4	Underdrain Results Summary
Table 5	Statistically Significant Increases Summary

APPENDICES

Appendix A	Field Sampling Summary
Appendix B	Potentiometric Surface Map
Appendix C	Statistical Evaluations
Appendix D	Laboratory Analytical Report

1.0 INTRODUCTION

On behalf of Eagle Point Landfill, LLC for the Eagle Point Municipal Solid Waste (MSW) and Construction & Demolition (C&D) Landfill, Jett Environmental Consulting statistically evaluated the First Semi-Annual 2025 groundwater data. Sampling for the January 2025 event was performed by Environmental Monitoring Services, LLC (EM Services) and analytical testing was performed by Pace Analytical Services, LLC (Pace). The statistical analysis software package utilized, *Sanitas™*, follows a documented decision logic that incorporates the following applicable document: USEPA “Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, *Unified Guidance*” (March 2009).

2.0 SITE BACKGROUND AND MONITORING NETWORK

Jett Environmental Consulting statistically analyzed parameters from the First Semi-Annual 2025 event using inter-well prediction interval analysis. Prediction intervals are considered a powerful tool for groundwater statistical analysis, when feasible, due to their inherent low false negative and false positive rates utilizing confirmatory resampling, if necessary.

There are thirty-four groundwater monitoring wells at the site consisting of two background wells and thirty-two downgradient wells. Additionally, there are four underdrain sampling locations and four surface water sampling locations. New monitoring wells and surface water sampling locations have been added to the environmental monitoring system for the site as new waste cells have been developed. C&D Cells No. 3A, 3B, and 4, and MSW Cells No. 1A, 1B, 2A, 2B, and 5 through 16B have been constructed. **Table 1** lists the groundwater monitoring program wells. Groundwater monitoring wells GWC-13 and GWC-10D are utilized for water level only and are not sampled; however, an attempt to sample GWC-10D is made in the event that adjacent well GWC-10 is dry. **Table 1** also lists the underdrain and surface water monitoring network.

Samples were collected from all compliance groundwater wells during the First Semi-Annual 2025 event, except for GWC-19 and GWC-27, which did not produce sufficient water for sample collection. According to the Forsyth County drought monitor, this area has experienced abnormally dry to severe drought during recent 2024 and 2025 events (<https://www.drought.gov/states/georgia/county/forsyth>); the site recommends continued monitoring of the water levels until conditions return to normal. The groundwater samples were analyzed in the laboratory by Pace for the Georgia Department of Natural Resources Environmental Protection Division (EPD) Appendix I list of constituents consisting of total metals and volatile organic compounds (VOCs) and in the field by EM Services for pH, specific conductance, temperature, and turbidity.

Samples were collected from the four surface water locations. The surface water samples were analyzed in the laboratory by Pace for chloride, total dissolved solids (TDS), the Appendix I list of VOCs, and in the field by EM Services for pH and temperature.

Samples were collected from the four underdrain sampling locations (UD-6, UD-8, UD-12, and UD-13). The underdrain samples were analyzed in the laboratory by Pace for chloride, TDS, the Appendix I list of VOCs, and in the field by EM Services for pH and temperature.

Assessment Monitoring was initiated for wells GWA-1, GWA-2, and GWC-12R in July 2017 due to intermittent detections of benzene. In July 2022, the facility added monitoring well GWC-11 to Assessment Monitoring due to the second consecutive detection of benzene. Background monitoring wells GWA-1 and GWA-2 and compliance monitoring wells GWC-11 and GWC-12R are sampled for analysis of a modified Appendix II list (Appendix II metals and VOCs) annually during the July events.

Historically, no Appendix II constituents have been detected at GWA-1, GWA-2, GWC-11, or GWC-12R. Based on these findings, the Second Semi-Annual 2023 Report recommended that all Appendix II monitoring parameters be removed from the modified Assessment Monitoring program at GWA-1, GWA-2, and GWC-12R. EPD is currently reviewing this recommendation.

Included in **Appendix A** is a summary of the field sampling protocols/procedures for the First Semi-Annual 2025 event. The field summary was compiled by EM Services. A map displaying the monitoring well, surface water point, and underdrain locations is available in **Appendix B**.

3.0 GROUNDWATER FLOW RATE & DIRECTION

Appendix B provides a potentiometric surface map utilizing groundwater level data from the First Semi-Annual 2025 event. Collection of depth to water measurements was completed on January 6, 2025. As shown on the potentiometric surface map, groundwater flow is generally towards the east. Groundwater flow rates for the First Semi-Annual 2025 event were estimated to average approximately 51 feet/year. The groundwater flow rate for the First Semi-Annual 2025 event was consistent with past events. Flow rate calculations are available in **Appendix B**.

4.0 STATISTICAL PROCEDURES AND GROUNDWATER RESULTS

The *Sanitas*TM program was utilized to compile and statistically evaluate the data for the First Semi-Annual 2025 sampling event. Summary tables for the inter-well prediction interval analysis are available in **Appendix C**.

Background for this report is defined as all samples taken from initiation of monitoring through the First Semi-Annual 2025 event from upgradient wells GWA-1 and GWA-2. Each of the groundwater monitoring wells was able to be sampled during the First Semi-Annual 2025 sampling event, except for GWC-19 and GWC-27, which did not produce sufficient water for sample collection.

Inter-Well Prediction Intervals

The prediction interval is a statistical method used to compare a single observation to a group of observations. The prediction interval is calculated to include observations from the same population with a specified confidence. In groundwater monitoring, a prediction interval approach may be used to make comparisons between background and compliance data. The interval is developed to contain all future observations, within a certain probability. For the Eagle Point site, inter-well prediction intervals have been developed based on a 99% confidence that future observations will fall within the range. If any future observation exceeds this interval, this is considered statistically significant evidence that the observation is not representative of the background group.

During parametric prediction interval analysis, the mean and the standard deviation are calculated for the raw or transformed background data. The number of comparison observations, K , is defined to be included in the interval. If less than 15% of the background observations are nondetects, the nondetects are replaced with one half of the reporting limit prior to performing the analysis. If more than 15% but less than 50% of the background data are below the reporting limit, the data's sample mean and standard deviation are adjusted according to the Kaplan-Meier method. However, when the background data are not transformed-normal or contain greater than 50% observations below the reporting limit, *Sanitas*TM automatically constructs a nonparametric prediction interval. During nonparametric analysis, the highest value from the background data is used to set the upper limit of the prediction interval.

Due to a recent change in the contract analytical laboratory utilized at the site, the laboratory reporting limits were lowered considerably for a majority of the parameters during the First Semi-Annual 2024 event. Once eight rounds of sampling events have been completed utilizing the recent, lower laboratory reporting limits, then the historical non-detect values will be replaced with current reporting limits prior to performing statistical analyses.

For the First Semi-Annual 2025 event, four inorganic results exhibited a statistically significant increase (SSI): barium at GWC-11; cobalt at GWC-9 and GWC-12R; and nickel at GWC-12R. **Table 5** provides a summary of the SSIs for the First Semi-Annual 2025 event.

As shown on the time series graphs in **Appendix C**, each of the four SSIs have been detected at stable levels over the last three years.

Concentrations of total metals are routinely detected in the groundwater samples collected at the site. The most likely source of total metals is from their natural occurrence within the geologic formation material contained in the residual soils and bedrock underlying the site (i.e., alternate source). The EPD required an alternate source demonstration (ASD) for the past detections of total cobalt; consequently, Bunnell-Lammons Engineering, Inc. (BLE) prepared an ASD (dated November 18, 2015), which was approved by the EPD on November 24, 2015. Although the ASD was prepared for historical detections of total cobalt, the ASD report also included detections of other naturally occurring metals in background native soil samples, (i.e., a natural alternative source not attributable to the landfill as related to detections in groundwater) including barium, nickel, and zinc.

Two VOCs were detected for the groundwater samples collected during the First Semi-Annual 2025 event: benzene and 1,4-dichlorobenzene at GWC-12R. The First Semi-Annual 2025 concentration of benzene at GWC-12R (2.2 micrograms per liter or ug/L) was consistent with benzene results at GWC-12R since the initial detection in July 2016, and remained below the Maximum Contaminant Level (MCL) of 5 ug/L. The First Semi-Annual 2025 detection of 1,4-dichlorobenzene at GWC-12R (1.1 ug/L) was the third historical detection at this well and the concentration was well below the MCL (75 ug/L). Benzene and 1,4-dichlorobenzene have not been detected above the MCL at GWC-12R to date; therefore, concentrations were not statistically above the MCLs.

Table 2 provides a summary of the inorganic groundwater results for the First Semi-Annual 2025 event. As shown on **Table 2**, no groundwater results exceeded an MCL during the First Semi-Annual 2025 event.

Included in **Appendix C** are time series plots for each inorganic parameter and each VOC detection. **Appendix D** contains a copy of the groundwater laboratory analytical report and field sampling forms for the First Semi-Annual 2025 event.

5.0 SURFACE WATER SUMMARY

The surface water monitoring network consists of two upstream surface water sampling points (SWA-1 and SWA-2) and two downstream points (SWC-9 and SWC-14). During the First Semi-Annual 2025 event, each surface water monitoring point was sampled. The sampling results are included on **Table 3**.

As provided on **Table 3**, concentrations of the detected inorganic parameters were below their respective USEPA In-Stream Water Quality (ISWQ) standards. No VOCs were detected for the surface water samples during the First Semi-Annual 2025 event.

The First Semi-Annual 2025 field pH values for all surface water monitoring points were within the ISWQ minimum EPD standard range of 6.0 to 8.5 SU. **Appendix D** contains a copy of the surface water laboratory analytical report and field sampling forms for the First Semi-Annual 2025 event.

6.0 UNDERDRAIN SUMMARY

The underdrain monitoring network consists of four grab sampling locations (UD-6, UD-8, UD-12, and UD-13). Each location was able to be sampled during the First Semi-Annual 2025 event. The inorganic sampling results are summarized on **Table 4**. No VOCs were detected in the underdrain samples during the First Semi-Annual 2025 event. **Appendix D** contains a copy of the underdrain laboratory analytical report and field sampling forms for the First Semi-Annual 2025 event.

7.0 SEMI-ANNUAL RESULTS SUMMARY & CONCLUSIONS

During the First Semi-Annual 2025 event, no inorganic constituent groundwater results exceeded an MCL. For the First Semi-Annual 2025 event, four inorganic results exhibited an SSL: barium at GWC-11; cobalt at GWC-9 and GWC-12R; and nickel at GWC-12R. Each of the four SSLs have been detected at stable levels over the last three years.

Concentrations of total metals are routinely detected in the groundwater samples collected at the site. The most likely source of total metals is from their natural occurrence within the geologic formation material contained in the residual soils and bedrock underlying the site (i.e., alternate source). The EPD required an ASD for the past detections of total cobalt; consequently, BLE prepared an ASD (dated November 18, 2015), which was approved by the EPD on November 24, 2015. Although the ASD was prepared for historical detections of total cobalt, the ASD report also included detections of other naturally occurring metals in background native soil samples, (i.e., a natural alternative source not attributable to the landfill as related to detections in groundwater) including barium, nickel, and zinc.

No VOCs were detected for the surface water or underdrain samples collected during the First Semi-Annual 2025 event. Two VOCs were detected for the groundwater samples collected during the First Semi-Annual 2025 event: benzene and 1,4-dichlorobenzene at GWC-12R. The First Semi-Annual 2025 concentration of benzene at GWC-12R (2.2 ug/L) was consistent with benzene results at GWC-12R since the initial detection in July 2016, and remained below the MCL of 5 ug/L. The First Semi-Annual 2025 detection of 1,4-dichlorobenzene at GWC-12R (1.1 ug/L) was the third historical detection at this well and the concentration was well below the MCL (75 ug/L).

The First Semi-Annual 2025 field pH values for all surface water monitoring points were within the ISWQ minimum EPD standard range of 6.0 to 8.5 SU.

Assessment Monitoring was initiated for wells GWA-1, GWA-2, and GWC-12R in July 2017 due to intermittent detections of benzene. In July 2022, the facility added monitoring well GWC-11 to Assessment Monitoring due to the second consecutive detection of benzene. Background monitoring wells GWA-1 and GWA-2 and compliance monitoring wells GWC-11 and GWC-12R are sampled for a modified Appendix II list (Appendix II metals and VOCs) annually during the July events.

Historically, no Appendix II constituents have been detected at GWA-1, GWA-2, GWC-11, or GWC-12R. Based on these findings, the Second Semi-Annual 2023 Report recommended that all Appendix II monitoring parameters be removed from the modified Assessment Monitoring program at GWA-1, GWA-2, and GWC-12R. EPD is currently reviewing this recommendation. Based on the data from the First Semi-Annual 2025 event, it is again recommended that all Appendix II parameters (any parameter not also on the Appendix I list) be removed from the modified Assessment Monitoring program at GWA-1, GWA-2, and GWC-12R. Well GWC-11 has now been sampled for the modified Appendix II list twice, during the Second Semi-Annual 2023 and Second Semi-Annual 2024 events. Well GWC-11 continues to indicate no non-Appendix I parameter detections during the annual Appendix II events. Within the Second Semi-Annual 2024 Groundwater Statistical Analysis Report, Eagle Point Landfill, LLC requested to remove all Appendix II parameters from the modified Assessment Monitoring program at GWC-11.

8.0 REFERENCES

USEPA. 2009. Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance. March.

Bunnell-Lammons Engineering, Inc., 2015. Alternate Source Demonstration for Cobalt in Groundwater. November 18.

**Groundwater Statistical Analysis Report
First Semi-Annual 2025 Sampling Event
Eagle Point Landfill
Forsyth County, Georgia
Permit # 058-012D(MSWL)
For Submittal to:
Georgia Department of Natural Resources
Environmental Protection Division (EPD)**

Groundwater Scientist Certification

I, Steve Jett, certify that I am a qualified groundwater scientist demonstrated by a Georgia state registered professional geologist license. I have sufficient training and experience in geology, geohydrology, and groundwater hydrology that enable me to make sound professional judgments regarding ground water monitoring, contaminant fate and transport, and corrective action. I further certify that this report was prepared by me or by a subordinate working under my direction.

PG Stamp with signature:



TABLES

Table 1
Monitoring Program Summary
Eagle Point Landfill

GROUNDWATER MONITORING SYSTEM			
Upgradient	Downgradient		
GWA-1	GWC-1	GWC-10	GWC-19
GWA-2	GWC-2	GWC-10D (sample if GWC-10 dry)	GWC-20
	GWC-3	GWC-11	GWC-21
	GWC-4	GWC-12R	GWC-22
	GWC-5	GWC-13 (water level only)	GWC-23
	GWC-6	GWC-13R	GWC-24
	GWC-7	GWC-14R	GWC-25
	GWC-7A	GWC-15	GWC-26
	GWC-8	GWC-16	GWC-27
	GWC-9	GWC-17	GWC-28
		GWC-18	GWC-29

SURFACE WATER MONITORING SYSTEM	
Upgradient	Downgradient
SWA-1	SWC-9
SWA-2	SWC-14

UNDERDRAIN MONITORING SYSTEM
UD-6
UD-8
UD-12
UD-13

Table 2 Groundwater Inorganic Results Summary First Semi-Annual 2025 Event Eagle Point Landfill Appendix I Constituents															
Well	Antimony Total	Arsenic Total	Barium Total	Beryllium Total	Cadmium Total	Chromium Total	Cobalt Total	Copper Total	Lead Total	Nickel Total	Selenium Total	Silver Total	Thallium Total	Vanadium Total	Zinc Total
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Primary MCL	6	10	2,000	4	5	100	NE	1,300	15	100	50	NE	2	NE	NE
GWA-1	<3	<5	15.4	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWA-2	<3	<5	12.9	<0.5	<0.5	9.3	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-1	<3	<5	8.9	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-2	<3	<5	30.9	<0.5	<0.5	<5	<5	<5	1.3	<5	<5	<5	<1	<10	<10
GWC-3	<3	<5	19.7	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-4	<3	<5	33.9	<0.5	<0.5	<5	<5	<5	<1	5.2	<5	<5	<1	<10	17.7
GWC-5	<3	<5	37.3	<0.5	<0.5	<5	7.8	<5	<1	<5	<5	<5	<1	<10	<10
GWC-6	<3	<5	75.6	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	13.1
GWC-7	<3	<5	20.5	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-7A	<3	<5	33.6	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-8	<3	<5	51.9	<0.5	<0.5	9.6	35.4	<5	<1	<5	<5	<5	<1	<10	<10
GWC-9	<3	<5	108	<0.5	0.62	<5	49.8	<5	2.7	5.1	<5	<5	<1	<10	26.0
GWC-10	<3	<5	146	<0.5	<0.5	<5	32.1	<5	<1	<5	<5	<5	<1	<10	12.9
GWC-11	<3	<5	216	<0.5	<0.5	<5	30.5	<5	<1	<5	<5	<5	<1	<10	25.3
GWC-12R	<3	<5	125	<0.5	<0.5	<5	111	<5	<1	27.7	<5	<5	<1	<10	11.5
GWC-13R	<3	<5	53.6	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-14R	<3	7.5	18.7	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-15	<3	<5	132	<0.5	<0.5	<5	5.3	<5	<1	<5	<5	<5	<1	<10	18.9
GWC-16	<3	<5	120	<0.5	<0.5	<5	15.1	<5	<1	<5	<5	<5	<1	<10	<10
GWC-17	<3	<5	35.1	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-18	<3	<5	20.0	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-19	Dry														
GWC-20	<3	<5	<5	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-21	<3	<5	13.4	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-22	<3	<5	11.3	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-23	<3	<5	16.0	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	13.9
GWC-24	<3	<5	8.6	<0.5	<0.5	<5	<5	<5	<1	12.3	<5	<5	<1	<10	12.7
GWC-25	<3	<5	12.2	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-26	<3	<5	14.2	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-27	Dry														
GWC-28	<3	<5	6.4	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-29	<3	<5	5.5	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	55.5

NE: No National Primary Drinking Water Standard - Maximum Contaminant Level (MCL) established.
 Nickel has a Georgia EPD MCL of 100 ug/L.
 ug/L: micrograms per liter.
 Primary MCL is sourced from the National Primary Drinking Water Regulations provided by the USEPA.

Table 3
Surface Water Results Summary
First Semi-Annual 2025 Event
Eagle Point Landfill

Point	Units	Chloride	Total Dissolved Solids	Field pH	Field Temperature
ISWQ		NE	NE	6.0 - 8.5	≤32
SWA-1	mg/L	1.6	43.0	6.57	3.8
SWA-2	mg/L	1.5	39.0	6.82	6.7
SWC-9	mg/L	1.8	42.0	6.60	6.6
SWC-14	mg/L	2.4	113	6.64	5.4

All units listed except pH (standard units) and temperature (degrees-Celsius).

mg/L: milligrams per liter.

ISWQ: USEPA In-Stream Water Quality Standard.

NE: No ISWQ established.

Denotes an ISWQ exceedance.

Table 4 Underdrain Results Summary First Semi-Annual 2025 Event Eagle Point Landfill					
Point	Units	Chloride	Total Dissolved Solids	Field pH	Field Temperature
UD-6	mg/L	2.7	53.0	6.28	24.1
UD-8	mg/L	3.9	145	5.88	19.9
UD-12	mg/L	4.7	82.0	6.23	10.2
UD-13	mg/L	7.0	107	6.10	18.0

*All units listed except pH (standard units) and temperature (degrees-Celsius).
mg/L: milligrams per liter.*

TABLE 5 Statistically Significant Increases Summary First Semi-Annual 2025 Event Eagle Point Landfill			
Well	Parameter	Results (ug/L)	Inter-Well Prediction Limit (ug/L)
GWC-9	Cobalt, total	49.8	40
GWC-11	Barium, total	216	160
GWC-12R	Benzene	2.2	1.0 (RL)
	Cobalt, total	111	40
	Nickel, total	27.7	20
	1,4-Dichlorobenzene	1.1	1.0 (RL)

(RL): Denotes Laboratory Reporting Limit.

ug/L: micrograms per liter.

APPENDICES

APPENDIX A FIELD SAMPLING SUMMARY

EMServices

Environmental Monitoring Services, LLC

Phone (770) 823-7174

January 15, 2025

GFL Environmental
Scott Mann
8880 Old Federal Road
Ball Ground, GA 30107

RE: Eagle Point Landfill Semi-Annual Sampling Event

Scott,

We completed the semi-annual groundwater and surface water monitoring at the referenced site January 6th – 8th. The points sampled and their respective analyses are:

GWA-1, 2, GWC-1, 2, 3, 4, 5, 6, 7, 7A, 8, 9, 10, 11, 12R, 13R, 14R, 15, 16, 17, 18, 20, 21, 22, 23, 24, 25, 26, 28, 29, Field Blank, Trip Blank (VOC only)	GA App I VOC (8260B only)/Metals
GWC-10D, 13	Water Level Only
SWA-1, 2, SWC-9, 14, UD-6, 8, 12, 13	GA App I VOC (8260), Chloride, TDS
GWC-19, 27	Insufficient water for sampling

The sampling activities were performed according to the facility's operating permit and the EPA Region IV LSASD SOP's. Split samples were collected from GWC-6, 9, 11, SWC-9, and UD-13 for Forsyth County.

Upon arrival at each well, notes were taken as to the condition of the area around the well and the condition of the well itself. The samplers then donned new Nitrile gloves. These gloves were changed as often as deemed necessary to prevent contamination of the samples. A new piece of plastic was laid down next to the well to serve as a work area. Then, a pre-cleaned water level indicator was lowered into the well to sound the water level.

The depth to water was measured from a surveyed mark on the top of casing, if present. The process of collecting water levels was completed on January 6th to ensure a representative potentiometric map. The water level indicator was cleaned in between each well using a Liquinox soap solution followed by a water rinse.

Wells GWA-2, GWC-1, 2, 3, 7, 7A, 11, 13R, 17, 20, 22, 23, 24, 25, 26, 28, and 29 have dedicated bladder pumps installed. For these wells, after collecting the water level, we began purging the well. Both purging and sampling were accomplished by utilizing the dedicated bladder pumps. The bladders are of Teflon construction and the water discharge lines are Teflon-lined. The bottoms of the pumps are placed approximately 3' from the bottom of the well to allow for operation in potential low water column situations due to seasonal water table fluctuations. At each well, the pump was turned on and timing and pressure adjusted until the water level stabilized. After the water level had stabilized and at least one equipment volume had cleared the flow cell, field readings for pH, conductivity, temperature, dissolved oxygen, oxidation-reduction potential and turbidity were measured. Purging continued until three

"For all your environmental monitoring needs"

4658 Webster Way NW
Acworth, GA 30101
inquiry@emservicesonline.com

Page 1 of 2

consecutive measurements of these parameters, measured at four-minute intervals, were stable as defined by accepted low-flow guidelines. The purge water was captured in 5-gallon buckets to quantify the purge volumes. All samples were collected immediately. Metals samples were collected first to avoid any effects on turbidity from adjusting the pressure prior to sampling for volatiles. Volatiles samples were then collected after slowing the purge rate to 100mL/min or less.

A peristaltic pump was used for purging and sampling wells GWA-1, GWC-4, 5, 6, 8, 9, 10, 12R, 14R, 16 and 21, after collecting the water level, we began purging the well. Both purging and sampling were accomplished by utilizing a peristaltic pump with new silicone pump-head tubing and Teflon-lined down-hole tubing at each well. The down-hole tubing was placed approximately 5' from the bottom of the well or at the mid-point of the water column if the water column was less than 10'. The pump was turned on and timing adjusted until the water level stabilized. After the water level had stabilized and at least one equipment volume had cleared the flow cell, field readings for pH, conductivity, temperature, dissolved oxygen and oxidation-reduction potential, and turbidity were measured and recorded. Purging continued until three consecutive measurements of these parameters, measured at four-minute intervals, were stable as defined by accepted low-flow guidelines. The purge water was captured in 5-gallon buckets to quantify the purge volumes. The metals samples were collected first through the pump-head. The volatiles samples were collected immediately using the reverse-flow method at a flow rate of less than 100 mL/min.

For wells GWC-15 and 18, the water level was too low to use the dedicated bladder pump, so the pump was removed and the well purged and sampled using a new disposable Teflon bailer attached to new nylon string. After collecting the water level, we calculated the purge volume to three well-volumes using a standard formula. Purging continued until each well purged dry. Readings for pH, conductivity, temperature, turbidity, dissolved oxygen and oxidation-reduction potential were recorded at each well-volume. Volatiles samples were collected immediately following purging. The purge water was captured in 5-gallon buckets to quantify the purge volumes. All bailers and string were discarded at the completion of the sampling event.

The samples were collected in containers provided by the laboratory. These containers were of types, sizes and preserved in a manner consistent with SW-846 and other guidance. Upon filling, the containers were placed on ice. The samples were hand-delivered under chain of custody to the Pace Environmental located in Peachtree Corners, GA.

On-site parameter readings were recorded from YSI ProQuatros that were calibrated each morning. Turbidity readings were collected using LaMotte 2020ts which were cal-checked prior to use. The meters have a programmed calibration that is checked in-house using formazine standards.

We appreciate the opportunity to work with you on this project and look forward to any feedback you have.

Respectfully,



Jeff Johnson

Attachments: Groundwater Field Data
 Surface Water Field Data

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWA-1
Date 1/8/2025
DTW¹ 5.41
DTB² 28.10
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1213 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1220	5.54	180	0.33	4.62	18	12.6	2	4.45	376
1224	5.54	180	0.52	4.69	17	12.0	1	4.26	367
1228	5.54	180	0.71	4.67	18	12.3	1	4.19	375
1232	5.54	180	0.90	4.72	18	12.4	1	4.24	383

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWA-2
Date 1/8/2025
DTW¹ 41.50
DTB² 50.09
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1419 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1430	41.73	260	0.75	5.15	22	14.6	1	7.20	317
1434	41.73	260	1.02	5.11	22	14.7	1	7.13	318
1438	41.73	260	1.29	5.13	23	14.8	2	7.12	313
1442	41.73	260	1.56	5.08	23	14.6	2	7.18	311

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-1
Date 1/7/2025
DTW¹ 20.71
DTB² 34.90
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1426 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1436	21.74	220	0.58	5.92	48	15.2	1	7.10	159
1440	21.74	220	0.81	5.92	48	14.9	1	7.11	160
1444	21.74	220	1.04	5.96	48	15.3	1	7.09	162
1448	21.74	220	1.27	5.94	48	15.2	1	7.12	163

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-2
Date 1/7/2025
DTW¹ 36.34
DTB² 41.44
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0849 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0858	36.25	280	0.66	5.74	47	7.7	13	8.43	293
0902	36.25	280	0.96	5.71	40	7.3	11	8.30	295
0906	36.25	280	1.26	5.70	40	7.2	11	8.24	296
0910	36.25	280	1.56	5.68	40	7.2	10	8.17	297

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-3
Date 1/7/2025
DTW¹ 26.83
DTB² 46.90
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1332 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1342	29.41	260	0.69	5.09	16	13.0	3	7.84	46
1346	29.41	260	0.96	5.07	16	12.3	2	7.85	79
1350	29.41	260	1.23	5.08	16	12.3	2	7.86	125
1354	29.41	260	1.50	5.06	16	12.3	1	7.84	136

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-4
Date 1/8/2025
DTW¹ 14.20
DTB² 38.56
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1301 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1308	14.36	180	0.33	4.81	43	14.1	1	0.28	388
1312	14.36	180	0.52	4.78	42	14.0	1	0.23	389
1316	14.36	180	0.71	4.78	42	14.0	1	0.22	391
1320	14.36	180	0.90	4.80	43	14.2	1	0.20	390

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-5
Date 1/8/2025
DTW¹ 9.73
DTB² 23.19
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1328 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1334	9.85	160	0.25	4.82	45	14.9	1	1.32	324
1338	9.85	160	0.42	4.81	45	15.0	1	1.29	323
1342	9.85	160	0.59	4.81	45	15.1	1	1.30	321
1346	9.85	160	0.76	4.82	45	15.2	1	1.27	324

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-6
Date 1/6/2025
DTW¹ 26.39
DTB² 37.54
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1034 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1043	26.45	180	0.43	5.24	84	15.5	1	2.13	226
1047	26.45	180	0.62	5.25	83	15.0	1	1.82	288
1051	26.45	180	0.81	5.23	83	15.0	0	1.83	326
1055	26.45	180	1.00	5.24	83	15.0	0	1.71	345

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-7
Date 1/6/2025
DTW¹ 28.41
DTB² 91.33
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0957 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1007	28.62	180	0.47	6.69	103	14.4	5	4.43	70
1011	28.62	180	0.66	6.55	103	14.2	6	6.25	65
1015	28.62	180	0.85	6.58	102	13.5	4	6.41	68
1019	28.62	180	1.04	6.53	102	13.3	3	6.40	73
1023	28.62	180	1.23	6.54	102	13.1	3	6.39	74

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-7A
Date 1/6/2025
DTW¹ 28.93
DTB² 50.80
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1035 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1045	32.12	400	1.06	6.35	85	18.9	3	6.99	96
1049	32.12	400	1.48	6.33	85	18.8	3	7.00	101
1053	32.12	400	1.90	6.35	85	18.5	2	6.98	104
1057	32.12	400	2.32	6.32	84	18.5	2	6.97	106

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-8
Date 1/8/2025
DTW¹ 18.79
DTB² 36.43
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1140 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1146	18.90	210	0.33	4.40	88	15.2	2	0.64	267
1150	18.90	210	0.55	4.37	87	15.7	2	0.60	259
1154	18.90	210	0.77	4.34	88	15.8	2	0.54	287
1158	18.90	210	0.99	4.32	87	16.0	2	0.49	278

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-9
Date 1/6/2025
DTW¹ 18.30
DTB² 24.35
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1124 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1133	18.83	210	0.50	4.57	743	15.4	1	1.43	396
1137	18.91	210	0.72	4.56	729	15.3	1	1.45	374
1141	18.97	210	0.94	4.55	730	15.4	0	1.51	380
1145	19.01	210	1.16	4.55	730	15.6	0	1.41	378

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-10
Date 10/11/2024
DTW¹ 29.27
DTB² 36.30
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0833 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0843	28.31	150	0.40	5.30	219	15.7	2	1.21	-75
0847	28.31	150	0.56	5.12	219	15.3	1	1.15	-5
0851	28.31	150	0.72	5.13	218	15.0	1	1.30	20
0855	28.31	150	0.88	5.12	218	15.3	1	1.26	23

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-11
Date 1/6/2025
DTW¹ 32.10
DTB² 41.17
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1303 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1317	32.48	190	0.70	5.17	478	15.2	1	1.92	272
1321	32.55	190	0.90	5.16	473	13.9	1	2.18	281
1325	32.61	190	1.10	5.17	472	14.8	1	2.29	338
1329	32.71	190	1.30	5.15	470	14.8	1	1.72	360
1333	32.74	190	1.50	5.15	468	14.9	2	1.71	375
1337	32.74	190	1.70	5.12	466	14.4	2	1.61	367

Comments
Clear, slight odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-12R
Date 1/8/2025
DTW¹ 8.79
DTB² 29.79
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1021 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1027	8.91	200	0.32	5.73	826	14.0	2	0.44	204
1031	8.91	200	0.53	5.71	832	14.1	1	0.31	196
1035	8.91	200	0.74	5.69	833	14.2	1	0.29	193
1039	8.91	200	0.95	5.68	830	14.3	1	0.25	191

Comments
Clear, slight odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-13R
Date 1/7/2025
DTW¹ 26.05
DTB² 37.94
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1250 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1300	26.54	300	0.79	5.72	161	14.3	1	5.43	193
1304	26.54	300	1.11	5.71	168	14.5	1	5.11	190
1308	26.54	300	1.43	5.72	170	14.5	1	5.03	191
1312	26.54	300	1.75	5.72	171	14.4	1	5.01	192

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-14R
Date 1/8/2025
DTW¹ 21.81
DTB² 34.89
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1101 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1108	21.93	200	0.37	6.12	61	8.2	5	1.42	264
1112	21.93	200	0.58	5.90	61	8.4	4	1.23	272
1116	21.93	200	0.79	5.85	60	8.4	3	1.08	299
1120	21.93	200	1.00	5.82	60	8.5	3	1.11	303

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Well ID	GWC-15
Date	1/7/2025
DTW ¹	41.52
DTB ²	46.35
1 Well Volume	(DTB - DTW) * 0.163 = 0.79
3 Well Volumes	1 WV * 3 = 2.36
Purge Method	Disposable Teflon Bailer
Sample Method	Disposable Teflon Bailer
Parameters	Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0947	1.00	5.01	57	14.6	3	1.33	115

Metals sample collection if allowed to settle:

Date: _____ Time: _____ NTU: _____

Comments
Clear, no odor, purged dry

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-16
Date 1/8/2025
DTW¹ 18.91
DTB² 24.62
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0918 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0924	19.07	160	0.25	5.11	192	11.3	8	2.02	300
0928	19.07	160	0.42	5.07	187	11.3	4	1.88	268
0932	19.07	160	0.59	5.06	185	11.4	4	1.95	267
0936	19.07	160	0.76	5.04	185	11.4	4	1.83	269

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-17
Date 1/7/2025
DTW¹ 46.15
DTB² 54.75
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1107 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1117	47.01	220	0.58	5.86	76	12.7	7	3.21	-11
1121	47.01	220	0.81	5.38	76	12.9	5	3.14	35
1125	47.01	220	1.04	5.34	76	12.9	5	3.09	51
1129	47.01	220	1.28	5.35	76	12.9	4	3.10	57

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental

Site Eagle Point Landfill

Well ID GWC-18

Date 1/7/2025

DTW¹ 46.59

DTB² 49.29

1 Well Volume (DTB - DTW) * 0.163 = 0.44

3 Well Volumes 1 WV * 3 = 1.32

Purge Method Disposable Teflon Bailer

Sample Method Disposable Teflon Bailer

Parameters Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1012	0.50	5.87	50	14.2	92	3.80	25

Metals sample collection if allowed to settle:

Date: 1/8/2025 Time: 0835 NTU: 6

Comments
Cloudy, no odor, purged dry

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-19
Date 1/7/2025
DTW¹ 54.29
DTB² 55.18
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)

Comments
Insufficient water for sampling purposes

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-20
Date 1/7/2025
DTW¹ 74.51
DTB² 84.87
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1234 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1244	75.15	260	0.69	7.34	147	14.3	2	0.98	54
1248	75.15	260	0.96	7.34	138	14.8	2	0.91	5
1252	75.15	260	1.23	7.32	137	14.6	1	0.89	16
1256	75.15	260	1.50	7.32	136	14.4	1	0.91	18

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-21
Date 1/8/2025
DTW¹ 27.91
DTB² 29.91
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0953 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0959	28.09	160	0.25	5.20	73	10.8	1	4.44	309
1003	28.09	160	0.42	5.15	74	10.7	1	4.50	333
1007	28.09	160	0.59	5.17	73	10.5	1	4.47	336
1011	28.09	160	0.76	5.16	74	10.3	1	4.57	333

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-22
Date 1/7/2025
DTW¹ 70.27
DTB² 81.06
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1048 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1056	70.71	300	0.63	5.18	43	13.5	1	2.31	294
1100	70.71	300	0.95	5.15	43	13.2	1	2.39	279
1104	70.71	300	1.27	5.12	42	13.2	1	2.37	266
1108	70.71	300	1.59	5.13	43	13.0	1	2.35	248

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-23
Date 1/7/2025
DTW¹ 83.72
DTB² 98.15
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1014 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1022	83.96	300	0.63	6.05	40	10.2	4	8.64	248
1026	83.96	300	0.95	6.03	40	9.6	2	8.73	253
1030	83.96	300	1.27	6.03	39	9.2	2	8.89	258
1034	83.96	300	1.59	6.02	39	9.0	2	9.15	264

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-24
Date 1/7/2025
DTW¹ 84.61
DTB² 90.34
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0931 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0941	84.88	260	0.69	5.96	57	7.7	2	7.08	278
0945	84.88	260	0.96	5.81	55	7.5	1	6.34	291
0949	84.88	260	1.23	5.69	54	7.3	2	5.97	301
0953	84.88	260	1.50	5.65	54	7.3	2	5.85	313
0957	84.88	260	1.77	5.63	53	7.1	2	5.81	318

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-25
Date 1/7/2025
DTW¹ 32.40
DTB² 58.58
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1338 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (μS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1349	32.98	280	0.81	5.03	50	14.4	1	2.25	220
1353	32.98	280	1.11	5.00	50	14.3	1	2.00	228
1357	32.98	280	1.41	5.04	51	14.5	1	1.73	234
1401	32.98	280	1.71	5.04	52	14.4	1	1.61	238
1405	32.98	280	2.01	5.02	52	14.3	1	1.57	236

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-26
Date 1/7/2025
DTW¹ 25.17
DTB² 43.66
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1426 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1436	25.68	300	0.79	5.19	86	15.5	1	1.17	207
1440	25.68	300	1.11	5.21	87	15.3	1	1.09	205
1444	25.68	300	1.43	5.23	87	15.3	1	1.02	203
1448	25.68	300	1.75	5.23	88	15.3	1	0.92	201

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Well ID	GWC-27
Date	1/10/2024
DTW ¹	52.96
DTB ²	53.75
1 Well Volume	(DTB - DTW) * 0.163 = 0.13
3 Well Volumes	1 WV * 3 = 0.39
Purge Method	Disposable Teflon Bailer
Sample Method	Disposable Teflon Bailer
Parameters	Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)

Metals sample collection if allowed to settle:

Date: _____ Time: _____ NTU: _____

Comments
Insufficient water for sampling purposes

Field Tech: M. Young

- ¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-28
Date 1/7/2025
DTW¹ 61.22
DTB² 71.81
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1204 LEL/Vol = 0.05

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1214	61.69	280	0.74	5.87	45	14.2	1	5.87	220
1218	61.69	280	1.04	5.86	45	13.8	1	5.80	26
1222	61.69	280	1.34	5.86	44	13.5	1	5.73	232
1226	61.69	280	1.64	5.85	44	13.5	1	5.75	240

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-29
Date 1/7/2025
DTW¹ 52.85
DTB² 62.74
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1125 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1134	53.27	260	0.62	6.15	79	12.6	1	4.24	286
138	53.27	260	0.89	5.96	60	12.5	1	5.11	304
1142	53.27	260	1.16	5.88	47	12.5	1	5.95	318
1146	53.27	260	1.43	5.34	26	12.4	0	6.64	342
1150	53.27	260	1.70	5.29	26	12.3	0	6.89	379
1154	53.27	260	1.97	5.26	25	12.1	0	7.06	399

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

***EM** Services*

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
ID	Field Blank
Date	1/8/2025
Time	1420
Parameters	Appendix I VOCs / Metals

Comments
DI Water from Eurofins ET Service Center - Atlanta stored at EM Services' office. Field Blank poured directly into bottles at equipment trailer by LF Office

Field Tech: M. Young

***EM** Services*

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Sample Method	Directly into bottles
Parameters	Appendix I VOCs, Chloride, TDS

Surface Water ID	Date	Time	pH	T (°C)	Comments
SWA-1	1/8/2025	1041	6.57	3.8	Clear, no odor, good flow
SWA-2	1/8/2025	1217	6.82	6.7	Clear, no odor
SWC-9	1/6/2025	1505	6.60	6.6	Clear, no odor, good flow
SWC-14	1/8/2025	1101	6.64	5.4	Clear, no odor

Field Tech: D. Cantu. M. Young

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Sample Method	Directly into bottles
Parameters	Appendix I VOCs, Chloride, TDS

Surface Water ID	Date	Time	pH	T (°C)	Comments
UD-6	1/8/2025	0917	6.28	24.1	Clear, no odor
UD-8	1/8/2025	0856	5.88	19.9	Clear, no odor
UD-12	1/8/2025	0950	6.23	10.2	Clear, no odor
UD-13	1/6/2025	1419	6.1	18.0	Clear, strong odor, good flow

Field Tech: D. Cantu, M. Young

***EM** Services*

Environmental Monitoring Services, LLC

Client	GFL Environmental
Site	Eagle Point Landfill
Date	1/6/2025

Well	DTW ¹	DTB ¹
GWA-1	5.41	28.10
GWA-2	41.50	50.09
GWC-1	20.71	34.90
GWC-2	35.90	41.44
GWC-3	26.83	46.90
GWC-4	14.20	38.56
GWC-5	9.73	23.19
GWC-6	26.39	37.54
GWC-7	28.41	91.33
GWC-7A	28.93	50.80
GWC-8	18.79	36.43
GWC-9	18.30	24.35
GWC-10	28.21	36.55
GWC-10D	15.80	36.30
GWC-11	32.16	41.17
GWC-12R	8.79	29.79
GWC-13	Dry	23.05

Well	DTW ¹	DTB ¹
GWC-13R	26.05	37.94
GWC-14R	21.81	34.89
GWC-15	41.52	46.35
GWC-16	18.91	24.62
GWC-17	46.51	54.75
GWC-18	46.59	49.29
GWC-19	54.29	55.18
GWC-20	74.51	84.87
GWC-21	27.91	29.91
GWC-22	70.27	81.06
GWC-23	83.72	98.15
GWC-24	84.61	90.34
GWC-25	32.40	58.58
GWC-26	25.17	43.66
GWC-27	52.96	53.75
GWC-28	61.22	71.81
GWC-29	52.85	62.74

1 Measured in feet from Top of Casing

APPENDIX B
POTENTIOMETRIC SURFACE MAP

METHANE MONITORING PROBE AS-BUILT INFORMATION

PROBE NUMBER	SURVEY PIN ELEVATION	TOP OF CASING ELEVATION	TOTAL PROBE DEPTH
MM-1S/1D	1126.60'	1129.32'	13.5'/35.0'
MM-2S/2D	1101.04'	1104.54'	25.5'/65.0'
MM-3S/3D	1,146.35'	1,149.98'	14.0'/39.5'
MM-4	1,118.35'	1,121.35'	13.0'
MM-5	1,116.21'	1,118.89'	12.0'
MM-6	1,161.77'	1,164.18'	14.8'
MM-7	1,121.52'	1,123.91'	9'
MM-8S/8D	1,149.85'	1,152.75'	14'/32'
MM-9S/9D	1,126.64'	1,129.24'	14'/35'
MM-9A	1,087.83'	1,090.47'	5'
MM-10	1,079.58'	1,082.38'	14'
MM-11	1,051.26'	1,053.82'	17'

NOTES:

1. ALL ELEVATIONS MEASURED IN FEET MEAN SEA LEVEL (FMSL)
2. PROBE DEPTH MEASURED BELOW GROUND SURFACE (FEET)
3. LOCATIONS MM-12 THROUGH MM-16 ARE STRUCTURES
4. TABLE FROM BUNNELL LAMMONS ENGINEERING, SECOND SEM-ANNUAL, 2025 REPORT.

LEGEND

- GWC-1 Groundwater Monitoring Well
- 1086.56 Groundwater Elevation (fmsl)
- 1040 Potentiometric Surface Contour
- Groundwater Flow Direction & Hydraulic Gradient
- SWA-1 Surface Water Monitoring Point
- UD-6 Underdrain Monitoring Point
- MM-10 Methane Monitoring Probe (MM-12 through MM-16 are Structures)
- Waste Boundary
- Property Boundary

NOTES:

1. Depth to water measurements were initiated by Environmental Monitoring Services, LLC on January 6, 2025.
2. Basemap courtesy of Bunnell Lammons Engineering. Date of Aerial Topographic Survey: February 2017 by Southern Resources Mapping Corporation.

0 200 400 600 1200
Scale in Feet
Graphic Scale: 1 inch = 600 feet



18 Lexington Oaks Court
Foristell, MO 63348
314-496-4654
www.jettenviro.com

First Semi-Annual 2025 Event, Potentiometric Surface Map
Eagle Point Landfill, Forsyth County, Georgia

Groundwater Elevation Summary Table
Eagle Point Landfill

Well	Top of PVC Casing Elevation (fmsl)¹	Depth to Water (ft)²	Groundwater Elevation (fmsl)
GWA-1	1113.70	5.41	1108.29
GWA-2	1152.92	41.50	1111.42
GWC-1	1107.27	20.71	1086.56
GWC-2	1100.22	35.90	1064.32
GWC-3	1072.84	26.83	1046.01
GWC-4	1039.25	14.20	1025.05
GWC-5	1022.71	9.73	1012.98
GWC-6	1040.34	26.39	1013.95
GWC-7	1035.77	28.41	1007.36
GWC-7A	1036.01	28.93	1007.08
GWC-8	1023.98	18.79	1005.19
GWC-9	1009.70	18.30	991.40
GWC-10	1005.66	28.21	977.45
GWC-10D	992.67	15.80	976.87
GWC-11	1030.15	32.16	997.99
GWC-12R	1043.41	8.79	1034.62
GWC-13	1038.00	Dry	Dry
GWC-13R	1035.70	26.05	1009.65
GWC-14R	1014.46	21.81	992.65
GWC-15	1044.91	41.52	1003.39
GWC-16	1020.31	18.91	1001.40
GWC-17	1024.49	46.51	977.98
GWC-18	1038.15	46.59	991.56
GWC-19	1084.78	54.29	1030.49
GWC-20	1109.86	74.51	1035.35
GWC-21	1085.67	27.91	1057.76
GWC-22	1136.10	70.27	1065.83
GWC-23	1127.13	83.72	1043.41
GWC-24	1129.32	84.61	1044.71
GWC-25	1078.67	32.40	1046.27
GWC-26	1076.52	25.17	1051.35
GWC-27	1054.73	52.96	1001.77
GWC-28	1105.07	61.22	1043.85
GWC-29	1101.73	52.85	1048.88

Note 1: Source of top of PVC casing elevation is from Table 1 of the Second 2023 Semi-Annual Water Quality Report by Bunnell-Lammons Engineering, Inc., dated October 11, 2023.

Note 2: Depth to water measurements were initiated by Environmental Monitoring Services, LLC on January 6, 2025.

fmsl: feet above mean sea level.

ft: feet.

Groundwater Flow Rate Calculations First Semi-Annual 2025 Event Eagle Point Landfill							
	Hydraulic Conductivity			Hydraulic Gradient (ft/ft)	Effective Porosity	Flow Velocity (ft/day)	Flow Velocity (ft/year)
	K(ft/min)	K(cm/sec)	K(ft/day)				
High Flow Velocity	0.0094	0.0048	14	0.0487	20%	3.409	1244
Low Flow Velocity	0.000044	0.000022	0.063	0.0410	40%	0.0065	2
Geometric Mean Flow	0.00064	0.00032	0.94	0.0447	30%	0.1399	51

Hydraulic conductivities and effective porosities taken from the "Second 2023 Semi-Annual Water Quality Report by Bunnell-Lammons Engineering, Inc., dated October 11, 2023.

Highest and Lowest hydraulic gradients from this event's potentiometric surface map.

ft/min: feet per minute.

cm/sec: centimeter per second.

ft/day: feet per day.

ft/ft: feet per foot.

ft/year: feet per year.

APPENDIX C

STATISTICAL EVALUATIONS

Prediction Limit

Eagle Point Client: GFL Data: Eagle Point Printed 3/5/2025, 11:27 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bq N	Bq Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Antimony Total (ug/L)	GWC-13R	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-1	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-10	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-11	6.0	n/a	1/6/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-12R	6.0	n/a	1/8/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-14R	6.0	n/a	1/8/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-15	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-16	6.0	n/a	1/8/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-17	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-18	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-2	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-20	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-21	6.0	n/a	1/8/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-22	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-23	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-24	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-25	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-26	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-28	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-29	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-3	6.0	n/a	1/7/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-4	6.0	n/a	1/8/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-5	6.0	n/a	1/8/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-6	6.0	n/a	1/6/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-7	6.0	n/a	1/6/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-7A	6.0	n/a	1/6/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-8	6.0	n/a	1/8/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Antimony Total (ug/L)	GWC-9	6.0	n/a	1/6/2025	6ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-13R	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-1	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-10	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-11	10	n/a	1/6/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-12R	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-14R	10	n/a	1/8/2025	7.5	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-15	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-16	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-17	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-18	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-2	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-20	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-21	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-22	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-23	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-24	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-25	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-26	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-28	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-29	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-3	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-4	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2

Prediction Limit

Eagle Point Client: GFL Data: Eagle Point Printed 3/5/2025, 11:27 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Arsenic (ug/L)	GWC-5	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-6	10	n/a	1/6/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-7	10	n/a	1/6/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-7A	10	n/a	1/6/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-8	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Arsenic Total (ug/L)	GWC-9	10	n/a	1/6/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-13R	160	n/a	1/7/2025	53.6	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-1	160	n/a	1/7/2025	8.9	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-10	160	n/a	1/7/2025	146	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-11	160	n/a	1/6/2025	216	Yes	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-12R	160	n/a	1/8/2025	125	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-14R	160	n/a	1/8/2025	18.7	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-15	160	n/a	1/7/2025	132	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-16	160	n/a	1/8/2025	120	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-17	160	n/a	1/7/2025	35.1	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-18	160	n/a	1/7/2025	20	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-2	160	n/a	1/7/2025	30.9	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-20	160	n/a	1/7/2025	20ND	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-21	160	n/a	1/8/2025	13.4	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-22	160	n/a	1/7/2025	11.3	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-23	160	n/a	1/7/2025	16	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-24	160	n/a	1/7/2025	8.6	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-25	160	n/a	1/7/2025	12.2	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-26	160	n/a	1/7/2025	14.2	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-28	160	n/a	1/7/2025	6.4	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-29	160	n/a	1/7/2025	5.5	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-3	160	n/a	1/7/2025	19.7	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-4	160	n/a	1/8/2025	33.9	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-5	160	n/a	1/8/2025	37.3	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-6	160	n/a	1/6/2025	75.6	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-7	160	n/a	1/6/2025	20.5	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-7A	160	n/a	1/6/2025	33.6	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-8	160	n/a	1/8/2025	51.9	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-9	160	n/a	1/6/2025	108	No	98	n/a	n/a	69.39	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-13R	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-1	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-10	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-11	3.0	n/a	1/6/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-12R	3.0	n/a	1/8/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-14R	3.0	n/a	1/8/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-15	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-16	3.0	n/a	1/8/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-17	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-18	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-2	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-20	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-21	3.0	n/a	1/8/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-22	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-23	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-24	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2

Page 3

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Beryllium Total (ug/L)	GWC-25	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-26	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-28	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-29	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-3	3.0	n/a	1/7/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-4	3.0	n/a	1/8/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-5	3.0	n/a	1/8/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-6	3.0	n/a	1/6/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-7	3.0	n/a	1/6/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-7A	3.0	n/a	1/6/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-8	3.0	n/a	1/8/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-9	3.0	n/a	1/6/2025	3ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-13R	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-1	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-10	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-11	5.0	n/a	1/6/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-12R	5.0	n/a	1/8/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-14R	5.0	n/a	1/8/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-15	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-16	5.0	n/a	1/8/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-17	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-18	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-2	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-20	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-21	5.0	n/a	1/8/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-22	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-23	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-24	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-25	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-26	5.0	n/a	1/7/2025	5ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-28	5												

Page 4

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Chromium Total (ug/L)	GWC-2	30	n/a	1/7/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-20	30	n/a	1/7/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-21	30	n/a	1/8/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-22	30	n/a	1/7/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-23	30	n/a	1/7/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-24	30	n/a	1/7/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-25	30	n/a	1/7/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-26	30	n/a	1/7/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-28	30	n/a	1/7/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-29	30	n/a	1/7/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-3	30	n/a	1/7/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-4	30	n/a	1/8/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-5	30	n/a	1/8/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-6	30	n/a	1/6/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-7	30	n/a	1/6/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-7A	30	n/a	1/6/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-8	30	n/a	1/8/2025	9.6	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Chromium Total (ug/L)	GWC-9	30	n/a	1/6/2025	10ND	No	98	n/a	n/a	91.84	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-13R	40	n/a	1/7/2025	40ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-1	40	n/a	1/7/2025	40ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-10	40	n/a	1/7/2025	32.1	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-11	40	n/a	1/6/2025	30.5	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-12R	40	n/a	1/8/2025	111	Yes	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-14R	40	n/a	1/8/2025	40ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-15	40	n/a	1/7/2025	5.3	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-16	40	n/a	1/8/2025	15.1	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-17	40	n/a	1/7/2025	40ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-18	40	n/a	1/7/2025	40ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-2	40	n/a	1/7/2025	40ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Cobalt Total (ug/L)	GWC-20	40	n/a	1/7/2025	40ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2

Page 5

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Copper Total (ug/L)	GWC-12R	30	n/a	1/8/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-14R	30	n/a	1/8/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-15	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-16	30	n/a	1/8/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-17	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-18	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-2	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-20	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-21	30	n/a	1/8/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-22	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-23	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-24	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-25	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-26	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-28	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-29	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-3	30	n/a	1/7/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-4	30	n/a	1/8/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-5	30	n/a	1/8/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-6	30	n/a	1/6/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-7	30	n/a	1/6/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-7A	30	n/a	1/6/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-8	30	n/a	1/8/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Copper Total (ug/L)	GWC-9	30	n/a	1/6/2025	20ND	No	98	n/a	n/a	96.94	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Lead Total (ug/L)	GWC-13R	15	n/a	1/7/2025	15ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Lead Total (ug/L)	GWC-1	15	n/a	1/7/2025	15ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Lead Total (ug/L)	GWC-10	15	n/a	1/7/2025	15ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Lead Total (ug/L)	GWC-11	15	n/a	1/6/2025	15ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Lead Total (ug/L)	GWC-12R	15	n/a	1/8/2025	15ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Lead Total (ug/L)	GWC-14R	15	n/a	1/8/2025	15ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Lead Total (ug/L)	GWC-1													

Page 6

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Lead Total (ug/L)	GWC-8	15	n/a	1/8/2025	15ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Lead Total (ug/L)	GWC-9	15	n/a	1/6/2025	2.7	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-13R	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-1	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-10	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-11	20	n/a	1/6/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-12R	20	n/a	1/8/2025	27.7	Yes	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-14R	20	n/a	1/8/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-15	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-16	20	n/a	1/8/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-17	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-18	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-2	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-20	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-21	20	n/a	1/8/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-22	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-23	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-24	20	n/a	1/7/2025	12.3	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-25	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-26	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-28	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-29	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-3	20	n/a	1/7/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-4	20	n/a	1/8/2025	5.2	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-5	20	n/a	1/8/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-6	20	n/a	1/6/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-7	20	n/a	1/6/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-7A	20	n/a	1/6/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-8	20	n/a	1/8/2025	20ND	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Nickel Total (ug/L)	GWC-9	20	n/a	1/6/2025	5.1	No	98	n/a	n/a	98.98	n/a	n/a	0.0001978	

Page 7

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bq N	Bq Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Selenium Total (ug/L)	GWC-3	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Selenium Total (ug/L)	GWC-4	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Selenium Total (ug/L)	GWC-5	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Selenium Total (ug/L)	GWC-6	10	n/a	1/6/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Selenium Total (ug/L)	GWC-7	10	n/a	1/6/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Selenium Total (ug/L)	GWC-7A	10	n/a	1/6/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Selenium Total (ug/L)	GWC-8	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Selenium Total (ug/L)	GWC-9	10	n/a	1/6/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-13R	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-1	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-10	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-11	10	n/a	1/6/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-12R	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-14R	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-15	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-16	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-17	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-18	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-2	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-20	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-21	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-22	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-23	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-24	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-25	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-26	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-28	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-29	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-3	10	n/a	1/7/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-4	10	n/a	1/8/2025	10ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Silver Total (ug/L)	GWC-5	10	n/a	1/8/2025	10ND	No	98	n/a						

Page 8

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Thallium Total (ug/L)	GWC-23	2.0	n/a	1/7/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-24	2.0	n/a	1/7/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-25	2.0	n/a	1/7/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-26	2.0	n/a	1/7/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-28	2.0	n/a	1/7/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-29	2.0	n/a	1/7/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-3	2.0	n/a	1/7/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-4	2.0	n/a	1/8/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-5	2.0	n/a	1/8/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-6	2.0	n/a	1/6/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-7	2.0	n/a	1/6/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-7A	2.0	n/a	1/6/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-8	2.0	n/a	1/8/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Thallium Total (ug/L)	GWC-9	2.0	n/a	1/6/2025	2ND	No	98	n/a	n/a	100	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-13R	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-1	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-10	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-11	70	n/a	1/6/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-12R	70	n/a	1/8/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-14R	70	n/a	1/8/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-15	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-16	70	n/a	1/8/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-17	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-18	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-2	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-20	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-21	70	n/a	1/8/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-22	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-23	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Vanadium Total (ug/L)	GWC-24	70	n/a	1/7/2025	20ND	No	98	n/a	n/a	93.88	n/a	n/a	0.0001978	NP Inter (NDs)

Prediction Limit


Eagle Point Client: GFL Data: Eagle Point Printed 3/5/2025, 11:27 AM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Observ.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Zinc Total (ug/L)	GWC-17	150	n/a	1/7/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-18	150	n/a	1/7/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-2	150	n/a	1/7/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-20	150	n/a	1/7/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-21	150	n/a	1/8/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-22	150	n/a	1/7/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-23	150	n/a	1/7/2025	13.9	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-24	150	n/a	1/7/2025	12.7	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-25	150	n/a	1/7/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-26	150	n/a	1/7/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-28	150	n/a	1/7/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-29	150	n/a	1/7/2025	55.5	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-3	150	n/a	1/7/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-4	150	n/a	1/8/2025	17.7	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-5	150	n/a	1/8/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-6	150	n/a	1/6/2025	13.1	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-7	150	n/a	1/6/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-7A	150	n/a	1/6/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-8	150	n/a	1/8/2025	20ND	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-9	150	n/a	1/6/2025	26	No	98	n/a	n/a	86.73	n/a	n/a	0.0001978	NP Inter (NDs) 1 of 2

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 100% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Antimony Total Analysis Run 3/5/2025 11:25 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 100% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Arsenic Total Analysis Run 3/5/2025 11:25 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Exceeds Limit: GWC-11

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 69.39% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. After outlier removal distribution was non-normal, so outlier results were invalidated.


Constituent: Barium Total Analysis Run 3/5/2025 11:25 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 100% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Beryllium Total Analysis Run 3/5/2025 11:25 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 100% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Cadmium Total Analysis Run 3/5/2025 11:25 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 91.84% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. After outlier removal distribution was non-normal, so outlier results were invalidated.


Constituent: Chromium Total Analysis Run 3/5/2025 11:26 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Exceeds Limit: GWC-12R, GWC-9

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 100% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Cobalt Total Analysis Run 3/5/2025 11:26 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 96.94% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. After outlier removal distribution was non-normal, so outlier results were invalidated.


Constituent: Copper Total Analysis Run 3/5/2025 11:26 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 100% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Lead Total Analysis Run 3/5/2025 11:26 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Exceeds Limit: GWC-12R

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 98.98% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Nickel Total Analysis Run 3/5/2025 11:26 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 100% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Selenium Total Analysis Run 3/5/2025 11:26 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 100% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Silver Total Analysis Run 3/5/2025 11:26 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 100% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Thallium Total Analysis Run 3/5/2025 11:26 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 93.88% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. After outlier removal distribution was non-normal, so outlier results were invalidated.


Constituent: Vanadium Total Analysis Run 3/5/2025 11:26 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 98 background values. 86.73% NDs. Annual per-constituent alpha = 0.01102. Individual comparison alpha = 0.0001978 (1 of 2). Comparing 28 points to limit. After outlier removal distribution was non-normal, so outlier results were invalidated.

Constituent: Zinc Total Analysis Run 3/5/2025 11:26 AM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

TIME SERIES TREND ANALYSIS


Time Series



Constituent: Antimony Total Analysis Run 3/4/2025 2:01 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Arsenic Total Analysis Run 3/4/2025 2:01 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Barium Total Analysis Run 3/4/2025 2:01 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Beryllium Total Analysis Run 3/4/2025 2:01 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Cadmium Total Analysis Run 3/4/2025 2:01 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Chromium Total Analysis Run 3/4/2025 2:01 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Cobalt Total Analysis Run 3/4/2025 2:01 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Copper Total Analysis Run 3/4/2025 2:01 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Lead Total Analysis Run 3/4/2025 2:01 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Nickel Total Analysis Run 3/4/2025 2:01 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Selenium Total Analysis Run 3/4/2025 2:02 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Silver Total Analysis Run 3/4/2025 2:02 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Thallium Total Analysis Run 3/4/2025 2:02 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Vanadium Total Analysis Run 3/4/2025 2:02 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Zinc Total Analysis Run 3/4/2025 2:02 PM View: TS - Metals

Eagle Point Client: GFL Data: Eagle Point

Time Series



Constituent: 14-Dichlorobenzene Analysis Run 3/4/2025 2:12 PM View: TS - VOCs
Eagle Point Client: GFL Data: Eagle Point


Time Series

Constituent: 14-Dichlorobenzene (ug/L) Analysis Run 3/4/2025 2:12 PM View: TS - VOCs
Eagle Point Client: GFL Data: Eagle Point

GWC-12R

7/6/2009	<10
1/6/2010	<10
7/8/2010	<10
1/7/2011	<10
7/7/2011	<10
1/15/2012	<10
7/6/2012	<10
1/9/2013	<10
7/3/2013	<10
2/5/2014	<10
7/23/2014	<10
1/28/2015	<10
7/18/2015	<10
1/29/2016	<10
7/27/2016	<10
1/15/2017	<10
7/6/2017	<10
1/4/2018	<10
7/25/2018	<10
1/17/2019	<10
7/18/2019	<10
1/8/2020	<10
7/9/2020	<10
1/7/2021	<10
7/9/2021	<10
1/5/2022	<10
7/8/2022	<10
1/6/2023	<10
7/13/2023	<1
1/11/2024	1.3
7/10/2024	1.3
1/8/2025	1.1

Time Series



Constituent: Benzene Analysis Run 3/4/2025 2:12 PM View: TS - VOCs
Eagle Point Client: GFL Data: Eagle Point

Time Series

Constituent: Benzene (ug/L) Analysis Run 3/4/2025 2:12 PM View: TS - VOCs
Eagle Point Client: GFL Data: Eagle Point

GWC-12R

7/6/2009	<2
1/6/2010	<2
7/8/2010	<2
1/7/2011	<2
7/7/2011	<2
1/15/2012	<2
7/6/2012	<2
1/9/2013	<2
7/3/2013	<2
2/5/2014	<2
7/23/2014	<2
1/28/2015	<2
7/18/2015	<2
1/29/2016	<2
7/27/2016	2.1
1/15/2017	2.3
7/6/2017	<2
1/4/2018	2.3
7/25/2018	2.9
1/17/2019	2.1
7/18/2019	2.8
1/8/2020	2.7
7/9/2020	3.15
1/7/2021	2.7
7/9/2021	2.6
1/5/2022	2.1
7/8/2022	3.3
1/6/2023	<2
7/13/2023	2.6
1/11/2024	2.2
7/10/2024	<1
1/8/2025	2.2

APPENDIX D
LABORATORY ANALYTICAL REPORT



January 28, 2025

Scott Mann
GFL Environmental
8880 Old Federal Road
Ball Ground, GA 30107

RE: Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Dear Scott Mann:

Enclosed are the analytical results for sample(s) received by the laboratory on January 09, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Asheville
- Pace Analytical Services - Charlotte
- Pace Analytical Services - Peachtree Corners, GA

This revised report replaces the report issued on January 20, 2025. The report has been revised to add the field data provided by the client. no other changes were made to this report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Eben Buchanan
eben.buchanan@pacelabs.com
(770)734-4200
Project Manager

Enclosures

cc: Bob Hayes, GFL Environmental
Robert Heller, Hodges, Harbin, Newberry & Tribble, Inc.
Steve Jett, Jett Environmental
Mr. Scott Mann, GFL Environmental



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Pace Analytical Services Charlotte

South Carolina Laboratory ID: 99006

9800 Kinsey Ave. Ste 100, Huntersville, NC 28078

North Carolina Drinking Water Certification #: 37706

North Carolina Field Services Certification #: 5342

North Carolina Wastewater Certification #: 12

South Carolina Laboratory ID: 99006

South Carolina Certification #: 99006001

South Carolina Drinking Water Cert. #: 99006003

Florida/NELAP Certification #: E87627

Kentucky UST Certification #: 84

Louisiana DoH Drinking Water #: LA029

Virginia/VELAP Certification #: 460221

Pace Analytical Services Asheville

2225 Riverside Drive, Asheville, NC 28804

Florida/NELAP Certification #: E87648

North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40

South Carolina Laboratory ID: 99030

South Carolina Certification #: 99030001

Virginia/VELAP Certification #: 460222

Pace Analytical Services Peachtree Corners

110 Technology Pkwy, Peachtree Corners, GA 30092

Florida DOH Certification #: E87315

Georgia DW Inorganics Certification #: 812

North Carolina Certification #: 381

South Carolina Certification #: 98011001

Virginia Certification #: 460204

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92773113001	GWA-1	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113002	GWA-2	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113003	GWC-1	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113004	GWC-2	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113005	GWC-3	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113006	GWC-4	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113007	GWC-5	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113008	GWC-6	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113009	GWC-7	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113010	GWC-7A	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113011	GWC-8	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113012	GWC-9	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113013	GWC-10	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113014	GWC-11	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113015	GWC-12R	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113016	GWC-13R	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113017	GWC-14R	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113018	GWC-15	EPA 6020B	CW1	15	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113019	GWC-16	EPA 6020B	CW1	15	PASI-GA

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92773113020	GWC-17	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113021	GWC-18	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113022	GWC-20	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113023	GWC-21	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113024	GWC-22	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113025	GWC-23	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113026	GWC-24	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113027	GWC-25	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113028	GWC-26	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113029	GWC-28	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113030	GWC-29	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113031	Field Blank	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113032	Trip Blank	EPA 8260D	LMB	50	PASI-C
		EPA 6020B	CW1	15	PASI-GA
92773113033	UD-6	SM 2540C-2015	DL1	1	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113034	UD-8	EPA 9056A	CDC	1	PASI-A
		SM 2540C-2015	DL1	1	PASI-GA
92773113035	UD-12	EPA 8260D	LMB	50	PASI-C
		EPA 9056A	CDC	1	PASI-A
92773113036	UD-13	SM 2540C-2015	DL1	1	PASI-GA
		EPA 8260D	LMB	50	PASI-C

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92773113037	SWA-1	EPA 9056A	CDC	1	PASI-A
		SM 2540C-2015	DL1	1	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113038	SWA-2	EPA 9056A	CDC	1	PASI-A
		SM 2540C-2015	DL1	1	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113039	SWC-9	EPA 9056A	CDC	1	PASI-A
		SM 2540C-2015	DL1	1	PASI-GA
		EPA 8260D	LMB	50	PASI-C
92773113040	SWC-14	EPA 9056A	CDC	1	PASI-A
		SM 2540C-2015	DL1	1	PASI-GA
		EPA 8260D	LMB	50	PASI-C
		EPA 9056A	CDC	1	PASI-A

PASI-A = Pace Analytical Services - Asheville

PASI-C = Pace Analytical Services - Charlotte

PASI-GA = Pace Analytical Services - Peachtree Corners, GA

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWA-1		Lab ID: 92773113001		Collected: 01/08/25 12:32		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/08/25 12:32			
	Collected By	D. Cantu		1		01/08/25 12:32			
	pH	4.72	Std. Units	1		01/08/25 12:32			
	Temperature	12.4	deg C	1		01/08/25 12:32			
	Specific Conductance	18	umhos/cm	1		01/08/25 12:32			
	Oxygen, Dissolved	4.24	mg/L	1		01/08/25 12:32	7782-44-7		
	REDOX	383	mV	1		01/08/25 12:32			
	Turbidity	1	NTU	1		01/08/25 12:32			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 16:04	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:04	7440-38-2	
	Barium	15.4	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:04	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:04	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:04	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:04	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:04	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:04	7440-50-8	
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:04	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:04	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:04	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:04	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:04	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:04	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:04	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 01:42	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 01:42	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 01:42	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 01:42	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 01:42	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 01:42	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 01:42	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 01:42	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 01:42	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 01:42	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 01:42	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 01:42	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 01:42	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 01:42	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 01:42	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 01:42	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWA-1		Lab ID: 92773113001		Collected: 01/08/25 12:32		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 01:42	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 01:42	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 01:42	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 01:42	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 01:42	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 01:42	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 01:42	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 01:42	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 01:42	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 01:42	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 01:42	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 01:42	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 01:42	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 01:42	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 01:42	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 01:42	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 01:42	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 01:42	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 01:42	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 01:42	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 01:42	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 01:42	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 01:42	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 01:42	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 01:42	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 01:42	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 01:42	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 01:42	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 01:42	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 01:42	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 01:42	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 01:42	460-00-4		
1,2-Dichloroethane-d4 (S)	106	%	70-130	1		01/11/25 01:42	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 01:42	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWA-2		Lab ID: 92773113002		Collected: 01/08/25 14:42		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/08/25 14:42			
	Collected By	D. Cantu		1		01/08/25 14:42			
	pH	5.08	Std. Units	1		01/08/25 14:42			
	Temperature	14.6	deg C	1		01/08/25 14:42			
	Specific Conductance	23	umhos/cm	1		01/08/25 14:42			
	Oxygen, Dissolved	7.18	mg/L	1		01/08/25 14:42	7782-44-7		
	REDOX	311	mV	1		01/08/25 14:42			
	Turbidity	2	NTU	1		01/08/25 14:42			
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 16:20	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:20	7440-38-2		
Barium	12.9	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:20	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:20	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:20	7440-43-9		
Chromium	9.3	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:20	7440-47-3		
Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:20	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:20	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:20	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:20	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:20	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:20	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:20	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:20	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:20	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 02:00	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 02:00	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 02:00	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 02:00	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 02:00	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 02:00	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 02:00	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 02:00	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 02:00	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 02:00	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 02:00	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 02:00	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 02:00	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 02:00	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 02:00	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 02:00	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWA-2		Lab ID: 92773113002		Collected: 01/08/25 14:42		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 02:00	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 02:00	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 02:00	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 02:00	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 02:00	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 02:00	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 02:00	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:00	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:00	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:00	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 02:00	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 02:00	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 02:00	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 02:00	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 02:00	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 02:00	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 02:00	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 02:00	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 02:00	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:00	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:00	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 02:00	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 02:00	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:00	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:00	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 02:00	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 02:00	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 02:00	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 02:00	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 02:00	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 02:00	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 02:00	460-00-4		
1,2-Dichloroethane-d4 (S)	108	%	70-130	1		01/11/25 02:00	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 02:00	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-1		Lab ID: 92773113003		Collected: 01/07/25 14:48		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 14:48			
	Collected By	M. Young		1		01/07/25 14:48			
	pH	5.94	Std. Units	1		01/07/25 14:48			
	Temperature	15.2	deg C	1		01/07/25 14:48			
	Specific Conductance	48	umhos/cm	1		01/07/25 14:48			
	Oxygen, Dissolved	7.12	mg/L	1		01/07/25 14:48	7782-44-7		
	REDOX	163	mV	1		01/07/25 14:48			
	Turbidity	1	NTU	1		01/07/25 14:48			
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 16:24	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:24	7440-38-2		
Barium	8.9	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:24	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:24	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:24	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:24	7440-47-3		
Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:24	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:24	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:24	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:24	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:24	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:24	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:24	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:24	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:24	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 02:19	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 02:19	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 02:19	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 02:19	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 02:19	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 02:19	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 02:19	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 02:19	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 02:19	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 02:19	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 02:19	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 02:19	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 02:19	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 02:19	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 02:19	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 02:19	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-1		Lab ID: 92773113003		Collected: 01/07/25 14:48		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 02:19	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 02:19	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 02:19	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 02:19	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 02:19	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 02:19	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 02:19	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:19	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:19	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:19	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 02:19	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 02:19	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 02:19	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 02:19	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 02:19	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 02:19	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 02:19	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 02:19	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 02:19	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:19	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:19	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 02:19	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 02:19	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:19	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:19	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 02:19	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 02:19	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 02:19	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 02:19	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 02:19	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 02:19	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130	1		01/11/25 02:19	460-00-4		
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 02:19	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 02:19	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-2		Lab ID: 92773113004		Collected: 01/07/25 09:10		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 09:10			
	Collected By	D. Cantu		1		01/07/25 09:10			
	pH	5.68	Std. Units	1		01/07/25 09:10			
	Temperature	7.2	deg C	1		01/07/25 09:10			
	Specific Conductance	40	umhos/cm	1		01/07/25 09:10			
	Oxygen, Dissolved	8.17	mg/L	1		01/07/25 09:10	7782-44-7		
	REDOX	297	mV	1		01/07/25 09:10			
	Turbidity	10	NTU	1		01/07/25 09:10			
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 16:28	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:28	7440-38-2		
Barium	30.9	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:28	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:28	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:28	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:28	7440-47-3		
Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:28	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:28	7440-50-8		
Lead	1.3	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:28	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:28	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:28	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:28	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:28	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:28	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:28	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 02:37	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 02:37	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 02:37	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 02:37	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 02:37	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 02:37	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 02:37	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 02:37	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 02:37	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 02:37	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 02:37	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 02:37	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 02:37	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 02:37	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 02:37	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 02:37	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-2		Lab ID: 92773113004		Collected: 01/07/25 09:10		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 02:37	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 02:37	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 02:37	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 02:37	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 02:37	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 02:37	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 02:37	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:37	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:37	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:37	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 02:37	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 02:37	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 02:37	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 02:37	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 02:37	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 02:37	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 02:37	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 02:37	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 02:37	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:37	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:37	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 02:37	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 02:37	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:37	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:37	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 02:37	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 02:37	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 02:37	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 02:37	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 02:37	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 02:37	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130	1		01/11/25 02:37	460-00-4		
1,2-Dichloroethane-d4 (S)	109	%	70-130	1		01/11/25 02:37	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 02:37	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-3		Lab ID: 92773113005		Collected: 01/07/25 13:54		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 13:54			
	Collected By	M. Young		1		01/07/25 13:54			
	pH	5.06	Std. Units	1		01/07/25 13:54			
	Temperature	12.3	deg C	1		01/07/25 13:54			
	Specific Conductance	16	umhos/cm	1		01/07/25 13:54			
	Oxygen, Dissolved	7.84	mg/L	1		01/07/25 13:54	7782-44-7		
	REDOX	136	mV	1		01/07/25 13:54			
	Turbidity	1	NTU	1		01/07/25 13:54			
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 16:40	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:40	7440-38-2		
Barium	19.7	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:40	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:40	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:40	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:40	7440-47-3		
Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:40	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:40	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:40	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:40	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:40	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:40	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:40	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:40	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:40	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 02:55	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 02:55	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 02:55	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 02:55	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 02:55	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 02:55	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 02:55	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 02:55	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 02:55	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 02:55	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 02:55	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 02:55	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 02:55	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 02:55	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 02:55	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 02:55	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-3		Lab ID: 92773113005		Collected: 01/07/25 13:54		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 02:55	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 02:55	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 02:55	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 02:55	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 02:55	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 02:55	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 02:55	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:55	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:55	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 02:55	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 02:55	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 02:55	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 02:55	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 02:55	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 02:55	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 02:55	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 02:55	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 02:55	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 02:55	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:55	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:55	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 02:55	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 02:55	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:55	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:55	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 02:55	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 02:55	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 02:55	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 02:55	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 02:55	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 02:55	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 02:55	460-00-4		
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 02:55	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 02:55	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-4		Lab ID: 92773113006		Collected: 01/08/25 13:20		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/08/25 13:20			
	Collected By	D. Cantu		1		01/08/25 13:20			
	pH	4.80	Std. Units	1		01/08/25 13:20			
	Temperature	14.2	deg C	1		01/08/25 13:20			
	Specific Conductance	43	umhos/cm	1		01/08/25 13:20			
	Oxygen, Dissolved	0.20	mg/L	1		01/08/25 13:20	7782-44-7		
	REDOX	390	mV	1		01/08/25 13:20			
	Turbidity	1	NTU	1		01/08/25 13:20			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 16:44	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:44	7440-38-2	
	Barium	33.9	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:44	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:44	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:44	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:44	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:44	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:44	7440-50-8	
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:44	7439-92-1		
Nickel	5.2	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:44	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:44	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:44	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:44	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:44	7440-62-2		
Zinc	17.7	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:44	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 03:13	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 03:13	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 03:13	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 03:13	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 03:13	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 03:13	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 03:13	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 03:13	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 03:13	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 03:13	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 03:13	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 03:13	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 03:13	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 03:13	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 03:13	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 03:13	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-4		Lab ID: 92773113006		Collected: 01/08/25 13:20		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 03:13	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 03:13	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 03:13	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 03:13	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 03:13	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 03:13	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 03:13	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:13	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:13	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:13	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 03:13	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 03:13	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 03:13	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 03:13	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 03:13	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 03:13	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 03:13	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 03:13	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 03:13	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:13	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:13	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 03:13	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 03:13	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:13	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:13	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 03:13	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 03:13	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 03:13	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 03:13	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 03:13	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 03:13	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 03:13	460-00-4		
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 03:13	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 03:13	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-5		Lab ID: 92773113007		Collected: 01/08/25 13:46		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/08/25 13:46			
	Collected By	D. Cantu		1		01/08/25 13:46			
	pH	4.82	Std. Units	1		01/08/25 13:46			
	Temperature	15.2	deg C	1		01/08/25 13:46			
	Specific Conductance	45	umhos/cm	1		01/08/25 13:46			
	Oxygen, Dissolved	1.27	mg/L	1		01/08/25 13:46	7782-44-7		
	REDOX	324	mV	1		01/08/25 13:46			
	Turbidity	1	NTU	1		01/08/25 13:46			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 16:48	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:48	7440-38-2	
	Barium	37.3	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:48	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:48	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:48	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:48	7440-47-3	
	Cobalt	7.8	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:48	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:48	7440-50-8	
	Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:48	7439-92-1	
	Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:48	7440-02-0	
	Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:48	7782-49-2	
	Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:48	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:48	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:48	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:48	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 03:31	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 03:31	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 03:31	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 03:31	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 03:31	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 03:31	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 03:31	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 03:31	78-93-3	
	Carbon disulfide	ND	ug/L	2.0	1		01/11/25 03:31	75-15-0	
	Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 03:31	56-23-5	
	Chlorobenzene	ND	ug/L	1.0	1		01/11/25 03:31	108-90-7	
	Chloroethane	ND	ug/L	1.0	1		01/11/25 03:31	75-00-3	
	Chloroform	ND	ug/L	1.0	1		01/11/25 03:31	67-66-3	
	Chloromethane	ND	ug/L	1.0	1		01/11/25 03:31	74-87-3	IH
	1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 03:31	96-12-8	
	Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 03:31	124-48-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-5		Lab ID: 92773113007		Collected: 01/08/25 13:46		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 03:31	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 03:31	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 03:31	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 03:31	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 03:31	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 03:31	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 03:31	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:31	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:31	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:31	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 03:31	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 03:31	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 03:31	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 03:31	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 03:31	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 03:31	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 03:31	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 03:31	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 03:31	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:31	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:31	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 03:31	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 03:31	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:31	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:31	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 03:31	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 03:31	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 03:31	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 03:31	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 03:31	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 03:31	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 03:31	460-00-4		
1,2-Dichloroethane-d4 (S)	108	%	70-130	1		01/11/25 03:31	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 03:31	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-6		Lab ID: 92773113008		Collected: 01/06/25 10:55		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/06/25 10:55			
	Collected By	D. Cantu		1		01/06/25 10:55			
	pH	5.24	Std. Units	1		01/06/25 10:55			
	Temperature	15.0	deg C	1		01/06/25 10:55			
	Specific Conductance	83	umhos/cm	1		01/06/25 10:55			
	Oxygen, Dissolved	1.71	mg/L	1		01/06/25 10:55	7782-44-7		
	REDOX	345	mV	1		01/06/25 10:55			
	Turbidity	<1	NTU	1		01/06/25 10:55			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 16:52	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:52	7440-38-2	
	Barium	75.6	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:52	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:52	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:52	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:52	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:52	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:52	7440-50-8	
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:52	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:52	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:52	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:52	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:52	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:52	7440-62-2		
Zinc	13.1	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:52	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 03:49	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 03:49	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 03:49	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 03:49	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 03:49	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 03:49	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 03:49	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 03:49	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 03:49	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 03:49	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 03:49	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 03:49	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 03:49	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 03:49	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 03:49	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 03:49	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-6		Lab ID: 92773113008		Collected: 01/06/25 10:55		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 03:49	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 03:49	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 03:49	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 03:49	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 03:49	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 03:49	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 03:49	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:49	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:49	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:49	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 03:49	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 03:49	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 03:49	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 03:49	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 03:49	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 03:49	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 03:49	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 03:49	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 03:49	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:49	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:49	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 03:49	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 03:49	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:49	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:49	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 03:49	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 03:49	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 03:49	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 03:49	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 03:49	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 03:49	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130	1		01/11/25 03:49	460-00-4		
1,2-Dichloroethane-d4 (S)	106	%	70-130	1		01/11/25 03:49	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 03:49	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-7		Lab ID: 92773113009		Collected: 01/06/25 10:23		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/06/25 10:23			
	Collected By	M. Young		1		01/06/25 10:23			
	pH	6.54	Std. Units	1		01/06/25 10:23			
	Temperature	13.1	deg C	1		01/06/25 10:23			
	Specific Conductance	102	umhos/cm	1		01/06/25 10:23			
	Oxygen, Dissolved	6.39	mg/L	1		01/06/25 10:23	7782-44-7		
	REDOX	74	mV	1		01/06/25 10:23			
	Turbidity	3	NTU	1		01/06/25 10:23			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 16:56	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:56	7440-38-2	
	Barium	20.5	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:56	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:56	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 16:56	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:56	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:56	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:56	7440-50-8	
	Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:56	7439-92-1	
	Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:56	7440-02-0	
	Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:56	7782-49-2	
	Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 16:56	7440-22-4	
	Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 16:56	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:56	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 16:56	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 04:08	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 04:08	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 04:08	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 04:08	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 04:08	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 04:08	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 04:08	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 04:08	78-93-3	
	Carbon disulfide	ND	ug/L	2.0	1		01/11/25 04:08	75-15-0	
	Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 04:08	56-23-5	
	Chlorobenzene	ND	ug/L	1.0	1		01/11/25 04:08	108-90-7	
	Chloroethane	ND	ug/L	1.0	1		01/11/25 04:08	75-00-3	
	Chloroform	ND	ug/L	1.0	1		01/11/25 04:08	67-66-3	
	Chloromethane	ND	ug/L	1.0	1		01/11/25 04:08	74-87-3	IH
	1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 04:08	96-12-8	
	Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 04:08	124-48-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-7		Lab ID: 92773113009		Collected: 01/06/25 10:23		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 04:08	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 04:08	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 04:08	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 04:08	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 04:08	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 04:08	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 04:08	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 04:08	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 04:08	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 04:08	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 04:08	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 04:08	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 04:08	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 04:08	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 04:08	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 04:08	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 04:08	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 04:08	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 04:08	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 04:08	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 04:08	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 04:08	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 04:08	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 04:08	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 04:08	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 04:08	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 04:08	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 04:08	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 04:08	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 04:08	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 04:08	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 04:08	460-00-4		
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 04:08	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 04:08	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-7A		Lab ID: 92773113010		Collected: 01/06/25 10:57		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method:							
		Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/06/25 10:57		
Collected By	M. Young				1		01/06/25 10:57		
pH	6.32	Std. Units			1		01/06/25 10:57		
Temperature	18.5	deg C			1		01/06/25 10:57		
Specific Conductance	84	umhos/cm			1		01/06/25 10:57		
Oxygen, Dissolved	6.97	mg/L			1		01/06/25 10:57	7782-44-7	
Turbidity	2	NTU			1		01/06/25 10:57		
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A							
		Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 17:00	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:00	7440-38-2		
Barium	33.6	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:00	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:00	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:00	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:00	7440-47-3		
Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:00	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:00	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:00	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:00	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:00	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:00	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:00	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:00	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:00	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D							
		Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 04:26	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 04:26	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 04:26	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 04:26	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 04:26	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 04:26	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 04:26	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 04:26	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 04:26	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 04:26	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 04:26	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 04:26	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 04:26	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 04:26	74-87-3		IH
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 04:26	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 04:26	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 04:26	106-93-4		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-7A		Lab ID: 92773113010		Collected: 01/06/25 10:57		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
Dibromomethane	ND	ug/L	1.0	1		01/11/25 04:26	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 04:26	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 04:26	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 04:26	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 04:26	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 04:26	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 04:26	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 04:26	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 04:26	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 04:26	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 04:26	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 04:26	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 04:26	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 04:26	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 04:26	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 04:26	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 04:26	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 04:26	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 04:26	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 04:26	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 04:26	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 04:26	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 04:26	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 04:26	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 04:26	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 04:26	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 04:26	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 04:26	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 04:26	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 04:26	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130	1		01/11/25 04:26	460-00-4		
1,2-Dichloroethane-d4 (S)	105	%	70-130	1		01/11/25 04:26	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 04:26	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-8		Lab ID: 92773113011		Collected: 01/08/25 11:58		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/08/25 11:58			
	Collected By	D. Cantu		1		01/08/25 11:58			
	pH	4.32	Std. Units	1		01/08/25 11:58			
	Temperature	16.0	deg C	1		01/08/25 11:58			
	Specific Conductance	87	umhos/cm	1		01/08/25 11:58			
	Oxygen, Dissolved	0.49	mg/L	1		01/08/25 11:58	7782-44-7		
	REDOX	278	mV	1		01/08/25 11:58			
	Turbidity	2	NTU	1		01/08/25 11:58			
	Odor	no odor		1		01/08/25 11:58			
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 17:04	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:04	7440-38-2		
Barium	51.9	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:04	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:04	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:04	7440-43-9		
Chromium	9.6	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:04	7440-47-3		
Cobalt	35.4	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:04	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:04	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:04	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:04	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:04	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:04	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:04	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:04	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:04	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 04:44	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 04:44	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 04:44	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 04:44	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 04:44	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 04:44	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 04:44	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 04:44	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 04:44	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 04:44	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 04:44	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 04:44	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 04:44	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 04:44	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 04:44	96-12-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-8		Lab ID: 92773113011		Collected: 01/08/25 11:58		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 04:44	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 04:44	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 04:44	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 04:44	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 04:44	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 04:44	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 04:44	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 04:44	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 04:44	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 04:44	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 04:44	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 04:44	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 04:44	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 04:44	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 04:44	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 04:44	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 04:44	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 04:44	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 04:44	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 04:44	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 04:44	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 04:44	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 04:44	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 04:44	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 04:44	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 04:44	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 04:44	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 04:44	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 04:44	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 04:44	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 04:44	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 04:44	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 04:44	460-00-4		
1,2-Dichloroethane-d4 (S)	109	%	70-130	1		01/11/25 04:44	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 04:44	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-9		Lab ID: 92773113012		Collected: 01/06/25 11:45		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/06/25 11:45			
	Collected By	D. Cantu		1		01/06/25 11:45			
	pH	4.55	Std. Units	1		01/06/25 11:45			
	Temperature	15.6	deg C	1		01/06/25 11:45			
	Specific Conductance	730	umhos/cm	1		01/06/25 11:45			
	Oxygen, Dissolved	1.41	mg/L	1		01/06/25 11:45	7782-44-7		
	REDOX	378	mV	1		01/06/25 11:45			
	Turbidity	<1	NTU	1		01/06/25 11:45			
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 17:08	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:08	7440-38-2		
Barium	108	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:08	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:08	7440-41-7		
Cadmium	0.62	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:08	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:08	7440-47-3		
Cobalt	49.8	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:08	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:08	7440-50-8		
Lead	2.7	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:08	7439-92-1		
Nickel	5.1	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:08	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:08	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:08	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:08	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:08	7440-62-2		
Zinc	26.0	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:08	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 05:02	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 05:02	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 05:02	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 05:02	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 05:02	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 05:02	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 05:02	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 05:02	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 05:02	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 05:02	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 05:02	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 05:02	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 05:02	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 05:02	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 05:02	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 05:02	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-9		Lab ID: 92773113012		Collected: 01/06/25 11:45		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 05:02	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 05:02	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 05:02	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 05:02	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 05:02	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 05:02	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 05:02	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:02	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:02	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:02	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 05:02	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 05:02	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 05:02	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 05:02	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 05:02	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 05:02	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 05:02	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 05:02	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 05:02	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 05:02	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 05:02	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 05:02	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 05:02	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 05:02	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 05:02	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 05:02	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 05:02	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 05:02	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 05:02	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 05:02	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 05:02	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130	1		01/11/25 05:02	460-00-4		
1,2-Dichloroethane-d4 (S)	108	%	70-130	1		01/11/25 05:02	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 05:02	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-10		Lab ID: 92773113013		Collected: 01/07/25 08:53		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method: Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/07/25 08:53		
Collected By	M. Young				1		01/07/25 08:53		
pH	5.12	Std. Units			1		01/07/25 08:53		
Temperature	15.3	deg C			1		01/07/25 08:53		
Specific Conductance	218	umhos/cm			1		01/07/25 08:53		
Oxygen, Dissolved	1.26	mg/L			1		01/07/25 08:53	7782-44-7	
REDOX	23	mV			1		01/07/25 08:53		
Turbidity	1	NTU			1		01/07/25 08:53		
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 17:12	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:12	7440-38-2		
Barium	146	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:12	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:12	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:12	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:12	7440-47-3		
Cobalt	32.1	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:12	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:12	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:12	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:12	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:12	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:12	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:12	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:12	7440-62-2		
Zinc	12.9	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:12	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 05:20	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 05:20	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 05:20	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 05:20	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 05:20	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 05:20	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 05:20	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 05:20	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 05:20	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 05:20	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 05:20	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 05:20	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 05:20	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 05:20	74-87-3		IH
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 05:20	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 05:20	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-10		Lab ID: 92773113013		Collected: 01/07/25 08:53		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 05:20	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 05:20	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 05:20	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 05:20	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 05:20	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 05:20	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 05:20	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:20	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:20	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:20	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 05:20	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 05:20	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 05:20	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 05:20	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 05:20	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 05:20	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 05:20	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 05:20	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 05:20	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 05:20	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 05:20	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 05:20	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 05:20	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 05:20	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 05:20	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 05:20	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 05:20	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 05:20	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 05:20	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 05:20	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 05:20	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 05:20	460-00-4		
1,2-Dichloroethane-d4 (S)	109	%	70-130	1		01/11/25 05:20	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 05:20	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-11		Lab ID: 92773113014		Collected: 01/06/25 13:37		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/06/25 13:37			
	Collected By	D. Cantu		1		01/06/25 13:37			
	pH	5.12	Std. Units	1		01/06/25 13:37			
	Temperature	14.4	deg C	1		01/06/25 13:37			
	Specific Conductance	466	umhos/cm	1		01/06/25 13:37			
	Oxygen, Dissolved	1.61	mg/L	1		01/06/25 13:37	7782-44-7		
	REDOX	367	mV	1		01/06/25 13:37			
	Turbidity	2	NTU	1		01/06/25 13:37			
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 17:16	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:16	7440-38-2		
Barium	216	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:16	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:16	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:16	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:16	7440-47-3		
Cobalt	30.5	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:16	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:16	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:16	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:16	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:16	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:16	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:16	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:16	7440-62-2		
Zinc	25.3	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:16	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 05:38	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 05:38	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 05:38	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 05:38	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 05:38	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 05:38	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 05:38	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 05:38	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 05:38	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 05:38	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 05:38	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 05:38	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 05:38	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 05:38	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 05:38	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 05:38	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-11		Lab ID: 92773113014		Collected: 01/06/25 13:37		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 05:38	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 05:38	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 05:38	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 05:38	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 05:38	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 05:38	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 05:38	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:38	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:38	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:38	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 05:38	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 05:38	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 05:38	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 05:38	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 05:38	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 05:38	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 05:38	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 05:38	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 05:38	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 05:38	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 05:38	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 05:38	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 05:38	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 05:38	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 05:38	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 05:38	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 05:38	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 05:38	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 05:38	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 05:38	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 05:38	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 05:38	460-00-4		
1,2-Dichloroethane-d4 (S)	109	%	70-130	1		01/11/25 05:38	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 05:38	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-12R		Lab ID: 92773113015		Collected: 01/08/25 10:39		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method:								
	Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/08/25 10:39			
Collected By	D. Cantu			1		01/08/25 10:39			
pH	5.68	Std. Units		1		01/08/25 10:39			
Temperature	14.3	deg C		1		01/08/25 10:39			
Specific Conductance	830	umhos/cm		1		01/08/25 10:39			
Oxygen, Dissolved	0.25	mg/L		1		01/08/25 10:39	7782-44-7		
REDOX	191	mV		1		01/08/25 10:39			
Turbidity	1	NTU		1		01/08/25 10:39			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A								
	Pace Analytical Services - Peachtree Corners, GA								
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 17:28	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:28	7440-38-2		
Barium	125	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:28	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:28	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:28	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:28	7440-47-3		
Cobalt	111	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:28	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:28	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:28	7439-92-1		
Nickel	27.7	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:28	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:28	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:28	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:28	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:28	7440-62-2		
Zinc	11.5	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:28	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/11/25 05:57	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 05:57	107-13-1		
Benzene	2.2	ug/L	1.0	1		01/11/25 05:57	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 05:57	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 05:57	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 05:57	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 05:57	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 05:57	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 05:57	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 05:57	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 05:57	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 05:57	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 05:57	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 05:57	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 05:57	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 05:57	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-12R		Lab ID: 92773113015		Collected: 01/08/25 10:39		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 05:57	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 05:57	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 05:57	95-50-1		
1,4-Dichlorobenzene	1.1	ug/L	1.0	1		01/11/25 05:57	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 05:57	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 05:57	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 05:57	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:57	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:57	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 05:57	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 05:57	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 05:57	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 05:57	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 05:57	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 05:57	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 05:57	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 05:57	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 05:57	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 05:57	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 05:57	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 05:57	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 05:57	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 05:57	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 05:57	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 05:57	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 05:57	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 05:57	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 05:57	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 05:57	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 05:57	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 05:57	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 05:57	460-00-4		
1,2-Dichloroethane-d4 (S)	109	%	70-130	1		01/11/25 05:57	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 05:57	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-13R		Lab ID: 92773113016		Collected: 01/07/25 13:12		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method: Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/07/25 13:12		
Collected By	D. Cantu				1		01/07/25 13:12		
pH	5.72	Std. Units			1		01/07/25 13:12		
Temperature	14.4	deg C			1		01/07/25 13:12		
Specific Conductance	171	umhos/cm			1		01/07/25 13:12		
Oxygen, Dissolved	5.01	mg/L			1		01/07/25 13:12	7782-44-7	
REDOX	192	mV			1		01/07/25 13:12		
Turbidity	1	NTU			1		01/07/25 13:12		
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 17:32	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:32	7440-38-2		
Barium	53.6	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:32	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:32	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:32	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:32	7440-47-3		
Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:32	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:32	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:32	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:32	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:32	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:32	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:32	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:32	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:32	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 06:15	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 06:15	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 06:15	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 06:15	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 06:15	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 06:15	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 06:15	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 06:15	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 06:15	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 06:15	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 06:15	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 06:15	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 06:15	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 06:15	74-87-3		IH
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 06:15	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 06:15	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-13R		Lab ID: 92773113016		Collected: 01/07/25 13:12		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 06:15	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 06:15	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 06:15	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 06:15	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 06:15	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 06:15	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 06:15	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 06:15	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 06:15	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 06:15	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 06:15	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 06:15	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 06:15	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 06:15	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 06:15	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 06:15	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 06:15	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 06:15	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 06:15	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 06:15	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 06:15	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 06:15	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 06:15	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 06:15	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 06:15	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 06:15	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 06:15	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 06:15	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 06:15	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 06:15	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 06:15	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130	1		01/11/25 06:15	460-00-4		
1,2-Dichloroethane-d4 (S)	108	%	70-130	1		01/11/25 06:15	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 06:15	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-14R		Lab ID: 92773113017		Collected: 01/08/25 11:20		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/08/25 11:20			
	Collected By	D. Cantu		1		01/08/25 11:20			
	pH	5.82	Std. Units	1		01/08/25 11:20			
	Temperature	8.5	deg C	1		01/08/25 11:20			
	Specific Conductance	60	umhos/cm	1		01/08/25 11:20			
	Oxygen, Dissolved	1.11	mg/L	1		01/08/25 11:20	7782-44-7		
	REDOX	303	mV	1		01/08/25 11:20			
	Turbidity	3	NTU	1		01/08/25 11:20			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 17:36	7440-36-0	
	Arsenic	7.5	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:36	7440-38-2	
	Barium	18.7	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:36	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:36	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:36	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:36	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:36	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:36	7440-50-8	
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:36	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:36	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:36	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:36	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:36	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:36	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:36	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 06:33	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 06:33	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 06:33	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 06:33	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 06:33	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 06:33	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 06:33	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 06:33	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 06:33	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 06:33	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 06:33	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 06:33	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 06:33	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 06:33	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 06:33	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 06:33	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-14R		Lab ID: 92773113017		Collected: 01/08/25 11:20		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 06:33	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 06:33	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 06:33	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 06:33	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 06:33	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 06:33	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 06:33	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 06:33	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 06:33	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 06:33	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 06:33	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 06:33	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 06:33	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 06:33	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 06:33	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 06:33	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 06:33	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 06:33	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 06:33	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 06:33	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 06:33	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 06:33	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 06:33	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 06:33	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 06:33	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 06:33	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 06:33	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 06:33	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 06:33	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 06:33	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 06:33	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 06:33	460-00-4		
1,2-Dichloroethane-d4 (S)	110	%	70-130	1		01/11/25 06:33	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 06:33	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-15		Lab ID: 92773113018		Collected: 01/07/25 09:47		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method:							
		Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/07/25 09:47		
Collected By	M. Young				1		01/07/25 09:47		
pH	5.01	Std. Units			1		01/07/25 09:47		
Temperature	14.6	deg C			1		01/07/25 09:47		
Specific Conductance	57	umhos/cm			1		01/07/25 09:47		
Oxygen, Dissolved	1.33	mg/L			1		01/07/25 09:47	7782-44-7	
REDOX	115	mV			1		01/07/25 09:47		
Turbidity	3	NTU			1		01/07/25 09:47		
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A							
		Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 17:40	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:40	7440-38-2		
Barium	132	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:40	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:40	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:40	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:40	7440-47-3		
Cobalt	5.3	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:40	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:40	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:40	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:40	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:40	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:40	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:40	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:40	7440-62-2		
Zinc	18.9	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:40	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D							
		Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 06:51	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 06:51	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 06:51	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 06:51	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 06:51	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 06:51	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 06:51	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 06:51	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 06:51	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 06:51	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 06:51	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 06:51	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 06:51	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 06:51	74-87-3		IH
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 06:51	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 06:51	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-15		Lab ID: 92773113018		Collected: 01/07/25 09:47		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 06:51	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 06:51	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 06:51	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 06:51	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 06:51	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 06:51	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 06:51	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 06:51	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 06:51	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 06:51	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 06:51	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 06:51	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 06:51	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 06:51	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 06:51	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 06:51	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 06:51	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 06:51	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 06:51	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 06:51	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 06:51	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 06:51	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 06:51	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 06:51	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 06:51	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 06:51	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 06:51	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 06:51	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 06:51	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 06:51	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 06:51	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 06:51	460-00-4		
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 06:51	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 06:51	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-16		Lab ID: 92773113019		Collected: 01/08/25 09:30		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/08/25 09:36			
	Collected By	D. Cantu		1		01/08/25 09:36			
	pH	5.04	Std. Units	1		01/08/25 09:36			
	Temperature	11.4	deg C	1		01/08/25 09:36			
	Specific Conductance	185	umhos/cm	1		01/08/25 09:36			
	Oxygen, Dissolved	1.83	mg/L	1		01/08/25 09:36	7782-44-7		
	REDOX	269	mV	1		01/08/25 09:36			
	Turbidity	4	NTU	1		01/08/25 09:36			
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 13:35	01/18/25 17:44	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:44	7440-38-2		
Barium	120	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:44	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:44	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 13:35	01/18/25 17:44	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:44	7440-47-3		
Cobalt	15.1	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:44	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:44	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:44	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:44	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:44	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 13:35	01/18/25 17:44	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 13:35	01/18/25 17:44	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:44	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 13:35	01/18/25 17:44	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 07:09	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 07:09	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 07:09	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 07:09	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 07:09	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 07:09	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 07:09	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 07:09	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 07:09	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 07:09	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 07:09	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 07:09	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 07:09	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 07:09	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 07:09	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 07:09	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-16		Lab ID: 92773113019		Collected: 01/08/25 09:30		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 07:09	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 07:09	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 07:09	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 07:09	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 07:09	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 07:09	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 07:09	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 07:09	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 07:09	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 07:09	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 07:09	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 07:09	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 07:09	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 07:09	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 07:09	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 07:09	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 07:09	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 07:09	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 07:09	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 07:09	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 07:09	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 07:09	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 07:09	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 07:09	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 07:09	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 07:09	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 07:09	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 07:09	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 07:09	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 07:09	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 07:09	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 07:09	460-00-4		
1,2-Dichloroethane-d4 (S)	109	%	70-130	1		01/11/25 07:09	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 07:09	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-17		Lab ID: 92773113020		Collected: 01/07/25 11:29		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 11:29			
	Collected By	M. Young		1		01/07/25 11:29			
	pH	5.35	Std. Units	1		01/07/25 11:29			
	Temperature	12.9	deg C	1		01/07/25 11:29			
	Specific Conductance	76	umhos/cm	1		01/07/25 11:29			
	Oxygen, Dissolved	3.10	mg/L	1		01/07/25 11:29	7782-44-7		
	REDOX	57	mV	1		01/07/25 11:29			
	Turbidity	4	NTU	1		01/07/25 11:29			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 14:32	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:32	7440-38-2	
	Barium	35.1	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:32	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 14:32	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 14:32	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:32	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:32	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:32	7440-50-8	
	Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 14:32	7439-92-1	
	Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:32	7440-02-0	
	Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:32	7782-49-2	
	Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:32	7440-22-4	
	Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 14:32	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 14:32	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 14:32	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 07:28	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 07:28	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 07:28	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 07:28	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 07:28	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 07:28	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 07:28	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 07:28	78-93-3	
	Carbon disulfide	ND	ug/L	2.0	1		01/11/25 07:28	75-15-0	
	Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 07:28	56-23-5	
	Chlorobenzene	ND	ug/L	1.0	1		01/11/25 07:28	108-90-7	
	Chloroethane	ND	ug/L	1.0	1		01/11/25 07:28	75-00-3	
	Chloroform	ND	ug/L	1.0	1		01/11/25 07:28	67-66-3	
	Chloromethane	ND	ug/L	1.0	1		01/11/25 07:28	74-87-3	IH
	1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 07:28	96-12-8	
	Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 07:28	124-48-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-17		Lab ID: 92773113020		Collected: 01/07/25 11:29		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 07:28	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 07:28	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 07:28	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 07:28	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 07:28	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 07:28	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 07:28	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 07:28	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 07:28	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 07:28	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 07:28	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 07:28	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 07:28	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 07:28	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 07:28	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 07:28	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 07:28	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 07:28	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 07:28	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 07:28	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 07:28	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 07:28	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 07:28	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 07:28	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 07:28	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 07:28	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 07:28	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 07:28	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 07:28	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 07:28	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 07:28	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130	1		01/11/25 07:28	460-00-4		
1,2-Dichloroethane-d4 (S)	110	%	70-130	1		01/11/25 07:28	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 07:28	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-18		Lab ID: 92773113021		Collected: 01/07/25 10:12		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 10:12			
	Collected By	M. Young		1		01/07/25 10:12			
	pH	5.87	Std. Units	1		01/07/25 10:12			
	Temperature	14.2	deg C	1		01/07/25 10:12			
	Specific Conductance	50	umhos/cm	1		01/07/25 10:12			
	Oxygen, Dissolved	3.80	mg/L	1		01/07/25 10:12	7782-44-7		
	REDOX	25	mV	1		01/07/25 10:12			
	Turbidity	92	NTU	1		01/07/25 10:12			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 14:48	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:48	7440-38-2	
	Barium	20.0	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:48	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 14:48	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 14:48	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:48	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:48	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:48	7440-50-8	
	Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 14:48	7439-92-1	
	Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:48	7440-02-0	
	Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:48	7782-49-2	
	Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:48	7440-22-4	
	Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 14:48	7440-28-0	
	Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 14:48	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 14:48	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 07:46	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 07:46	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 07:46	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 07:46	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 07:46	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 07:46	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 07:46	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 07:46	78-93-3	
	Carbon disulfide	ND	ug/L	2.0	1		01/11/25 07:46	75-15-0	
	Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 07:46	56-23-5	
	Chlorobenzene	ND	ug/L	1.0	1		01/11/25 07:46	108-90-7	
	Chloroethane	ND	ug/L	1.0	1		01/11/25 07:46	75-00-3	
	Chloroform	ND	ug/L	1.0	1		01/11/25 07:46	67-66-3	
	Chloromethane	ND	ug/L	1.0	1		01/11/25 07:46	74-87-3	IH
	1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 07:46	96-12-8	
	Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 07:46	124-48-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-18		Lab ID: 92773113021		Collected: 01/07/25 10:12		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 07:46	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 07:46	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 07:46	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 07:46	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 07:46	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 07:46	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 07:46	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 07:46	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 07:46	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 07:46	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 07:46	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 07:46	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 07:46	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 07:46	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 07:46	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 07:46	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 07:46	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 07:46	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 07:46	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 07:46	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 07:46	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 07:46	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 07:46	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 07:46	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 07:46	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 07:46	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 07:46	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 07:46	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 07:46	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 07:46	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 07:46	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 07:46	460-00-4		
1,2-Dichloroethane-d4 (S)	106	%	70-130	1		01/11/25 07:46	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 07:46	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-20		Lab ID: 92773113022		Collected: 01/07/25 12:56		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method:							
		Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/07/25 12:56		
Collected By	M. Young				1		01/07/25 12:56		
pH	7.32	Std. Units			1		01/07/25 12:56		
Temperature	14.4	deg C			1		01/07/25 12:56		
Specific Conductance	136	umhos/cm			1		01/07/25 12:56		
Oxygen, Dissolved	0.91	mg/L			1		01/07/25 12:56	7782-44-7	
REDOX	18	mV			1		01/07/25 12:56		
Turbidity	1	NTU			1		01/07/25 12:56		
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A							
		Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 14:52	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:52	7440-38-2		
Barium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:52	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 14:52	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 14:52	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:52	7440-47-3		
Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:52	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:52	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 14:52	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:52	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:52	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:52	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 14:52	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 14:52	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 14:52	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D							
		Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 08:04	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 08:04	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 08:04	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 08:04	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 08:04	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 08:04	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 08:04	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 08:04	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 08:04	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 08:04	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 08:04	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 08:04	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 08:04	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 08:04	74-87-3		IH
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 08:04	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 08:04	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-20		Lab ID: 92773113022		Collected: 01/07/25 12:56		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 08:04	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 08:04	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 08:04	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 08:04	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 08:04	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 08:04	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 08:04	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:04	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:04	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:04	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 08:04	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 08:04	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 08:04	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 08:04	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 08:04	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 08:04	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 08:04	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 08:04	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 08:04	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 08:04	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 08:04	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 08:04	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 08:04	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 08:04	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 08:04	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 08:04	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 08:04	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 08:04	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 08:04	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 08:04	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 08:04	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 08:04	460-00-4		
1,2-Dichloroethane-d4 (S)	110	%	70-130	1		01/11/25 08:04	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 08:04	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-21		Lab ID: 92773113023		Collected: 01/08/25 10:11		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/08/25 10:11			
Collected By	D. Cantu			1		01/08/25 10:11			
pH	5.16	Std. Units		1		01/08/25 10:11			
Temperature	10.3	deg C		1		01/08/25 10:11			
Specific Conductance	74	umhos/cm		1		01/08/25 10:11			
Oxygen, Dissolved	4.57	mg/L		1		01/08/25 10:11	7782-44-7		
REDOX	333	mV		1		01/08/25 10:11			
Turbidity	1	NTU		1		01/08/25 10:11			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 14:56	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:56	7440-38-2		
Barium	13.4	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:56	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 14:56	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 14:56	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:56	7440-47-3		
Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:56	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:56	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 14:56	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:56	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:56	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 14:56	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 14:56	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 14:56	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 14:56	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/11/25 08:22	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 08:22	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 08:22	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 08:22	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 08:22	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 08:22	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 08:22	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 08:22	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 08:22	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 08:22	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 08:22	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 08:22	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 08:22	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 08:22	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 08:22	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 08:22	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-21		Lab ID: 92773113023		Collected: 01/08/25 10:11		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 08:22	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 08:22	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 08:22	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 08:22	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 08:22	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 08:22	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 08:22	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:22	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:22	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:22	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 08:22	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 08:22	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 08:22	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 08:22	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 08:22	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 08:22	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 08:22	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 08:22	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 08:22	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 08:22	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 08:22	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 08:22	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 08:22	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 08:22	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 08:22	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 08:22	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 08:22	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 08:22	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 08:22	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 08:22	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 08:22	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 08:22	460-00-4		
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 08:22	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 08:22	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-22		Lab ID: 92773113024		Collected: 01/07/25 11:08		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/07/25 11:08			
Collected By	D. Cantu			1		01/07/25 11:08			
pH	5.13	Std. Units		1		01/07/25 11:08			
Temperature	13.0	deg C		1		01/07/25 11:08			
Specific Conductance	43	umhos/cm		1		01/07/25 11:08			
Oxygen, Dissolved	2.35	mg/L		1		01/07/25 11:08	7782-44-7		
REDOX	248	mV		1		01/07/25 11:08			
Turbidity	1	NTU		1		01/07/25 11:08			
Odor	no odor			1		01/07/25 11:08			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 15:00	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:00	7440-38-2		
Barium	11.3	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:00	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:00	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:00	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:00	7440-47-3		
Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:00	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:00	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:00	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:00	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:00	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:00	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:00	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:00	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:00	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/11/25 08:40	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 08:40	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 08:40	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 08:40	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 08:40	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 08:40	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 08:40	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 08:40	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 08:40	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 08:40	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 08:40	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 08:40	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 08:40	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 08:40	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 08:40	96-12-8		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-22		Lab ID: 92773113024		Collected: 01/07/25 11:08		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 08:40	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 08:40	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 08:40	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 08:40	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 08:40	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 08:40	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 08:40	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 08:40	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:40	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:40	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:40	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 08:40	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 08:40	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 08:40	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 08:40	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 08:40	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 08:40	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 08:40	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 08:40	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 08:40	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 08:40	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 08:40	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 08:40	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 08:40	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 08:40	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 08:40	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 08:40	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 08:40	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 08:40	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 08:40	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 08:40	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 08:40	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 08:40	460-00-4		
1,2-Dichloroethane-d4 (S)	109	%	70-130	1		01/11/25 08:40	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 08:40	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-23		Lab ID: 92773113025		Collected: 01/07/25 10:34		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 10:34			
	Collected By	D. Cantu		1		01/07/25 10:34			
	pH	6.02	Std. Units	1		01/07/25 10:34			
	Temperature	9.0	deg C	1		01/07/25 10:34			
	Specific Conductance	39	umhos/cm	1		01/07/25 10:34			
	Oxygen, Dissolved	9.15	mg/L	1		01/07/25 10:34	7782-44-7		
	REDOX	264	mV	1		01/07/25 10:34			
	Turbidity	2	NTU	1		01/07/25 10:34			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 15:12	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:12	7440-38-2	
	Barium	16.0	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:12	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:12	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:12	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:12	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:12	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:12	7440-50-8	
	Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:12	7439-92-1	
	Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:12	7440-02-0	
	Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:12	7782-49-2	
	Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:12	7440-22-4	
	Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:12	7440-28-0	
	Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:12	7440-62-2	
Zinc	13.9	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:12	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 08:59	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 08:59	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 08:59	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 08:59	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 08:59	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 08:59	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 08:59	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 08:59	78-93-3	
	Carbon disulfide	ND	ug/L	2.0	1		01/11/25 08:59	75-15-0	
	Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 08:59	56-23-5	
	Chlorobenzene	ND	ug/L	1.0	1		01/11/25 08:59	108-90-7	
	Chloroethane	ND	ug/L	1.0	1		01/11/25 08:59	75-00-3	
	Chloroform	ND	ug/L	1.0	1		01/11/25 08:59	67-66-3	
	Chloromethane	ND	ug/L	1.0	1		01/11/25 08:59	74-87-3	IH
	1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 08:59	96-12-8	
	Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 08:59	124-48-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-23		Lab ID: 92773113025		Collected: 01/07/25 10:34		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 08:59	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 08:59	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 08:59	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 08:59	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 08:59	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 08:59	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 08:59	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:59	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:59	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 08:59	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 08:59	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 08:59	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 08:59	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 08:59	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 08:59	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 08:59	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 08:59	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 08:59	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 08:59	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 08:59	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 08:59	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 08:59	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 08:59	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 08:59	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 08:59	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 08:59	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 08:59	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 08:59	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 08:59	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 08:59	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 08:59	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130	1		01/11/25 08:59	460-00-4		
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 08:59	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 08:59	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-24		Lab ID: 92773113026		Collected: 01/07/25 09:57		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 09:57			
	Collected By	D. Cantu		1		01/07/25 09:57			
	pH	5.63	Std. Units	1		01/07/25 09:57			
	Temperature	7.1	deg C	1		01/07/25 09:57			
	Specific Conductance	53	umhos/cm	1		01/07/25 09:57			
	Oxygen, Dissolved	5.81	mg/L	1		01/07/25 09:57	7782-44-7		
	REDOX	318	mV	1		01/07/25 09:57			
	Turbidity	2	NTU	1		01/07/25 09:57			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 15:16	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:16	7440-38-2	
	Barium	8.6	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:16	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:16	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:16	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:16	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:16	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:16	7440-50-8	
Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:16	7439-92-1		
Nickel	12.3	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:16	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:16	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:16	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:16	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:16	7440-62-2		
Zinc	12.7	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:16	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 09:17	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 09:17	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 09:17	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 09:17	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 09:17	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 09:17	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 09:17	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 09:17	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 09:17	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 09:17	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 09:17	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 09:17	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 09:17	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 09:17	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 09:17	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 09:17	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-24		Lab ID: 92773113026		Collected: 01/07/25 09:57		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 09:17	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 09:17	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 09:17	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 09:17	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 09:17	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 09:17	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 09:17	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 09:17	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 09:17	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 09:17	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 09:17	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 09:17	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 09:17	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 09:17	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 09:17	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 09:17	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 09:17	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 09:17	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 09:17	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 09:17	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 09:17	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 09:17	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 09:17	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 09:17	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 09:17	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 09:17	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 09:17	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 09:17	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 09:17	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 09:17	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 09:17	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130	1		01/11/25 09:17	460-00-4		
1,2-Dichloroethane-d4 (S)	109	%	70-130	1		01/11/25 09:17	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 09:17	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-25		Lab ID: 92773113027		Collected: 01/07/25 14:05		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 14:05			
	Collected By	D. Cantu		1		01/07/25 14:05			
	pH	5.02	Std. Units	1		01/07/25 14:05			
	Temperature	14.3	deg C	1		01/07/25 14:05			
	Specific Conductance	52	umhos/cm	1		01/07/25 14:05			
	Oxygen, Dissolved	1.57	mg/L	1		01/07/25 14:05	7782-44-7		
	REDOX	236	mV	1		01/07/25 14:05			
	Turbidity	1	NTU	1		01/07/25 14:05			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 15:20	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:20	7440-38-2	
	Barium	12.2	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:20	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:20	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:20	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:20	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:20	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:20	7440-50-8	
Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:20	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:20	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:20	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:20	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:20	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:20	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:20	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 09:35	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 09:35	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 09:35	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 09:35	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 09:35	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 09:35	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 09:35	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 09:35	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 09:35	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 09:35	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 09:35	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 09:35	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 09:35	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 09:35	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 09:35	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 09:35	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-25		Lab ID: 92773113027		Collected: 01/07/25 14:05		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 09:35	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 09:35	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 09:35	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 09:35	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 09:35	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 09:35	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 09:35	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 09:35	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 09:35	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 09:35	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 09:35	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 09:35	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 09:35	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 09:35	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 09:35	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 09:35	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 09:35	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 09:35	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 09:35	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 09:35	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 09:35	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 09:35	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 09:35	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 09:35	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 09:35	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 09:35	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 09:35	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 09:35	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 09:35	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 09:35	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 09:35	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 09:35	460-00-4		
1,2-Dichloroethane-d4 (S)	108	%	70-130	1		01/11/25 09:35	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 09:35	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-26		Lab ID: 92773113028		Collected: 01/07/25 14:48		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 14:48			
	Collected By	D. Cantu		1		01/07/25 14:48			
	pH	5.23	Std. Units	1		01/07/25 14:48			
	Temperature	15.3	deg C	1		01/07/25 14:48			
	Specific Conductance	88	umhos/cm	1		01/07/25 14:48			
	Oxygen, Dissolved	0.92	mg/L	1		01/07/25 14:48	7782-44-7		
	REDOX	201	mV	1		01/07/25 14:48			
	Turbidity	1	NTU	1		01/07/25 14:48			
	6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony		ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 15:24	7440-36-0	
Arsenic		ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:24	7440-38-2	
Barium		14.2	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:24	7440-39-3	
Beryllium		ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:24	7440-41-7	
Cadmium		ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:24	7440-43-9	
Chromium		ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:24	7440-47-3	
Cobalt		ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:24	7440-48-4	
Copper		ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:24	7440-50-8	
Lead		ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:24	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:24	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:24	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:24	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:24	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:24	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:24	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 09:53	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 09:53	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 09:53	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 09:53	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 09:53	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 09:53	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 09:53	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 09:53	78-93-3	
	Carbon disulfide	ND	ug/L	2.0	1		01/11/25 09:53	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 09:53	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 09:53	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 09:53	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 09:53	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 09:53	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 09:53	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 09:53	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-26		Lab ID: 92773113028		Collected: 01/07/25 14:48		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 09:53	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 09:53	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 09:53	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 09:53	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 09:53	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 09:53	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 09:53	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 09:53	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 09:53	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 09:53	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 09:53	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 09:53	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 09:53	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 09:53	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 09:53	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 09:53	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 09:53	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 09:53	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 09:53	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 09:53	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 09:53	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 09:53	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 09:53	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 09:53	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 09:53	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 09:53	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 09:53	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 09:53	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 09:53	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 09:53	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 09:53	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130	1		01/11/25 09:53	460-00-4		
1,2-Dichloroethane-d4 (S)	112	%	70-130	1		01/11/25 09:53	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 09:53	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-28		Lab ID: 92773113029		Collected: 01/07/25 12:26		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 12:26			
	Collected By	D. Cantu		1		01/07/25 12:26			
	pH	5.85	Std. Units	1		01/07/25 12:26			
	Temperature	13.5	deg C	1		01/07/25 12:26			
	Specific Conductance	44	umhos/cm	1		01/07/25 12:26			
	Oxygen, Dissolved	5.75	mg/L	1		01/07/25 12:26	7782-44-7		
	REDOX	240	mV	1		01/07/25 12:26			
	Turbidity	1	NTU	1		01/07/25 12:26			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 15:28	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:28	7440-38-2	
	Barium	6.4	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:28	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:28	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:28	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:28	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:28	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:28	7440-50-8	
Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:28	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:28	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:28	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:28	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:28	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:28	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:28	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 10:11	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 10:11	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 10:11	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 10:11	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 10:11	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 10:11	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 10:11	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 10:11	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 10:11	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 10:11	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 10:11	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 10:11	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 10:11	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 10:11	74-87-3	IH	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 10:11	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 10:11	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-28		Lab ID: 92773113029		Collected: 01/07/25 12:26		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 10:11	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 10:11	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 10:11	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 10:11	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 10:11	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 10:11	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 10:11	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 10:11	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 10:11	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 10:11	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 10:11	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 10:11	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 10:11	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 10:11	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 10:11	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 10:11	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 10:11	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 10:11	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 10:11	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 10:11	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 10:11	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 10:11	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 10:11	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 10:11	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 10:11	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 10:11	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 10:11	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 10:11	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 10:11	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 10:11	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 10:11	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 10:11	460-00-4		
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 10:11	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 10:11	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: GWC-29		Lab ID: 92773113030		Collected: 01/07/25 11:54		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
	Performed by	EM Services		1		01/07/25 11:54			
	Collected By	D. Cantu		1		01/07/25 11:54			
	pH	5.26	Std. Units	1		01/07/25 11:54			
	Temperature	12.1	deg C	1		01/07/25 11:54			
	Specific Conductance	25	umhos/cm	1		01/07/25 11:54			
	Oxygen, Dissolved	7.06	mg/L	1		01/07/25 11:54	7782-44-7		
	REDOX	399	mV	1		01/07/25 11:54			
	Turbidity	<1	NTU	1		01/07/25 11:54			
6020 MET ICPMS	Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA								
	Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 15:32	7440-36-0	
	Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:32	7440-38-2	
	Barium	5.5	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:32	7440-39-3	
	Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:32	7440-41-7	
	Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:32	7440-43-9	
	Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:32	7440-47-3	
	Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:32	7440-48-4	
	Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:32	7440-50-8	
Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:32	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:32	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:32	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:32	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:32	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:32	7440-62-2		
Zinc	55.5	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:32	7440-66-6		
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
	Acetone	ND	ug/L	25.0	1		01/11/25 01:23	67-64-1	
	Acrylonitrile	ND	ug/L	10.0	1		01/11/25 01:23	107-13-1	
	Benzene	ND	ug/L	1.0	1		01/11/25 01:23	71-43-2	
	Bromochloromethane	ND	ug/L	1.0	1		01/11/25 01:23	74-97-5	
	Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 01:23	75-27-4	
	Bromoform	ND	ug/L	1.0	1		01/11/25 01:23	75-25-2	
	Bromomethane	ND	ug/L	2.0	1		01/11/25 01:23	74-83-9	
	2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 01:23	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 01:23	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 01:23	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 01:23	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 01:23	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 01:23	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 01:23	74-87-3		
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 01:23	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 01:23	124-48-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: GWC-29		Lab ID: 92773113030		Collected: 01/07/25 11:54		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 01:23	106-93-4	IH	
Dibromomethane	ND	ug/L	1.0	1		01/11/25 01:23	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 01:23	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 01:23	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 01:23	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 01:23	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 01:23	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 01:23	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 01:23	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 01:23	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 01:23	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 01:23	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 01:23	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 01:23	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 01:23	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 01:23	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 01:23	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 01:23	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 01:23	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 01:23	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 01:23	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 01:23	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 01:23	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 01:23	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 01:23	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 01:23	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 01:23	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 01:23	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 01:23	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 01:23	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 01:23	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130	1		01/11/25 01:23	460-00-4		
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 01:23	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 01:23	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: Field Blank		Lab ID: 92773113031		Collected: 01/08/25 14:20		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS		Analytical Method: EPA 6020B Preparation Method: EPA 3005A Pace Analytical Services - Peachtree Corners, GA							
Antimony	ND	ug/L	3.0	1	01/13/25 16:12	01/18/25 15:40	7440-36-0		
Arsenic	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:40	7440-38-2		
Barium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:40	7440-39-3		
Beryllium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:40	7440-41-7		
Cadmium	ND	ug/L	0.50	1	01/13/25 16:12	01/18/25 15:40	7440-43-9		
Chromium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:40	7440-47-3		
Cobalt	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:40	7440-48-4		
Copper	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:40	7440-50-8		
Lead	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:40	7439-92-1		
Nickel	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:40	7440-02-0		
Selenium	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:40	7782-49-2		
Silver	ND	ug/L	5.0	1	01/13/25 16:12	01/18/25 15:40	7440-22-4		
Thallium	ND	ug/L	1.0	1	01/13/25 16:12	01/18/25 15:40	7440-28-0		
Vanadium	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:40	7440-62-2		
Zinc	ND	ug/L	10.0	1	01/13/25 16:12	01/18/25 15:40	7440-66-6		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1		01/11/25 00:48	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 00:48	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 00:48	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 00:48	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 00:48	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 00:48	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 00:48	74-83-9		
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 00:48	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 00:48	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 00:48	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 00:48	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 00:48	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 00:48	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 00:48	74-87-3		IH
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 00:48	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 00:48	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 00:48	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 00:48	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 00:48	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 00:48	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 00:48	110-57-6		
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 00:48	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 00:48	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 00:48	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 00:48	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 00:48	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 00:48	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 00:48	10061-01-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: Field Blank		Lab ID: 92773113031		Collected: 01/08/25 14:20		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 00:48	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 00:48	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 00:48	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 00:48	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 00:48	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 00:48	108-10-1		
Styrene	ND	ug/L	1.0	1		01/11/25 00:48	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 00:48	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 00:48	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 00:48	127-18-4		
Toluene	ND	ug/L	1.0	1		01/11/25 00:48	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 00:48	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 00:48	79-00-5		
Trichloroethene	ND	ug/L	1.0	1		01/11/25 00:48	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 00:48	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 00:48	96-18-4		
Vinyl acetate	ND	ug/L	2.0	1		01/11/25 00:48	108-05-4		
Vinyl chloride	ND	ug/L	1.0	1		01/11/25 00:48	75-01-4		
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 00:48	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 00:48	460-00-4		
1,2-Dichloroethane-d4 (S)	108	%	70-130	1		01/11/25 00:48	17060-07-0		
Toluene-d8 (S)	99	%	70-130	1		01/11/25 00:48	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: Trip Blank		Lab ID: 92773113032		Collected: 01/06/25 07:00		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D							
		Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1			01/11/25 01:06	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1			01/11/25 01:06	107-13-1	
Benzene	ND	ug/L	1.0	1			01/11/25 01:06	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1			01/11/25 01:06	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1			01/11/25 01:06	75-27-4	
Bromoform	ND	ug/L	1.0	1			01/11/25 01:06	75-25-2	
Bromomethane	ND	ug/L	2.0	1			01/11/25 01:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1			01/11/25 01:06	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1			01/11/25 01:06	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1			01/11/25 01:06	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1			01/11/25 01:06	108-90-7	
Chloroethane	ND	ug/L	1.0	1			01/11/25 01:06	75-00-3	
Chloroform	ND	ug/L	1.0	1			01/11/25 01:06	67-66-3	
Chloromethane	ND	ug/L	1.0	1			01/11/25 01:06	74-87-3	IH
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1			01/11/25 01:06	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1			01/11/25 01:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1			01/11/25 01:06	106-93-4	
Dibromomethane	ND	ug/L	1.0	1			01/11/25 01:06	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1			01/11/25 01:06	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1			01/11/25 01:06	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1			01/11/25 01:06	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1			01/11/25 01:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1			01/11/25 01:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1			01/11/25 01:06	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1			01/11/25 01:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1			01/11/25 01:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1			01/11/25 01:06	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1			01/11/25 01:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1			01/11/25 01:06	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1			01/11/25 01:06	100-41-4	
2-Hexanone	ND	ug/L	5.0	1			01/11/25 01:06	591-78-6	
Iodomethane	ND	ug/L	20.0	1			01/11/25 01:06	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1			01/11/25 01:06	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1			01/11/25 01:06	108-10-1	
Styrene	ND	ug/L	1.0	1			01/11/25 01:06	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1			01/11/25 01:06	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1			01/11/25 01:06	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1			01/11/25 01:06	127-18-4	
Toluene	ND	ug/L	1.0	1			01/11/25 01:06	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1			01/11/25 01:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1			01/11/25 01:06	79-00-5	
Trichloroethene	ND	ug/L	1.0	1			01/11/25 01:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1			01/11/25 01:06	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1			01/11/25 01:06	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1			01/11/25 01:06	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1			01/11/25 01:06	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: Trip Blank		Lab ID: 92773113032		Collected: 01/06/25 07:00		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Xylene (Total)	ND	ug/L	1.0	1		01/11/25 01:06	1330-20-7		
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130	1		01/11/25 01:06	460-00-4		
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 01:06	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 01:06	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: UD-6		Lab ID: 92773113033		Collected: 01/08/25 09:17		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method:							
		Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/08/25 09:17		
Collected By	D. Cantu. M. Young				1		01/08/25 09:17		
pH	6.28	Std. Units			1		01/08/25 09:17		
Temperature	24.1	deg C			1		01/08/25 09:17		
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2015							
		Pace Analytical Services - Peachtree Corners, GA							
Total Dissolved Solids	53.0	mg/L		25.0	1		01/09/25 18:17		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D							
		Pace Analytical Services - Charlotte							
Acetone	ND	ug/L		25.0	1		01/11/25 01:41	67-64-1	
Acrylonitrile	ND	ug/L		10.0	1		01/11/25 01:41	107-13-1	
Benzene	ND	ug/L		1.0	1		01/11/25 01:41	71-43-2	
Bromochloromethane	ND	ug/L		1.0	1		01/11/25 01:41	74-97-5	
Bromodichloromethane	ND	ug/L		1.0	1		01/11/25 01:41	75-27-4	
Bromoform	ND	ug/L		1.0	1		01/11/25 01:41	75-25-2	
Bromomethane	ND	ug/L		2.0	1		01/11/25 01:41	74-83-9	v2
2-Butanone (MEK)	ND	ug/L		5.0	1		01/11/25 01:41	78-93-3	
Carbon disulfide	ND	ug/L		2.0	1		01/11/25 01:41	75-15-0	
Carbon tetrachloride	ND	ug/L		1.0	1		01/11/25 01:41	56-23-5	
Chlorobenzene	ND	ug/L		1.0	1		01/11/25 01:41	108-90-7	
Chloroethane	ND	ug/L		1.0	1		01/11/25 01:41	75-00-3	
Chloroform	ND	ug/L		1.0	1		01/11/25 01:41	67-66-3	
Chloromethane	ND	ug/L		1.0	1		01/11/25 01:41	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L		2.0	1		01/11/25 01:41	96-12-8	
Dibromochloromethane	ND	ug/L		1.0	1		01/11/25 01:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L		1.0	1		01/11/25 01:41	106-93-4	
Dibromomethane	ND	ug/L		1.0	1		01/11/25 01:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L		1.0	1		01/11/25 01:41	95-50-1	
1,4-Dichlorobenzene	ND	ug/L		1.0	1		01/11/25 01:41	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L		1.0	1		01/11/25 01:41	110-57-6	IH
1,1-Dichloroethane	ND	ug/L		1.0	1		01/11/25 01:41	75-34-3	
1,2-Dichloroethane	ND	ug/L		1.0	1		01/11/25 01:41	107-06-2	
1,1-Dichloroethene	ND	ug/L		1.0	1		01/11/25 01:41	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L		1.0	1		01/11/25 01:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L		1.0	1		01/11/25 01:41	156-60-5	
1,2-Dichloropropane	ND	ug/L		1.0	1		01/11/25 01:41	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L		1.0	1		01/11/25 01:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L		1.0	1		01/11/25 01:41	10061-02-6	
Ethylbenzene	ND	ug/L		1.0	1		01/11/25 01:41	100-41-4	
2-Hexanone	ND	ug/L		5.0	1		01/11/25 01:41	591-78-6	
Iodomethane	ND	ug/L		20.0	1		01/11/25 01:41	74-88-4	
Methylene Chloride	ND	ug/L		5.0	1		01/11/25 01:41	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: UD-6		Lab ID: 92773113033		Collected: 01/08/25 09:17		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
	4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 01:41	108-10-1	
	Styrene	ND	ug/L	1.0	1		01/11/25 01:41	100-42-5	
	1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 01:41	630-20-6	
	1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 01:41	79-34-5	
	Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 01:41	127-18-4	
	Toluene	ND	ug/L	1.0	1		01/11/25 01:41	108-88-3	
	1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 01:41	71-55-6	
	1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 01:41	79-00-5	
	Trichloroethene	ND	ug/L	1.0	1		01/11/25 01:41	79-01-6	
	Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 01:41	75-69-4	
	1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 01:41	96-18-4	
	Vinyl acetate	ND	ug/L	2.0	1		01/11/25 01:41	108-05-4	
	Vinyl chloride	ND	ug/L	1.0	1		01/11/25 01:41	75-01-4	
	Xylene (Total)	ND	ug/L	1.0	1		01/11/25 01:41	1330-20-7	
	Surrogates								
	4-Bromofluorobenzene (S)	94	%	70-130	1		01/11/25 01:41	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130	1		01/11/25 01:41	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 01:41	2037-26-5		
9056 IC anions 28 Days	Analytical Method: EPA 9056A								
	Pace Analytical Services - Asheville								
Chloride	2.7	mg/L	1.0	1		01/10/25 00:50	16887-00-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: UD-8		Lab ID: 92773113034		Collected: 01/08/25 08:56		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method: Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/08/25 08:56		
Collected By	D. Cantu. M. Young				1		01/08/25 08:56		
pH	5.88	Std. Units			1		01/08/25 08:56		
Temperature	19.9	deg C			1		01/08/25 08:56		
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2015 Pace Analytical Services - Peachtree Corners, GA							
Total Dissolved Solids	145	mg/L		25.0	1		01/09/25 18:17		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L		25.0	1		01/11/25 01:59	67-64-1	
Acrylonitrile	ND	ug/L		10.0	1		01/11/25 01:59	107-13-1	
Benzene	ND	ug/L		1.0	1		01/11/25 01:59	71-43-2	
Bromochloromethane	ND	ug/L		1.0	1		01/11/25 01:59	74-97-5	
Bromodichloromethane	ND	ug/L		1.0	1		01/11/25 01:59	75-27-4	
Bromoform	ND	ug/L		1.0	1		01/11/25 01:59	75-25-2	
Bromomethane	ND	ug/L		2.0	1		01/11/25 01:59	74-83-9	v2
2-Butanone (MEK)	ND	ug/L		5.0	1		01/11/25 01:59	78-93-3	
Carbon disulfide	ND	ug/L		2.0	1		01/11/25 01:59	75-15-0	
Carbon tetrachloride	ND	ug/L		1.0	1		01/11/25 01:59	56-23-5	
Chlorobenzene	ND	ug/L		1.0	1		01/11/25 01:59	108-90-7	
Chloroethane	ND	ug/L		1.0	1		01/11/25 01:59	75-00-3	
Chloroform	ND	ug/L		1.0	1		01/11/25 01:59	67-66-3	
Chloromethane	ND	ug/L		1.0	1		01/11/25 01:59	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L		2.0	1		01/11/25 01:59	96-12-8	
Dibromochloromethane	ND	ug/L		1.0	1		01/11/25 01:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L		1.0	1		01/11/25 01:59	106-93-4	
Dibromomethane	ND	ug/L		1.0	1		01/11/25 01:59	74-95-3	
1,2-Dichlorobenzene	ND	ug/L		1.0	1		01/11/25 01:59	95-50-1	
1,4-Dichlorobenzene	ND	ug/L		1.0	1		01/11/25 01:59	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L		1.0	1		01/11/25 01:59	110-57-6	IH
1,1-Dichloroethane	ND	ug/L		1.0	1		01/11/25 01:59	75-34-3	
1,2-Dichloroethane	ND	ug/L		1.0	1		01/11/25 01:59	107-06-2	
1,1-Dichloroethene	ND	ug/L		1.0	1		01/11/25 01:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L		1.0	1		01/11/25 01:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L		1.0	1		01/11/25 01:59	156-60-5	
1,2-Dichloropropane	ND	ug/L		1.0	1		01/11/25 01:59	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L		1.0	1		01/11/25 01:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L		1.0	1		01/11/25 01:59	10061-02-6	
Ethylbenzene	ND	ug/L		1.0	1		01/11/25 01:59	100-41-4	
2-Hexanone	ND	ug/L		5.0	1		01/11/25 01:59	591-78-6	
Iodomethane	ND	ug/L		20.0	1		01/11/25 01:59	74-88-4	
Methylene Chloride	ND	ug/L		5.0	1		01/11/25 01:59	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: UD-8		Lab ID: 92773113034		Collected: 01/08/25 08:56		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
	4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 01:59	108-10-1	
	Styrene	ND	ug/L	1.0	1		01/11/25 01:59	100-42-5	
	1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 01:59	630-20-6	
	1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 01:59	79-34-5	
	Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 01:59	127-18-4	
	Toluene	ND	ug/L	1.0	1		01/11/25 01:59	108-88-3	
	1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 01:59	71-55-6	
	1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 01:59	79-00-5	
	Trichloroethene	ND	ug/L	1.0	1		01/11/25 01:59	79-01-6	
	Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 01:59	75-69-4	
	1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 01:59	96-18-4	
	Vinyl acetate	ND	ug/L	2.0	1		01/11/25 01:59	108-05-4	
	Vinyl chloride	ND	ug/L	1.0	1		01/11/25 01:59	75-01-4	
	Xylene (Total)	ND	ug/L	1.0	1		01/11/25 01:59	1330-20-7	
	Surrogates								
	4-Bromofluorobenzene (S)	95	%	70-130	1		01/11/25 01:59	460-00-4	
	1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 01:59	17060-07-0	
Toluene-d8 (S)	101	%	70-130	1		01/11/25 01:59	2037-26-5		
9056 IC anions 28 Days	Analytical Method: EPA 9056A								
	Pace Analytical Services - Asheville								
Chloride	3.9	mg/L	1.0	1		01/10/25 01:35	16887-00-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: UD-12		Lab ID: 92773113035		Collected: 01/08/25 09:50		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method:							
		Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/08/25 09:50		
Collected By	D. Cantu. M. Young				1		01/08/25 09:50		
pH	6.23	Std. Units			1		01/08/25 09:50		
Temperature	10.2	deg C			1		01/08/25 09:50		
Odor	no odor				1		01/08/25 09:50		
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2015							
		Pace Analytical Services - Peachtree Corners, GA							
Total Dissolved Solids	82.0	mg/L	25.0	1			01/09/25 18:17		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D							
		Pace Analytical Services - Charlotte							
Acetone	ND	ug/L	25.0	1			01/11/25 02:18	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1			01/11/25 02:18	107-13-1	
Benzene	ND	ug/L	1.0	1			01/11/25 02:18	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1			01/11/25 02:18	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1			01/11/25 02:18	75-27-4	
Bromoform	ND	ug/L	1.0	1			01/11/25 02:18	75-25-2	
Bromomethane	ND	ug/L	2.0	1			01/11/25 02:18	74-83-9	v2
2-Butanone (MEK)	ND	ug/L	5.0	1			01/11/25 02:18	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1			01/11/25 02:18	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1			01/11/25 02:18	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1			01/11/25 02:18	108-90-7	
Chloroethane	ND	ug/L	1.0	1			01/11/25 02:18	75-00-3	
Chloroform	ND	ug/L	1.0	1			01/11/25 02:18	67-66-3	
Chloromethane	ND	ug/L	1.0	1			01/11/25 02:18	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1			01/11/25 02:18	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1			01/11/25 02:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1			01/11/25 02:18	106-93-4	
Dibromomethane	ND	ug/L	1.0	1			01/11/25 02:18	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1			01/11/25 02:18	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1			01/11/25 02:18	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1			01/11/25 02:18	110-57-6	IH
1,1-Dichloroethane	ND	ug/L	1.0	1			01/11/25 02:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1			01/11/25 02:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1			01/11/25 02:18	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1			01/11/25 02:18	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1			01/11/25 02:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1			01/11/25 02:18	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1			01/11/25 02:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1			01/11/25 02:18	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1			01/11/25 02:18	100-41-4	
2-Hexanone	ND	ug/L	5.0	1			01/11/25 02:18	591-78-6	
Iodomethane	ND	ug/L	20.0	1			01/11/25 02:18	74-88-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: UD-12		Lab ID: 92773113035		Collected: 01/08/25 09:50		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
	Methylene Chloride	ND	ug/L	5.0	1		01/11/25 02:18	75-09-2	
	4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 02:18	108-10-1	
	Styrene	ND	ug/L	1.0	1		01/11/25 02:18	100-42-5	
	1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:18	630-20-6	
	1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:18	79-34-5	
	Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 02:18	127-18-4	
	Toluene	ND	ug/L	1.0	1		01/11/25 02:18	108-88-3	
	1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:18	71-55-6	
	1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:18	79-00-5	
	Trichloroethene	ND	ug/L	1.0	1		01/11/25 02:18	79-01-6	
	Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 02:18	75-69-4	
	1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 02:18	96-18-4	
	Vinyl acetate	ND	ug/L	2.0	1		01/11/25 02:18	108-05-4	
	Vinyl chloride	ND	ug/L	1.0	1		01/11/25 02:18	75-01-4	
	Xylene (Total)	ND	ug/L	1.0	1		01/11/25 02:18	1330-20-7	
	Surrogates								
4-Bromofluorobenzene (S)	93	%	70-130	1		01/11/25 02:18	460-00-4		
1,2-Dichloroethane-d4 (S)	105	%	70-130	1		01/11/25 02:18	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 02:18	2037-26-5		
9056 IC anions 28 Days									
Analytical Method: EPA 9056A									
Pace Analytical Services - Asheville									
Chloride	4.7	mg/L	1.0	1		01/10/25 01:50	16887-00-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: UD-13		Lab ID: 92773113036		Collected: 01/06/25 14:19		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method:							
		Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/06/25 14:19		
Collected By	D. Cantu. M. Young				1		01/06/25 14:19		
pH	6.1	Std. Units			1		01/06/25 14:19		
Temperature	18.0	deg C			1		01/06/25 14:19		
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2015							
		Pace Analytical Services - Peachtree Corners, GA							
Total Dissolved Solids	107	mg/L		25.0	1		01/09/25 18:15		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D							
		Pace Analytical Services - Charlotte							
Acetone	ND	ug/L		25.0	1		01/11/25 02:36	67-64-1	
Acrylonitrile	ND	ug/L		10.0	1		01/11/25 02:36	107-13-1	
Benzene	ND	ug/L		1.0	1		01/11/25 02:36	71-43-2	
Bromochloromethane	ND	ug/L		1.0	1		01/11/25 02:36	74-97-5	
Bromodichloromethane	ND	ug/L		1.0	1		01/11/25 02:36	75-27-4	
Bromoform	ND	ug/L		1.0	1		01/11/25 02:36	75-25-2	
Bromomethane	ND	ug/L		2.0	1		01/11/25 02:36	74-83-9	v2
2-Butanone (MEK)	ND	ug/L		5.0	1		01/11/25 02:36	78-93-3	
Carbon disulfide	ND	ug/L		2.0	1		01/11/25 02:36	75-15-0	
Carbon tetrachloride	ND	ug/L		1.0	1		01/11/25 02:36	56-23-5	
Chlorobenzene	ND	ug/L		1.0	1		01/11/25 02:36	108-90-7	
Chloroethane	ND	ug/L		1.0	1		01/11/25 02:36	75-00-3	
Chloroform	ND	ug/L		1.0	1		01/11/25 02:36	67-66-3	
Chloromethane	ND	ug/L		1.0	1		01/11/25 02:36	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L		2.0	1		01/11/25 02:36	96-12-8	
Dibromochloromethane	ND	ug/L		1.0	1		01/11/25 02:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L		1.0	1		01/11/25 02:36	106-93-4	
Dibromomethane	ND	ug/L		1.0	1		01/11/25 02:36	74-95-3	
1,2-Dichlorobenzene	ND	ug/L		1.0	1		01/11/25 02:36	95-50-1	
1,4-Dichlorobenzene	ND	ug/L		1.0	1		01/11/25 02:36	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L		1.0	1		01/11/25 02:36	110-57-6	IH
1,1-Dichloroethane	ND	ug/L		1.0	1		01/11/25 02:36	75-34-3	
1,2-Dichloroethane	ND	ug/L		1.0	1		01/11/25 02:36	107-06-2	
1,1-Dichloroethene	ND	ug/L		1.0	1		01/11/25 02:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L		1.0	1		01/11/25 02:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L		1.0	1		01/11/25 02:36	156-60-5	
1,2-Dichloropropane	ND	ug/L		1.0	1		01/11/25 02:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L		1.0	1		01/11/25 02:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L		1.0	1		01/11/25 02:36	10061-02-6	
Ethylbenzene	ND	ug/L		1.0	1		01/11/25 02:36	100-41-4	
2-Hexanone	ND	ug/L		5.0	1		01/11/25 02:36	591-78-6	
Iodomethane	ND	ug/L		20.0	1		01/11/25 02:36	74-88-4	
Methylene Chloride	ND	ug/L		5.0	1		01/11/25 02:36	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: UD-13		Lab ID: 92773113036		Collected: 01/06/25 14:19		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
	4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 02:36	108-10-1	
	Styrene	ND	ug/L	1.0	1		01/11/25 02:36	100-42-5	
	1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:36	630-20-6	
	1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:36	79-34-5	
	Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 02:36	127-18-4	
	Toluene	ND	ug/L	1.0	1		01/11/25 02:36	108-88-3	
	1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:36	71-55-6	
	1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:36	79-00-5	
	Trichloroethene	ND	ug/L	1.0	1		01/11/25 02:36	79-01-6	
	Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 02:36	75-69-4	
	1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 02:36	96-18-4	
	Vinyl acetate	ND	ug/L	2.0	1		01/11/25 02:36	108-05-4	
	Vinyl chloride	ND	ug/L	1.0	1		01/11/25 02:36	75-01-4	
	Xylene (Total)	ND	ug/L	1.0	1		01/11/25 02:36	1330-20-7	
	Surrogates								
	4-Bromofluorobenzene (S)	94	%	70-130	1		01/11/25 02:36	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 02:36	17060-07-0		
Toluene-d8 (S)	99	%	70-130	1		01/11/25 02:36	2037-26-5		
9056 IC anions 28 Days	Analytical Method: EPA 9056A								
	Pace Analytical Services - Asheville								
Chloride	7.0	mg/L	1.0	1		01/10/25 02:05	16887-00-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: SWA-1		Lab ID: 92773113037		Collected: 01/08/25 10:41		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method:							
		Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/08/25 10:41		
Collected By	D. Cantu. M. Young				1		01/08/25 10:41		
pH	6.57	Std. Units			1		01/08/25 10:41		
Temperature	3.8	deg C			1		01/08/25 10:41		
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2015							
		Pace Analytical Services - Peachtree Corners, GA							
Total Dissolved Solids	43.0	mg/L		25.0	1		01/09/25 18:17		D6
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D							
		Pace Analytical Services - Charlotte							
Acetone	ND	ug/L		25.0	1		01/11/25 02:54	67-64-1	
Acrylonitrile	ND	ug/L		10.0	1		01/11/25 02:54	107-13-1	
Benzene	ND	ug/L		1.0	1		01/11/25 02:54	71-43-2	
Bromochloromethane	ND	ug/L		1.0	1		01/11/25 02:54	74-97-5	
Bromodichloromethane	ND	ug/L		1.0	1		01/11/25 02:54	75-27-4	
Bromoform	ND	ug/L		1.0	1		01/11/25 02:54	75-25-2	
Bromomethane	ND	ug/L		2.0	1		01/11/25 02:54	74-83-9	v2
2-Butanone (MEK)	ND	ug/L		5.0	1		01/11/25 02:54	78-93-3	
Carbon disulfide	ND	ug/L		2.0	1		01/11/25 02:54	75-15-0	
Carbon tetrachloride	ND	ug/L		1.0	1		01/11/25 02:54	56-23-5	
Chlorobenzene	ND	ug/L		1.0	1		01/11/25 02:54	108-90-7	
Chloroethane	ND	ug/L		1.0	1		01/11/25 02:54	75-00-3	
Chloroform	ND	ug/L		1.0	1		01/11/25 02:54	67-66-3	
Chloromethane	ND	ug/L		1.0	1		01/11/25 02:54	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L		2.0	1		01/11/25 02:54	96-12-8	
Dibromochloromethane	ND	ug/L		1.0	1		01/11/25 02:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L		1.0	1		01/11/25 02:54	106-93-4	
Dibromomethane	ND	ug/L		1.0	1		01/11/25 02:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L		1.0	1		01/11/25 02:54	95-50-1	
1,4-Dichlorobenzene	ND	ug/L		1.0	1		01/11/25 02:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L		1.0	1		01/11/25 02:54	110-57-6	IH
1,1-Dichloroethane	ND	ug/L		1.0	1		01/11/25 02:54	75-34-3	
1,2-Dichloroethane	ND	ug/L		1.0	1		01/11/25 02:54	107-06-2	
1,1-Dichloroethene	ND	ug/L		1.0	1		01/11/25 02:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L		1.0	1		01/11/25 02:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L		1.0	1		01/11/25 02:54	156-60-5	
1,2-Dichloropropane	ND	ug/L		1.0	1		01/11/25 02:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L		1.0	1		01/11/25 02:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L		1.0	1		01/11/25 02:54	10061-02-6	
Ethylbenzene	ND	ug/L		1.0	1		01/11/25 02:54	100-41-4	
2-Hexanone	ND	ug/L		5.0	1		01/11/25 02:54	591-78-6	
Iodomethane	ND	ug/L		20.0	1		01/11/25 02:54	74-88-4	
Methylene Chloride	ND	ug/L		5.0	1		01/11/25 02:54	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: SWA-1		Lab ID: 92773113037		Collected: 01/08/25 10:41		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
	4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 02:54	108-10-1	
	Styrene	ND	ug/L	1.0	1		01/11/25 02:54	100-42-5	
	1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:54	630-20-6	
	1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 02:54	79-34-5	
	Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 02:54	127-18-4	
	Toluene	ND	ug/L	1.0	1		01/11/25 02:54	108-88-3	
	1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:54	71-55-6	
	1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 02:54	79-00-5	
	Trichloroethene	ND	ug/L	1.0	1		01/11/25 02:54	79-01-6	
	Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 02:54	75-69-4	
	1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 02:54	96-18-4	
	Vinyl acetate	ND	ug/L	2.0	1		01/11/25 02:54	108-05-4	
	Vinyl chloride	ND	ug/L	1.0	1		01/11/25 02:54	75-01-4	
	Xylene (Total)	ND	ug/L	1.0	1		01/11/25 02:54	1330-20-7	
	Surrogates								
	4-Bromofluorobenzene (S)	93	%	70-130	1		01/11/25 02:54	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130	1		01/11/25 02:54	17060-07-0		
Toluene-d8 (S)	100	%	70-130	1		01/11/25 02:54	2037-26-5		
9056 IC anions 28 Days	Analytical Method: EPA 9056A								
	Pace Analytical Services - Asheville								
Chloride	1.6	mg/L	1.0	1		01/10/25 02:19	16887-00-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: SWA-2		Lab ID: 92773113038		Collected: 01/08/25 12:17		Received: 01/09/25 08:46		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data		Analytical Method: Pace Analytical Services - Charlotte							
Performed by	EM Services				1		01/08/25 12:17		
Collected By	D. Cantu. M. Young				1		01/08/25 12:17		
pH	6.82	Std. Units			1		01/08/25 12:17		
Temperature	6.7	deg C			1		01/08/25 12:17		
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2015 Pace Analytical Services - Peachtree Corners, GA							
Total Dissolved Solids	39.0	mg/L		25.0	1		01/09/25 18:18		
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Acetone	ND	ug/L		25.0	1		01/11/25 03:12	67-64-1	
Acrylonitrile	ND	ug/L		10.0	1		01/11/25 03:12	107-13-1	
Benzene	ND	ug/L		1.0	1		01/11/25 03:12	71-43-2	
Bromochloromethane	ND	ug/L		1.0	1		01/11/25 03:12	74-97-5	
Bromodichloromethane	ND	ug/L		1.0	1		01/11/25 03:12	75-27-4	
Bromoform	ND	ug/L		1.0	1		01/11/25 03:12	75-25-2	
Bromomethane	ND	ug/L		2.0	1		01/11/25 03:12	74-83-9	v2
2-Butanone (MEK)	ND	ug/L		5.0	1		01/11/25 03:12	78-93-3	
Carbon disulfide	ND	ug/L		2.0	1		01/11/25 03:12	75-15-0	
Carbon tetrachloride	ND	ug/L		1.0	1		01/11/25 03:12	56-23-5	
Chlorobenzene	ND	ug/L		1.0	1		01/11/25 03:12	108-90-7	
Chloroethane	ND	ug/L		1.0	1		01/11/25 03:12	75-00-3	
Chloroform	ND	ug/L		1.0	1		01/11/25 03:12	67-66-3	
Chloromethane	ND	ug/L		1.0	1		01/11/25 03:12	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L		2.0	1		01/11/25 03:12	96-12-8	
Dibromochloromethane	ND	ug/L		1.0	1		01/11/25 03:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L		1.0	1		01/11/25 03:12	106-93-4	
Dibromomethane	ND	ug/L		1.0	1		01/11/25 03:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L		1.0	1		01/11/25 03:12	95-50-1	
1,4-Dichlorobenzene	ND	ug/L		1.0	1		01/11/25 03:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L		1.0	1		01/11/25 03:12	110-57-6	IH
1,1-Dichloroethane	ND	ug/L		1.0	1		01/11/25 03:12	75-34-3	
1,2-Dichloroethane	ND	ug/L		1.0	1		01/11/25 03:12	107-06-2	
1,1-Dichloroethene	ND	ug/L		1.0	1		01/11/25 03:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L		1.0	1		01/11/25 03:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L		1.0	1		01/11/25 03:12	156-60-5	
1,2-Dichloropropane	ND	ug/L		1.0	1		01/11/25 03:12	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L		1.0	1		01/11/25 03:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L		1.0	1		01/11/25 03:12	10061-02-6	
Ethylbenzene	ND	ug/L		1.0	1		01/11/25 03:12	100-41-4	
2-Hexanone	ND	ug/L		5.0	1		01/11/25 03:12	591-78-6	
Iodomethane	ND	ug/L		20.0	1		01/11/25 03:12	74-88-4	
Methylene Chloride	ND	ug/L		5.0	1		01/11/25 03:12	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: SWA-2		Lab ID: 92773113038		Collected: 01/08/25 12:17		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
	4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 03:12	108-10-1	
	Styrene	ND	ug/L	1.0	1		01/11/25 03:12	100-42-5	
	1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:12	630-20-6	
	1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:12	79-34-5	
	Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 03:12	127-18-4	
	Toluene	ND	ug/L	1.0	1		01/11/25 03:12	108-88-3	
	1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:12	71-55-6	
	1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:12	79-00-5	
	Trichloroethene	ND	ug/L	1.0	1		01/11/25 03:12	79-01-6	
	Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 03:12	75-69-4	
	1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 03:12	96-18-4	
	Vinyl acetate	ND	ug/L	2.0	1		01/11/25 03:12	108-05-4	
	Vinyl chloride	ND	ug/L	1.0	1		01/11/25 03:12	75-01-4	
	Xylene (Total)	ND	ug/L	1.0	1		01/11/25 03:12	1330-20-7	
	Surrogates								
	4-Bromofluorobenzene (S)	93	%	70-130	1		01/11/25 03:12	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 03:12	17060-07-0		
Toluene-d8 (S)	101	%	70-130	1		01/11/25 03:12	2037-26-5		
9056 IC anions 28 Days	Analytical Method: EPA 9056A								
	Pace Analytical Services - Asheville								
Chloride	1.5	mg/L	1.0	1		01/10/25 02:34	16887-00-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: SWC-9		Lab ID: 92773113039		Collected: 01/06/25 15:05		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/06/25 15:05			
Collected By	D. Cantu. M. Young			1		01/06/25 15:05			
pH	6.60	Std. Units		1		01/06/25 15:05			
Temperature	6.6	deg C		1		01/06/25 15:05			
2540C Total Dissolved Solids	Analytical Method: SM 2540C-2015 Pace Analytical Services - Peachtree Corners, GA								
Total Dissolved Solids	42.0	mg/L	25.0	1		01/09/25 18:15			
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/11/25 03:30	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 03:30	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 03:30	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 03:30	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 03:30	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 03:30	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 03:30	74-83-9	v2	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 03:30	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 03:30	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 03:30	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 03:30	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 03:30	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 03:30	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 03:30	74-87-3		
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 03:30	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 03:30	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 03:30	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 03:30	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 03:30	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 03:30	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 03:30	110-57-6	IH	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 03:30	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 03:30	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:30	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:30	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:30	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 03:30	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 03:30	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 03:30	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 03:30	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 03:30	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 03:30	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 03:30	75-09-2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: SWC-9		Lab ID: 92773113039		Collected: 01/06/25 15:05		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
	4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 03:30	108-10-1	
	Styrene	ND	ug/L	1.0	1		01/11/25 03:30	100-42-5	
	1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:30	630-20-6	
	1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:30	79-34-5	
	Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 03:30	127-18-4	
	Toluene	ND	ug/L	1.0	1		01/11/25 03:30	108-88-3	
	1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:30	71-55-6	
	1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:30	79-00-5	
	Trichloroethene	ND	ug/L	1.0	1		01/11/25 03:30	79-01-6	
	Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 03:30	75-69-4	
	1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 03:30	96-18-4	
	Vinyl acetate	ND	ug/L	2.0	1		01/11/25 03:30	108-05-4	
	Vinyl chloride	ND	ug/L	1.0	1		01/11/25 03:30	75-01-4	
	Xylene (Total)	ND	ug/L	1.0	1		01/11/25 03:30	1330-20-7	
	Surrogates								
	4-Bromofluorobenzene (S)	95	%	70-130	1		01/11/25 03:30	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		01/11/25 03:30	17060-07-0		
Toluene-d8 (S)	102	%	70-130	1		01/11/25 03:30	2037-26-5		
9056 IC anions 28 Days	Analytical Method: EPA 9056A								
	Pace Analytical Services - Asheville								
Chloride	1.8	mg/L	1.0	1		01/10/25 02:49	16887-00-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

Sample: SWC-14		Lab ID: 92773113040		Collected: 01/08/25 11:01		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
Field Data	Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/08/25 11:01			
Collected By	D. Cantu. M. Young			1		01/08/25 11:01			
pH	6.64	Std. Units		1		01/08/25 11:01			
Temperature	5.4	deg C		1		01/08/25 11:01			
2540C Total Dissolved Solids	Analytical Method: SM 2540C-2015 Pace Analytical Services - Peachtree Corners, GA								
Total Dissolved Solids	113	mg/L	25.0	1		01/09/25 18:18			
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/11/25 03:48	67-64-1		
Acrylonitrile	ND	ug/L	10.0	1		01/11/25 03:48	107-13-1		
Benzene	ND	ug/L	1.0	1		01/11/25 03:48	71-43-2		
Bromochloromethane	ND	ug/L	1.0	1		01/11/25 03:48	74-97-5		
Bromodichloromethane	ND	ug/L	1.0	1		01/11/25 03:48	75-27-4		
Bromoform	ND	ug/L	1.0	1		01/11/25 03:48	75-25-2		
Bromomethane	ND	ug/L	2.0	1		01/11/25 03:48	74-83-9	v2	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/11/25 03:48	78-93-3		
Carbon disulfide	ND	ug/L	2.0	1		01/11/25 03:48	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		01/11/25 03:48	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		01/11/25 03:48	108-90-7		
Chloroethane	ND	ug/L	1.0	1		01/11/25 03:48	75-00-3		
Chloroform	ND	ug/L	1.0	1		01/11/25 03:48	67-66-3		
Chloromethane	ND	ug/L	1.0	1		01/11/25 03:48	74-87-3		
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/11/25 03:48	96-12-8		
Dibromochloromethane	ND	ug/L	1.0	1		01/11/25 03:48	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/11/25 03:48	106-93-4		
Dibromomethane	ND	ug/L	1.0	1		01/11/25 03:48	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 03:48	95-50-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/11/25 03:48	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/11/25 03:48	110-57-6	IH,R1	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/11/25 03:48	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		01/11/25 03:48	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:48	75-35-4		
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:48	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/11/25 03:48	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		01/11/25 03:48	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 03:48	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/11/25 03:48	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		01/11/25 03:48	100-41-4		
2-Hexanone	ND	ug/L	5.0	1		01/11/25 03:48	591-78-6		
Iodomethane	ND	ug/L	20.0	1		01/11/25 03:48	74-88-4		
Methylene Chloride	ND	ug/L	5.0	1		01/11/25 03:48	75-09-2		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Sample: SWC-14		Lab ID: 92773113040		Collected: 01/08/25 11:01		Received: 01/09/25 08:46		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D								
	Pace Analytical Services - Charlotte								
	4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/11/25 03:48	108-10-1	
	Styrene	ND	ug/L	1.0	1		01/11/25 03:48	100-42-5	
	1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:48	630-20-6	
	1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/11/25 03:48	79-34-5	
	Tetrachloroethene	ND	ug/L	1.0	1		01/11/25 03:48	127-18-4	
	Toluene	ND	ug/L	1.0	1		01/11/25 03:48	108-88-3	
	1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:48	71-55-6	
	1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/11/25 03:48	79-00-5	
	Trichloroethene	ND	ug/L	1.0	1		01/11/25 03:48	79-01-6	
	Trichlorofluoromethane	ND	ug/L	1.0	1		01/11/25 03:48	75-69-4	
	1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/11/25 03:48	96-18-4	
	Vinyl acetate	ND	ug/L	2.0	1		01/11/25 03:48	108-05-4	
	Vinyl chloride	ND	ug/L	1.0	1		01/11/25 03:48	75-01-4	
	Xylene (Total)	ND	ug/L	1.0	1		01/11/25 03:48	1330-20-7	
	Surrogates								
	4-Bromofluorobenzene (S)	94	%	70-130	1		01/11/25 03:48	460-00-4	
	1,2-Dichloroethane-d4 (S)	106	%	70-130	1		01/11/25 03:48	17060-07-0	
Toluene-d8 (S)	100	%	70-130	1		01/11/25 03:48	2037-26-5		
9056 IC anions 28 Days	Analytical Method: EPA 9056A								
	Pace Analytical Services - Asheville								
Chloride	2.4	mg/L	1.0	1		01/10/25 03:04	16887-00-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

QC Batch:	908256	Analysis Method:	EPA 6020B
QC Batch Method:	EPA 3005A	Analysis Description:	6020 MET
		Laboratory:	Pace Analytical Services - Peachtree Corners, GA

Associated Lab Samples: 92773113001, 92773113002, 92773113003, 92773113004, 92773113005, 92773113006, 92773113007, 92773113008, 92773113009, 92773113010, 92773113011, 92773113012, 92773113013, 92773113014, 92773113015, 92773113016, 92773113017, 92773113018, 92773113019

METHOD BLANK:	4671876	Matrix:	Water
---------------	---------	---------	-------

Associated Lab Samples: 92773113001, 92773113002, 92773113003, 92773113004, 92773113005, 92773113006, 92773113007, 92773113008, 92773113009, 92773113010, 92773113011, 92773113012, 92773113013, 92773113014, 92773113015, 92773113016, 92773113017, 92773113018, 92773113019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Antimony	ug/L	ND	3.0	01/18/25 15:52	
Arsenic	ug/L	ND	5.0	01/18/25 15:52	
Barium	ug/L	ND	5.0	01/18/25 15:52	
Beryllium	ug/L	ND	0.50	01/18/25 15:52	
Cadmium	ug/L	ND	0.50	01/18/25 15:52	
Chromium	ug/L	ND	5.0	01/18/25 15:52	
Cobalt	ug/L	ND	5.0	01/18/25 15:52	
Copper	ug/L	ND	5.0	01/18/25 15:52	
Lead	ug/L	ND	1.0	01/18/25 15:52	
Nickel	ug/L	ND	5.0	01/18/25 15:52	
Selenium	ug/L	ND	5.0	01/18/25 15:52	
Silver	ug/L	ND	5.0	01/18/25 15:52	
Thallium	ug/L	ND	1.0	01/18/25 15:52	
Vanadium	ug/L	ND	10.0	01/18/25 15:52	
Zinc	ug/L	ND	10.0	01/18/25 15:52	

LABORATORY CONTROL SAMPLE: 4671877

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Antimony	ug/L	100	97.4	97	80-120	
Arsenic	ug/L	100	97.8	98	80-120	
Barium	ug/L	100	104	104	80-120	
Beryllium	ug/L	100	99.1	99	80-120	
Cadmium	ug/L	100	99.8	100	80-120	
Chromium	ug/L	100	108	108	80-120	
Cobalt	ug/L	100	103	103	80-120	
Copper	ug/L	100	103	103	80-120	
Lead	ug/L	100	101	101	80-120	
Nickel	ug/L	100	104	104	80-120	
Selenium	ug/L	100	98.7	99	80-120	
Silver	ug/L	100	101	101	80-120	
Thallium	ug/L	100	104	104	80-120	
Vanadium	ug/L	100	106	106	80-120	
Zinc	ug/L	100	100	100	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4671878 4671879											
Parameter	Units	92773113001		MS	MSD	MS		MSD	% Rec		Qual
		Result	Conc.	Spike	Spike	Result	Result	% Rec	% Rec	Limits	
Antimony	ug/L	ND	100	100	100	97.2	99.1	97	99	75-125	2
Arsenic	ug/L	ND	100	100	100	97.0	99.5	97	99	75-125	3
Barium	ug/L	15.4	100	100	100	119	121	103	106	75-125	2
Beryllium	ug/L	ND	100	100	100	96.0	99.8	96	100	75-125	4
Cadmium	ug/L	ND	100	100	100	97.3	102	97	102	75-125	4
Chromium	ug/L	ND	100	100	100	99.7	118	99	118	75-125	17
Cobalt	ug/L	ND	100	100	100	100	104	99	104	75-125	4
Copper	ug/L	ND	100	100	100	101	104	100	104	75-125	4
Lead	ug/L	ND	100	100	100	97.1	97.0	97	97	75-125	0
Nickel	ug/L	ND	100	100	100	101	105	100	104	75-125	4
Selenium	ug/L	ND	100	100	100	98.0	99.7	98	100	75-125	2
Silver	ug/L	ND	100	100	100	99.4	102	99	102	75-125	2
Thallium	ug/L	ND	100	100	100	99.7	99.9	100	100	75-125	0
Vanadium	ug/L	ND	100	100	100	105	106	104	106	75-125	2
Zinc	ug/L	ND	100	100	100	103	105	100	102	75-125	2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

QC Batch:	908261	Analysis Method:	EPA 6020B
QC Batch Method:	EPA 3005A	Analysis Description:	6020 MET
		Laboratory:	Pace Analytical Services - Peachtree Corners, GA

Associated Lab Samples: 92773113020, 92773113021, 92773113022, 92773113023, 92773113024, 92773113025, 92773113026, 92773113027, 92773113028, 92773113029, 92773113030, 92773113031

METHOD BLANK: 4671894 Matrix: Water

Associated Lab Samples: 92773113020, 92773113021, 92773113022, 92773113023, 92773113024, 92773113025, 92773113026, 92773113027, 92773113028, 92773113029, 92773113030, 92773113031

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Antimony	ug/L	ND	3.0	01/18/25 14:24	
Arsenic	ug/L	ND	5.0	01/18/25 14:24	
Barium	ug/L	ND	5.0	01/18/25 14:24	
Beryllium	ug/L	ND	0.50	01/18/25 14:24	
Cadmium	ug/L	ND	0.50	01/18/25 14:24	
Chromium	ug/L	ND	5.0	01/18/25 14:24	
Cobalt	ug/L	ND	5.0	01/18/25 14:24	
Copper	ug/L	ND	5.0	01/18/25 14:24	
Lead	ug/L	ND	1.0	01/18/25 14:24	
Nickel	ug/L	ND	5.0	01/18/25 14:24	
Selenium	ug/L	ND	5.0	01/18/25 14:24	
Silver	ug/L	ND	5.0	01/18/25 14:24	
Thallium	ug/L	ND	1.0	01/18/25 14:24	
Vanadium	ug/L	ND	10.0	01/18/25 14:24	
Zinc	ug/L	ND	10.0	01/18/25 14:24	

LABORATORY CONTROL SAMPLE: 4671895

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Antimony	ug/L	100	100	100	80-120	
Arsenic	ug/L	100	98.6	99	80-120	
Barium	ug/L	100	106	106	80-120	
Beryllium	ug/L	100	98.1	98	80-120	
Cadmium	ug/L	100	103	103	80-120	
Chromium	ug/L	100	103	103	80-120	
Cobalt	ug/L	100	103	103	80-120	
Copper	ug/L	100	104	104	80-120	
Lead	ug/L	100	98.3	98	80-120	
Nickel	ug/L	100	103	103	80-120	
Selenium	ug/L	100	101	101	80-120	
Silver	ug/L	100	101	101	80-120	
Thallium	ug/L	100	101	101	80-120	
Vanadium	ug/L	100	102	102	80-120	
Zinc	ug/L	100	102	102	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4671896 4671897											
Parameter	Units	92773113020		MS	MSD	MS		MSD	% Rec		Qual
		Result	Conc.	Spike	Spike	Result	Result	% Rec	% Rec	Limits	
Antimony	ug/L	ND	100	100	100	98.6	98.4	98	98	75-125	0
Arsenic	ug/L	ND	100	100	100	101	99.3	101	99	75-125	1
Barium	ug/L	35.1	100	100	100	142	143	106	107	75-125	1
Beryllium	ug/L	ND	100	100	100	96.7	95.7	97	96	75-125	1
Cadmium	ug/L	ND	100	100	100	100	102	100	102	75-125	1
Chromium	ug/L	ND	100	100	100	105	106	103	104	75-125	1
Cobalt	ug/L	ND	100	100	100	102	103	101	102	75-125	2
Copper	ug/L	ND	100	100	100	103	104	101	102	75-125	1
Lead	ug/L	ND	100	100	100	102	102	102	102	75-125	0
Nickel	ug/L	ND	100	100	100	103	104	102	102	75-125	1
Selenium	ug/L	ND	100	100	100	101	98.3	101	98	75-125	3
Silver	ug/L	ND	100	100	100	100	100	100	100	75-125	0
Thallium	ug/L	ND	100	100	100	104	104	104	104	75-125	0
Vanadium	ug/L	ND	100	100	100	105	107	104	106	75-125	2
Zinc	ug/L	ND	100	100	100	106	106	100	100	75-125	0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

QC Batch:	907875	Analysis Method:	SM 2540C-2015
QC Batch Method:	SM 2540C-2015	Analysis Description:	2540C Total Dissolved Solids
		Laboratory:	Pace Analytical Services - Peachtree Corners, GA

Associated Lab Samples: 92773113033, 92773113034, 92773113035, 92773113036, 92773113037, 92773113038, 92773113039, 92773113040

METHOD BLANK:	4670248	Matrix:	Water
---------------	---------	---------	-------

Associated Lab Samples: 92773113033, 92773113034, 92773113035, 92773113036, 92773113037, 92773113038, 92773113039, 92773113040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Dissolved Solids	mg/L	ND	25.0	01/09/25 18:14	

LABORATORY CONTROL SAMPLE: 4670249						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	400	361	90	80-120	

SAMPLE DUPLICATE: 4670250					
		92773113036	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	107	118	10	

SAMPLE DUPLICATE: 4670251					
		92773113037	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	43.0	65.0	41	D6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

QC Batch:	908039	Analysis Method:	EPA 8260D
QC Batch Method:	EPA 8260D	Analysis Description:	8260D MSV Low Level Landfill
		Laboratory:	Pace Analytical Services - Charlotte

Associated Lab Samples: 92773113001, 92773113002, 92773113003, 92773113004, 92773113005, 92773113006, 92773113007, 92773113008, 92773113009, 92773113010, 92773113011, 92773113012, 92773113013, 92773113014, 92773113015, 92773113016, 92773113017, 92773113031, 92773113032

METHOD BLANK:	4670759	Matrix:	Water
---------------	---------	---------	-------

Associated Lab Samples: 92773113001, 92773113002, 92773113003, 92773113004, 92773113005, 92773113006, 92773113007, 92773113008, 92773113009, 92773113010, 92773113011, 92773113012, 92773113013, 92773113014, 92773113015, 92773113016, 92773113017, 92773113031, 92773113032

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,1,1-Trichloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,1,2-Trichloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,1-Dichloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,1-Dichloroethene	ug/L	ND	1.0	01/11/25 00:11	
1,2,3-Trichloropropane	ug/L	ND	1.0	01/11/25 00:11	
1,2-Dibromo-3-chloropropane	ug/L	ND	2.0	01/11/25 00:11	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	01/11/25 00:11	
1,2-Dichlorobenzene	ug/L	ND	1.0	01/11/25 00:11	
1,2-Dichloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,2-Dichloropropane	ug/L	ND	1.0	01/11/25 00:11	
1,4-Dichlorobenzene	ug/L	ND	1.0	01/11/25 00:11	
2-Butanone (MEK)	ug/L	ND	5.0	01/11/25 00:11	
2-Hexanone	ug/L	ND	5.0	01/11/25 00:11	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	01/11/25 00:11	
Acetone	ug/L	ND	25.0	01/11/25 00:11	
Acrylonitrile	ug/L	ND	10.0	01/11/25 00:11	
Benzene	ug/L	ND	1.0	01/11/25 00:11	
Bromochloromethane	ug/L	ND	1.0	01/11/25 00:11	
Bromodichloromethane	ug/L	ND	1.0	01/11/25 00:11	
Bromoform	ug/L	ND	1.0	01/11/25 00:11	
Bromomethane	ug/L	ND	2.0	01/11/25 00:11	
Carbon disulfide	ug/L	ND	2.0	01/11/25 00:11	
Carbon tetrachloride	ug/L	ND	1.0	01/11/25 00:11	
Chlorobenzene	ug/L	ND	1.0	01/11/25 00:11	
Chloroethane	ug/L	ND	1.0	01/11/25 00:11	
Chloroform	ug/L	ND	1.0	01/11/25 00:11	
Chloromethane	ug/L	ND	1.0	01/11/25 00:11	IH
cis-1,2-Dichloroethene	ug/L	ND	1.0	01/11/25 00:11	
cis-1,3-Dichloropropene	ug/L	ND	1.0	01/11/25 00:11	
Dibromochloromethane	ug/L	ND	1.0	01/11/25 00:11	
Dibromomethane	ug/L	ND	1.0	01/11/25 00:11	
Ethylbenzene	ug/L	ND	1.0	01/11/25 00:11	
Iodomethane	ug/L	ND	20.0	01/11/25 00:11	
Methylene Chloride	ug/L	ND	5.0	01/11/25 00:11	
Styrene	ug/L	ND	1.0	01/11/25 00:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

METHOD BLANK: 4670759

Matrix: Water

Associated Lab Samples: 92773113001, 92773113002, 92773113003, 92773113004, 92773113005, 92773113006, 92773113007, 92773113008, 92773113009, 92773113010, 92773113011, 92773113012, 92773113013, 92773113014, 92773113015, 92773113016, 92773113017, 92773113031, 92773113032

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tetrachloroethene	ug/L	ND	1.0	01/11/25 00:11	
Toluene	ug/L	ND	1.0	01/11/25 00:11	
trans-1,2-Dichloroethene	ug/L	ND	1.0	01/11/25 00:11	
trans-1,3-Dichloropropene	ug/L	ND	1.0	01/11/25 00:11	
trans-1,4-Dichloro-2-butene	ug/L	ND	1.0	01/11/25 00:11	
Trichloroethene	ug/L	ND	1.0	01/11/25 00:11	
Trichlorofluoromethane	ug/L	ND	1.0	01/11/25 00:11	
Vinyl acetate	ug/L	ND	2.0	01/11/25 00:11	
Vinyl chloride	ug/L	ND	1.0	01/11/25 00:11	
Xylene (Total)	ug/L	ND	1.0	01/11/25 00:11	
1,2-Dichloroethane-d4 (S)	%	105	70-130	01/11/25 00:11	
4-Bromofluorobenzene (S)	%	99	70-130	01/11/25 00:11	
Toluene-d8 (S)	%	99	70-130	01/11/25 00:11	

LABORATORY CONTROL SAMPLE: 4670760

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.3	102	70-130	
1,1,1-Trichloroethane	ug/L	20	20.3	102	70-130	
1,1,2,2-Tetrachloroethane	ug/L	20	22.1	110	70-130	
1,1,2-Trichloroethane	ug/L	20	21.0	105	70-130	
1,1-Dichloroethane	ug/L	20	21.5	107	70-130	
1,1-Dichloroethene	ug/L	20	21.8	109	69-131	
1,2,3-Trichloropropane	ug/L	20	21.9	109	70-130	
1,2-Dibromo-3-chloropropane	ug/L	20	21.3	106	70-130	
1,2-Dibromoethane (EDB)	ug/L	20	21.4	107	70-130	
1,2-Dichlorobenzene	ug/L	20	20.9	105	70-130	
1,2-Dichloroethane	ug/L	20	21.6	108	70-130	
1,2-Dichloropropane	ug/L	20	21.5	108	70-130	
1,4-Dichlorobenzene	ug/L	20	20.7	104	70-130	
2-Butanone (MEK)	ug/L	40	46.4	116	67-133	
2-Hexanone	ug/L	40	47.0	117	70-133	
4-Methyl-2-pentanone (MIBK)	ug/L	40	45.9	115	70-130	
Acetone	ug/L	40	44.4	111	67-130	
Acrylonitrile	ug/L	100	113	113	70-130	
Benzene	ug/L	20	21.8	109	70-130	
Bromochloromethane	ug/L	20	20.1	101	70-130	
Bromodichloromethane	ug/L	20	20.4	102	70-130	
Bromoform	ug/L	20	19.0	95	70-133	
Bromomethane	ug/L	20	14.6	73	41-148	
Carbon disulfide	ug/L	20	20.0	100	70-131	
Carbon tetrachloride	ug/L	20	19.6	98	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

LABORATORY CONTROL SAMPLE: 4670760

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chlorobenzene	ug/L	20	20.5	103	70-130	
Chloroethane	ug/L	20	17.9	90	41-157	
Chloroform	ug/L	20	20.4	102	70-130	
Chloromethane	ug/L	20	22.0	110	59-141	IH
cis-1,2-Dichloroethene	ug/L	20	20.6	103	70-130	
cis-1,3-Dichloropropene	ug/L	20	20.2	101	70-130	
Dibromochloromethane	ug/L	20	20.6	103	70-130	
Dibromomethane	ug/L	20	20.1	100	70-130	
Ethylbenzene	ug/L	20	20.5	102	70-130	
Iodomethane	ug/L	40	35.8	90	57-140	
Methylene Chloride	ug/L	20	21.6	108	62-130	
Styrene	ug/L	20	20.3	101	70-130	
Tetrachloroethene	ug/L	20	18.9	94	70-130	
Toluene	ug/L	20	20.4	102	70-130	
trans-1,2-Dichloroethene	ug/L	20	21.1	105	70-130	
trans-1,3-Dichloropropene	ug/L	20	20.0	100	70-130	
trans-1,4-Dichloro-2-butene	ug/L	20	20.8	104	57-149	
Trichloroethene	ug/L	20	20.0	100	70-130	
Trichlorofluoromethane	ug/L	20	19.6	98	57-130	
Vinyl acetate	ug/L	40	43.5	109	70-141	
Vinyl chloride	ug/L	20	18.8	94	66-140	
Xylene (Total)	ug/L	60	62.5	104	70-130	
1,2-Dichloroethane-d4 (S)	%			106	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4670761 4670762

Parameter	92773113009		MS	MSD	MS		MSD	MS	MSD	% Rec	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	% Rec	Limits		
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	25.0	21.9	125	109	70-146	13		
1,1,1-Trichloroethane	ug/L	ND	20	20	26.7	23.8	133	119	70-150	11		
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	25.3	22.1	126	110	66-144	13		
1,1,2-Trichloroethane	ug/L	ND	20	20	24.9	22.0	125	110	70-142	12		
1,1-Dichloroethane	ug/L	ND	20	20	27.0	24.4	135	122	68-150	10		
1,1-Dichloroethene	ug/L	ND	20	20	26.4	23.6	132	118	64-162	11		
1,2,3-Trichloropropane	ug/L	ND	20	20	24.3	21.7	121	108	66-144	11		
1,2-Dibromo-3-chloropropane	ug/L	ND	20	20	24.7	21.8	123	109	62-146	12		
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	25.3	22.5	126	113	70-143	12		
1,2-Dichlorobenzene	ug/L	ND	20	20	24.7	21.9	124	110	70-142	12		
1,2-Dichloroethane	ug/L	ND	20	20	26.0	23.5	130	117	68-145	10		
1,2-Dichloropropane	ug/L	ND	20	20	26.2	23.3	131	117	70-144	12		
1,4-Dichlorobenzene	ug/L	ND	20	20	24.1	21.4	120	107	70-140	12		
2-Butanone (MEK)	ug/L	ND	40	40	56.3	49.0	141	122	57-156	14		
2-Hexanone	ug/L	ND	40	40	52.4	44.5	131	111	62-153	17		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4670761 4670762											
Parameter	Units	92773113009		MS	MSD	MS	MSD	MS	MSD	% Rec	RPD
		Result	Conc.	Spike	Spike						
				Conc.	Conc.	Result	Result	% Rec	% Rec	Limits	Qual
4-Methyl-2-pentanone (MIBK)	ug/L	ND	40	40	40	51.1	44.2	128	111	65-144	14
Acetone	ug/L	ND	40	40	40	48.7	42.0	122	105	49-162	15
Acrylonitrile	ug/L	ND	100	100	100	135	114	135	114	59-155	17
Benzene	ug/L	ND	20	20	20	26.8	24.1	134	120	68-144	11
Bromochloromethane	ug/L	ND	20	20	20	25.9	23.2	130	116	70-148	11
Bromodichloromethane	ug/L	ND	20	20	20	25.0	22.1	125	111	70-141	12
Bromoform	ug/L	ND	20	20	20	23.3	20.4	116	102	59-144	13
Bromomethane	ug/L	ND	20	20	20	21.3	19.2	106	96	23-190	10 v3
Carbon disulfide	ug/L	ND	20	20	20	25.0	22.3	125	111	64-160	12
Carbon tetrachloride	ug/L	ND	20	20	20	25.6	22.8	128	114	70-147	12
Chlorobenzene	ug/L	ND	20	20	20	24.8	22.2	124	111	70-143	11
Chloroethane	ug/L	ND	20	20	20	23.3	21.0	116	105	55-190	10
Chloroform	ug/L	ND	20	20	20	25.3	22.7	126	114	67-148	11
Chloromethane	ug/L	ND	20	20	20	32.8	30.4	164	152	38-180	8 IH
cis-1,2-Dichloroethene	ug/L	ND	20	20	20	26.4	24.0	132	120	67-151	10
cis-1,3-Dichloropropene	ug/L	ND	20	20	20	24.8	22.2	124	111	70-142	11
Dibromochloromethane	ug/L	ND	20	20	20	25.1	22.1	126	111	68-140	13
Dibromomethane	ug/L	ND	20	20	20	24.1	21.8	121	109	70-142	10
Ethylbenzene	ug/L	ND	20	20	20	25.2	22.5	126	112	70-145	11
Iodomethane	ug/L	ND	40	40	40	45.5	40.3	114	101	37-160	12
Methylene Chloride	ug/L	ND	20	20	20	26.4	23.7	132	118	54-149	11
Styrene	ug/L	ND	20	20	20	24.6	21.8	123	109	70-147	12
Tetrachloroethene	ug/L	ND	20	20	20	24.2	21.2	121	106	70-145	13
Toluene	ug/L	ND	20	20	20	24.9	22.2	125	111	65-146	11
trans-1,2-Dichloroethene	ug/L	ND	20	20	20	27.1	25.0	136	125	69-155	8
trans-1,3-Dichloropropene	ug/L	ND	20	20	20	25.2	21.9	126	110	70-142	14
trans-1,4-Dichloro-2-butene	ug/L	ND	20	20	20	23.5	21.0	117	105	39-149	11
Trichloroethene	ug/L	ND	20	20	20	24.9	22.3	124	112	70-152	11
Trichlorofluoromethane	ug/L	ND	20	20	20	24.4	21.5	122	108	60-158	12
Vinyl acetate	ug/L	ND	40	40	40	51.9	45.6	130	114	56-157	13
Vinyl chloride	ug/L	ND	20	20	20	26.0	23.6	130	118	51-178	10
Xylene (Total)	ug/L	ND	60	60	60	76.1	68.3	127	114	70-146	11
1,2-Dichloroethane-d4 (S)	%							105	107	70-130	
4-Bromofluorobenzene (S)	%							102	102	70-130	
Toluene-d8 (S)	%							101	100	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

QC Batch:	908041	Analysis Method:	EPA 8260D
QC Batch Method:	EPA 8260D	Analysis Description:	8260D MSV Low Level Landfill
		Laboratory:	Pace Analytical Services - Charlotte

Associated Lab Samples: 92773113018, 92773113019, 92773113020, 92773113021, 92773113022, 92773113023, 92773113024, 92773113025, 92773113026, 92773113027, 92773113028, 92773113029

METHOD BLANK: 4670770 Matrix: Water

Associated Lab Samples: 92773113018, 92773113019, 92773113020, 92773113021, 92773113022, 92773113023, 92773113024, 92773113025, 92773113026, 92773113027, 92773113028, 92773113029

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	01/11/25 00:30	
1,1,1-Trichloroethane	ug/L	ND	1.0	01/11/25 00:30	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	01/11/25 00:30	
1,1,2-Trichloroethane	ug/L	ND	1.0	01/11/25 00:30	
1,1-Dichloroethane	ug/L	ND	1.0	01/11/25 00:30	
1,1-Dichloroethene	ug/L	ND	1.0	01/11/25 00:30	
1,2,3-Trichloropropane	ug/L	ND	1.0	01/11/25 00:30	
1,2-Dibromo-3-chloropropane	ug/L	ND	2.0	01/11/25 00:30	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	01/11/25 00:30	
1,2-Dichlorobenzene	ug/L	ND	1.0	01/11/25 00:30	
1,2-Dichloroethane	ug/L	ND	1.0	01/11/25 00:30	
1,2-Dichloropropane	ug/L	ND	1.0	01/11/25 00:30	
1,4-Dichlorobenzene	ug/L	ND	1.0	01/11/25 00:30	
2-Butanone (MEK)	ug/L	ND	5.0	01/11/25 00:30	
2-Hexanone	ug/L	ND	5.0	01/11/25 00:30	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	01/11/25 00:30	
Acetone	ug/L	ND	25.0	01/11/25 00:30	
Acrylonitrile	ug/L	ND	10.0	01/11/25 00:30	
Benzene	ug/L	ND	1.0	01/11/25 00:30	
Bromochloromethane	ug/L	ND	1.0	01/11/25 00:30	
Bromodichloromethane	ug/L	ND	1.0	01/11/25 00:30	
Bromoform	ug/L	ND	1.0	01/11/25 00:30	
Bromomethane	ug/L	ND	2.0	01/11/25 00:30	
Carbon disulfide	ug/L	ND	2.0	01/11/25 00:30	
Carbon tetrachloride	ug/L	ND	1.0	01/11/25 00:30	
Chlorobenzene	ug/L	ND	1.0	01/11/25 00:30	
Chloroethane	ug/L	ND	1.0	01/11/25 00:30	
Chloroform	ug/L	ND	1.0	01/11/25 00:30	
Chloromethane	ug/L	ND	1.0	01/11/25 00:30	IH
cis-1,2-Dichloroethene	ug/L	ND	1.0	01/11/25 00:30	
cis-1,3-Dichloropropene	ug/L	ND	1.0	01/11/25 00:30	
Dibromochloromethane	ug/L	ND	1.0	01/11/25 00:30	
Dibromomethane	ug/L	ND	1.0	01/11/25 00:30	
Ethylbenzene	ug/L	ND	1.0	01/11/25 00:30	
Iodomethane	ug/L	ND	20.0	01/11/25 00:30	
Methylene Chloride	ug/L	ND	5.0	01/11/25 00:30	
Styrene	ug/L	ND	1.0	01/11/25 00:30	
Tetrachloroethene	ug/L	ND	1.0	01/11/25 00:30	
Toluene	ug/L	ND	1.0	01/11/25 00:30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

METHOD BLANK: 4670770

Matrix: Water

Associated Lab Samples: 92773113018, 92773113019, 92773113020, 92773113021, 92773113022, 92773113023, 92773113024, 92773113025, 92773113026, 92773113027, 92773113028, 92773113029

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
trans-1,2-Dichloroethene	ug/L	ND	1.0	01/11/25 00:30	
trans-1,3-Dichloropropene	ug/L	ND	1.0	01/11/25 00:30	
trans-1,4-Dichloro-2-butene	ug/L	ND	1.0	01/11/25 00:30	
Trichloroethene	ug/L	ND	1.0	01/11/25 00:30	
Trichlorofluoromethane	ug/L	ND	1.0	01/11/25 00:30	
Vinyl acetate	ug/L	ND	2.0	01/11/25 00:30	
Vinyl chloride	ug/L	ND	1.0	01/11/25 00:30	
Xylene (Total)	ug/L	ND	1.0	01/11/25 00:30	
1,2-Dichloroethane-d4 (S)	%	108	70-130	01/11/25 00:30	
4-Bromofluorobenzene (S)	%	98	70-130	01/11/25 00:30	
Toluene-d8 (S)	%	101	70-130	01/11/25 00:30	

LABORATORY CONTROL SAMPLE: 4670771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.6	103	70-130	
1,1,1-Trichloroethane	ug/L	20	21.0	105	70-130	
1,1,2,2-Tetrachloroethane	ug/L	20	21.3	107	70-130	
1,1,2-Trichloroethane	ug/L	20	20.1	101	70-130	
1,1-Dichloroethane	ug/L	20	21.8	109	70-130	
1,1-Dichloroethene	ug/L	20	22.2	111	69-131	
1,2,3-Trichloropropane	ug/L	20	21.1	106	70-130	
1,2-Dibromo-3-chloropropane	ug/L	20	20.3	102	70-130	
1,2-Dibromoethane (EDB)	ug/L	20	20.7	104	70-130	
1,2-Dichlorobenzene	ug/L	20	20.7	104	70-130	
1,2-Dichloroethane	ug/L	20	21.7	109	70-130	
1,2-Dichloropropane	ug/L	20	21.5	107	70-130	
1,4-Dichlorobenzene	ug/L	20	20.8	104	70-130	
2-Butanone (MEK)	ug/L	40	43.0	108	67-133	
2-Hexanone	ug/L	40	42.4	106	70-133	
4-Methyl-2-pentanone (MIBK)	ug/L	40	42.1	105	70-130	
Acetone	ug/L	40	41.8	105	67-130	
Acrylonitrile	ug/L	100	107	107	70-130	
Benzene	ug/L	20	21.8	109	70-130	
Bromochloromethane	ug/L	20	20.4	102	70-130	
Bromodichloromethane	ug/L	20	20.3	101	70-130	
Bromoform	ug/L	20	18.4	92	70-133	
Bromomethane	ug/L	20	16.0	80	41-148	
Carbon disulfide	ug/L	20	20.4	102	70-131	
Carbon tetrachloride	ug/L	20	20.3	102	70-130	
Chlorobenzene	ug/L	20	20.6	103	70-130	
Chloroethane	ug/L	20	19.3	96	41-157	
Chloroform	ug/L	20	20.7	103	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

LABORATORY CONTROL SAMPLE: 4670771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloromethane	ug/L	20	23.1	115	59-141	IH
cis-1,2-Dichloroethene	ug/L	20	21.3	106	70-130	
cis-1,3-Dichloropropene	ug/L	20	19.9	100	70-130	
Dibromochloromethane	ug/L	20	20.1	100	70-130	
Dibromomethane	ug/L	20	19.3	96	70-130	
Ethylbenzene	ug/L	20	20.9	104	70-130	
Iodomethane	ug/L	40	38.5	96	57-140	
Methylene Chloride	ug/L	20	22.3	111	62-130	
Styrene	ug/L	20	20.7	104	70-130	
Tetrachloroethene	ug/L	20	19.0	95	70-130	
Toluene	ug/L	20	20.4	102	70-130	
trans-1,2-Dichloroethene	ug/L	20	22.0	110	70-130	
trans-1,3-Dichloropropene	ug/L	20	20.1	100	70-130	
trans-1,4-Dichloro-2-butene	ug/L	20	20.2	101	57-149	
Trichloroethene	ug/L	20	20.2	101	70-130	
Trichlorofluoromethane	ug/L	20	20.4	102	57-130	
Vinyl acetate	ug/L	40	42.3	106	70-141	
Vinyl chloride	ug/L	20	19.6	98	66-140	
Xylene (Total)	ug/L	60	62.5	104	70-130	
1,2-Dichloroethane-d4 (S)	%			108	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4670772 4670773

Parameter	92773113029		MS	MSD	MS		MS	MSD	% Rec		RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	Limits		
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	24.2	23.5	121	117	70-146	70-146	3	
1,1,1-Trichloroethane	ug/L	ND	20	20	26.6	25.6	133	128	70-150	70-150	4	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	24.6	23.1	123	116	66-144	66-144	6	
1,1,2-Trichloroethane	ug/L	ND	20	20	24.0	23.2	120	116	70-142	70-142	4	
1,1-Dichloroethane	ug/L	ND	20	20	27.3	26.1	136	130	68-150	68-150	4	
1,1-Dichloroethene	ug/L	ND	20	20	26.2	25.0	131	125	64-162	64-162	5	
1,2,3-Trichloropropane	ug/L	ND	20	20	23.7	22.7	119	114	66-144	66-144	4	
1,2-Dibromo-3-chloropropane	ug/L	ND	20	20	24.3	22.9	121	114	62-146	62-146	6	
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	24.5	23.8	123	119	70-143	70-143	3	
1,2-Dichlorobenzene	ug/L	ND	20	20	24.2	23.3	121	116	70-142	70-142	4	
1,2-Dichloroethane	ug/L	ND	20	20	25.7	24.7	128	123	68-145	68-145	4	
1,2-Dichloropropane	ug/L	ND	20	20	25.4	24.9	127	124	70-144	70-144	2	
1,4-Dichlorobenzene	ug/L	ND	20	20	23.7	23.1	119	115	70-140	70-140	3	
2-Butanone (MEK)	ug/L	ND	40	40	54.3	52.5	136	131	57-156	57-156	4	
2-Hexanone	ug/L	ND	40	40	49.4	46.8	123	117	62-153	62-153	5	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	40	40	49.4	46.7	124	117	65-144	65-144	6	
Acetone	ug/L	ND	40	40	47.3	44.1	118	110	49-162	49-162	7	
Acrylonitrile	ug/L	ND	100	100	127	129	127	129	59-155	59-155	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4670772 4670773											
Parameter	Units	92773113029		MS	MSD	MS		MS	MSD	% Rec	RPD
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	
Benzene	ug/L	ND	20	20	20	26.4	25.4	132	127	68-144	4
Bromochloromethane	ug/L	ND	20	20	20	25.2	25.1	126	126	70-148	0
Bromodichloromethane	ug/L	ND	20	20	20	24.6	23.7	123	119	70-141	4
Bromoform	ug/L	ND	20	20	20	22.9	21.6	115	108	59-144	6
Bromomethane	ug/L	ND	20	20	20	21.3	20.8	107	104	23-190	2 v3
Carbon disulfide	ug/L	ND	20	20	20	25.0	24.3	125	121	64-160	3
Carbon tetrachloride	ug/L	ND	20	20	20	25.3	24.3	126	122	70-147	4
Chlorobenzene	ug/L	ND	20	20	20	24.2	23.1	121	116	70-143	5
Chloroethane	ug/L	ND	20	20	20	23.0	22.0	115	110	55-190	5
Chloroform	ug/L	ND	20	20	20	25.7	24.4	128	122	67-148	5
Chloromethane	ug/L	ND	20	20	20	32.8	31.7	164	158	38-180	3 IH
cis-1,2-Dichloroethene	ug/L	ND	20	20	20	26.4	25.6	132	128	67-151	3
cis-1,3-Dichloropropene	ug/L	ND	20	20	20	24.5	23.4	122	117	70-142	4
Dibromochloromethane	ug/L	ND	20	20	20	24.5	23.3	123	117	68-140	5
Dibromomethane	ug/L	ND	20	20	20	23.4	22.4	117	112	70-142	4
Ethylbenzene	ug/L	ND	20	20	20	24.5	23.6	122	118	70-145	3
Iodomethane	ug/L	ND	40	40	40	46.0	43.2	115	108	37-160	6
Methylene Chloride	ug/L	ND	20	20	20	26.4	25.2	132	126	54-149	5
Styrene	ug/L	ND	20	20	20	24.3	23.3	121	116	70-147	4
Tetrachloroethene	ug/L	ND	20	20	20	23.2	22.3	116	111	70-145	4
Toluene	ug/L	ND	20	20	20	24.3	23.6	121	118	65-146	3
trans-1,2-Dichloroethene	ug/L	ND	20	20	20	27.3	26.4	137	132	69-155	3
trans-1,3-Dichloropropene	ug/L	ND	20	20	20	24.4	23.6	122	118	70-142	3
trans-1,4-Dichloro-2-butene	ug/L	ND	20	20	20	22.6	21.2	113	106	39-149	6
Trichloroethene	ug/L	ND	20	20	20	24.5	23.9	123	120	70-152	3
Trichlorofluoromethane	ug/L	ND	20	20	20	24.2	23.3	121	116	60-158	4
Vinyl acetate	ug/L	ND	40	40	40	51.8	49.9	130	125	56-157	4
Vinyl chloride	ug/L	ND	20	20	20	26.3	25.5	131	128	51-178	3
Xylene (Total)	ug/L	ND	60	60	60	74.6	71.4	124	119	70-146	4
1,2-Dichloroethane-d4 (S)	%							108	109	70-130	
4-Bromofluorobenzene (S)	%							100	101	70-130	
Toluene-d8 (S)	%							100	100	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

QC Batch:	908043	Analysis Method:	EPA 8260D
QC Batch Method:	EPA 8260D	Analysis Description:	8260D MSV Low Level Landfill
		Laboratory:	Pace Analytical Services - Charlotte

Associated Lab Samples: 92773113030, 92773113033, 92773113034, 92773113035, 92773113036, 92773113037, 92773113038, 92773113039, 92773113040

METHOD BLANK: 4670778 Matrix: Water
Associated Lab Samples: 92773113030, 92773113033, 92773113034, 92773113035, 92773113036, 92773113037, 92773113038, 92773113039, 92773113040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,1,1-Trichloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,1,2-Trichloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,1-Dichloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,1-Dichloroethene	ug/L	ND	1.0	01/11/25 00:11	
1,2,3-Trichloropropane	ug/L	ND	1.0	01/11/25 00:11	
1,2-Dibromo-3-chloropropane	ug/L	ND	2.0	01/11/25 00:11	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	01/11/25 00:11	
1,2-Dichlorobenzene	ug/L	ND	1.0	01/11/25 00:11	
1,2-Dichloroethane	ug/L	ND	1.0	01/11/25 00:11	
1,2-Dichloropropane	ug/L	ND	1.0	01/11/25 00:11	
1,4-Dichlorobenzene	ug/L	ND	1.0	01/11/25 00:11	
2-Butanone (MEK)	ug/L	ND	5.0	01/11/25 00:11	
2-Hexanone	ug/L	ND	5.0	01/11/25 00:11	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	01/11/25 00:11	
Acetone	ug/L	ND	25.0	01/11/25 00:11	
Acrylonitrile	ug/L	ND	10.0	01/11/25 00:11	
Benzene	ug/L	ND	1.0	01/11/25 00:11	
Bromochloromethane	ug/L	ND	1.0	01/11/25 00:11	
Bromodichloromethane	ug/L	ND	1.0	01/11/25 00:11	
Bromoform	ug/L	ND	1.0	01/11/25 00:11	
Bromomethane	ug/L	ND	2.0	01/11/25 00:11	v2
Carbon disulfide	ug/L	ND	2.0	01/11/25 00:11	
Carbon tetrachloride	ug/L	ND	1.0	01/11/25 00:11	
Chlorobenzene	ug/L	ND	1.0	01/11/25 00:11	
Chloroethane	ug/L	ND	1.0	01/11/25 00:11	
Chloroform	ug/L	ND	1.0	01/11/25 00:11	
Chloromethane	ug/L	ND	1.0	01/11/25 00:11	
cis-1,2-Dichloroethene	ug/L	ND	1.0	01/11/25 00:11	
cis-1,3-Dichloropropene	ug/L	ND	1.0	01/11/25 00:11	
Dibromochloromethane	ug/L	ND	1.0	01/11/25 00:11	
Dibromomethane	ug/L	ND	1.0	01/11/25 00:11	
Ethylbenzene	ug/L	ND	1.0	01/11/25 00:11	
Iodomethane	ug/L	ND	20.0	01/11/25 00:11	
Methylene Chloride	ug/L	ND	5.0	01/11/25 00:11	
Styrene	ug/L	ND	1.0	01/11/25 00:11	
Tetrachloroethene	ug/L	ND	1.0	01/11/25 00:11	
Toluene	ug/L	ND	1.0	01/11/25 00:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

METHOD BLANK: 4670778

Matrix: Water

Associated Lab Samples: 92773113030, 92773113033, 92773113034, 92773113035, 92773113036, 92773113037, 92773113038, 92773113039, 92773113040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
trans-1,2-Dichloroethene	ug/L	ND	1.0	01/11/25 00:11	
trans-1,3-Dichloropropene	ug/L	ND	1.0	01/11/25 00:11	
trans-1,4-Dichloro-2-butene	ug/L	ND	1.0	01/11/25 00:11	IH
Trichloroethene	ug/L	ND	1.0	01/11/25 00:11	
Trichlorofluoromethane	ug/L	ND	1.0	01/11/25 00:11	
Vinyl acetate	ug/L	ND	2.0	01/11/25 00:11	
Vinyl chloride	ug/L	ND	1.0	01/11/25 00:11	
Xylene (Total)	ug/L	ND	1.0	01/11/25 00:11	
1,2-Dichloroethane-d4 (S)	%	106	70-130	01/11/25 00:11	
4-Bromofluorobenzene (S)	%	95	70-130	01/11/25 00:11	
Toluene-d8 (S)	%	99	70-130	01/11/25 00:11	

LABORATORY CONTROL SAMPLE: 4670779

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	19.4	97	70-130	
1,1,1-Trichloroethane	ug/L	20	18.3	91	70-130	
1,1,2,2-Tetrachloroethane	ug/L	20	20.0	100	70-130	
1,1,2-Trichloroethane	ug/L	20	19.3	96	70-130	
1,1-Dichloroethane	ug/L	20	18.9	95	70-130	
1,1-Dichloroethene	ug/L	20	18.5	92	69-131	
1,2,3-Trichloropropane	ug/L	20	19.6	98	70-130	
1,2-Dibromo-3-chloropropane	ug/L	20	20.1	101	70-130	
1,2-Dibromoethane (EDB)	ug/L	20	19.8	99	70-130	
1,2-Dichlorobenzene	ug/L	20	19.6	98	70-130	
1,2-Dichloroethane	ug/L	20	18.7	93	70-130	
1,2-Dichloropropane	ug/L	20	18.5	92	70-130	
1,4-Dichlorobenzene	ug/L	20	19.4	97	70-130	
2-Butanone (MEK)	ug/L	40	36.9	92	67-133	
2-Hexanone	ug/L	40	39.5	99	70-133	
4-Methyl-2-pentanone (MIBK)	ug/L	40	36.9	92	70-130	
Acetone	ug/L	40	37.9	95	67-130	
Acrylonitrile	ug/L	100	93.2	93	70-130	
Benzene	ug/L	20	19.2	96	70-130	
Bromochloromethane	ug/L	20	18.8	94	70-130	
Bromodichloromethane	ug/L	20	18.8	94	70-130	
Bromoform	ug/L	20	18.3	92	70-133	
Bromomethane	ug/L	20	14.4	72	41-148 v3	
Carbon disulfide	ug/L	20	17.6	88	70-131	
Carbon tetrachloride	ug/L	20	18.8	94	70-130	
Chlorobenzene	ug/L	20	19.3	97	70-130	
Chloroethane	ug/L	20	16.8	84	41-157	
Chloroform	ug/L	20	18.6	93	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

LABORATORY CONTROL SAMPLE: 4670779

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloromethane	ug/L	20	17.1	86	59-141	
cis-1,2-Dichloroethene	ug/L	20	18.3	92	70-130	
cis-1,3-Dichloropropene	ug/L	20	17.9	90	70-130	
Dibromochloromethane	ug/L	20	19.4	97	70-130	
Dibromomethane	ug/L	20	18.9	95	70-130	
Ethylbenzene	ug/L	20	19.0	95	70-130	
Iodomethane	ug/L	40	34.6	87	57-140	
Methylene Chloride	ug/L	20	18.5	92	62-130	
Styrene	ug/L	20	19.5	98	70-130	
Tetrachloroethene	ug/L	20	18.3	91	70-130	
Toluene	ug/L	20	17.1	86	70-130	
trans-1,2-Dichloroethene	ug/L	20	18.3	92	70-130	
trans-1,3-Dichloropropene	ug/L	20	17.7	89	70-130	
trans-1,4-Dichloro-2-butene	ug/L	20	21.1	106	57-149	IH
Trichloroethene	ug/L	20	19.1	96	70-130	
Trichlorofluoromethane	ug/L	20	17.9	90	57-130	
Vinyl acetate	ug/L	40	37.0	93	70-141	
Vinyl chloride	ug/L	20	17.2	86	66-140	
Xylene (Total)	ug/L	60	57.2	95	70-130	
1,2-Dichloroethane-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			101	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4670780 4670781

Parameter	92773113040		MS	MSD	MS		MS	MSD	% Rec		RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	% Rec	Limits		
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	21.6	22.4	108	112	70-146		4	
1,1,1-Trichloroethane	ug/L	ND	20	20	23.8	23.9	119	120	70-150		0	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	21.2	22.5	106	113	66-144		6	
1,1,2-Trichloroethane	ug/L	ND	20	20	21.1	22.4	105	112	70-142		6	
1,1-Dichloroethane	ug/L	ND	20	20	24.5	24.7	122	123	68-150		1	
1,1-Dichloroethene	ug/L	ND	20	20	23.3	23.8	117	119	64-162		2	
1,2,3-Trichloropropane	ug/L	ND	20	20	20.9	21.6	104	108	66-144		3	
1,2-Dibromo-3-chloropropane	ug/L	ND	20	20	20.4	22.1	102	111	62-146		8	
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	21.9	22.7	109	113	70-143		4	
1,2-Dichlorobenzene	ug/L	ND	20	20	21.0	22.2	105	111	70-142		6	
1,2-Dichloroethane	ug/L	ND	20	20	23.0	23.5	115	118	68-145		2	
1,2-Dichloropropane	ug/L	ND	20	20	22.9	23.4	114	117	70-144		3	
1,4-Dichlorobenzene	ug/L	ND	20	20	20.3	22.2	102	111	70-140		9	
2-Butanone (MEK)	ug/L	ND	40	40	46.7	48.7	117	122	57-156		4	
2-Hexanone	ug/L	ND	40	40	41.5	44.1	104	110	62-153		6	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	40	40	41.9	43.0	105	108	65-144		3	
Acetone	ug/L	ND	40	40	40.7	42.3	102	106	49-162		4	
Acrylonitrile	ug/L	ND	100	100	112	114	112	114	59-155		2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:			4670780		4670781							
Parameter	92773113040		MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Qual	
	Units	Result	Spike Conc.	Spike Conc.								Result
Benzene	ug/L	ND	20	20	23.3	24.1	116	121	68-144	4		
Bromochloromethane	ug/L	ND	20	20	23.3	23.4	117	117	70-148	0		
Bromodichloromethane	ug/L	ND	20	20	21.7	22.6	108	113	70-141	4		
Bromoform	ug/L	ND	20	20	19.6	20.4	98	102	59-144	4		
Bromomethane	ug/L	ND	20	20	19.2	19.8	96	99	23-190	3 v3		
Carbon disulfide	ug/L	ND	20	20	22.3	22.3	111	112	64-160	0		
Carbon tetrachloride	ug/L	ND	20	20	21.9	22.7	109	114	70-147	4		
Chlorobenzene	ug/L	ND	20	20	21.5	22.3	107	111	70-143	4		
Chloroethane	ug/L	ND	20	20	20.7	21.3	104	106	55-190	3		
Chloroform	ug/L	ND	20	20	22.4	23.6	112	118	67-148	5		
Chloromethane	ug/L	ND	20	20	30.1	30.6	151	153	38-180	1 IH		
cis-1,2-Dichloroethene	ug/L	ND	20	20	23.7	24.1	118	121	67-151	2		
cis-1,3-Dichloropropene	ug/L	ND	20	20	21.3	22.2	106	111	70-142	4		
Dibromochloromethane	ug/L	ND	20	20	21.1	22.2	105	111	68-140	5		
Dibromomethane	ug/L	ND	20	20	21.2	21.9	106	109	70-142	3		
Ethylbenzene	ug/L	ND	20	20	21.6	22.5	108	113	70-145	4		
Iodomethane	ug/L	ND	40	40	41.1	41.9	103	105	37-160	2		
Methylene Chloride	ug/L	ND	20	20	23.4	24.0	117	120	54-149	2		
Styrene	ug/L	ND	20	20	21.3	22.2	106	111	70-147	4		
Tetrachloroethene	ug/L	ND	20	20	20.5	21.0	103	105	70-145	2		
Toluene	ug/L	ND	20	20	21.6	22.0	108	110	65-146	2		
trans-1,2-Dichloroethene	ug/L	ND	20	20	24.4	25.0	122	125	69-155	2		
trans-1,3-Dichloropropene	ug/L	ND	20	20	21.5	22.5	107	113	70-142	5		
trans-1,4-Dichloro-2-butene	ug/L	ND	20	20	20.3	28.5	101	143	39-149	34 R1		
Trichloroethene	ug/L	ND	20	20	21.9	22.2	110	111	70-152	1		
Trichlorofluoromethane	ug/L	ND	20	20	21.7	22.0	108	110	60-158	1		
Vinyl acetate	ug/L	ND	40	40	44.9	45.7	112	114	56-157	2		
Vinyl chloride	ug/L	ND	20	20	23.6	23.8	118	119	51-178	1		
Xylene (Total)	ug/L	ND	60	60	65.6	68.6	109	114	70-146	4		
1,2-Dichloroethane-d4 (S)	%						109	108	70-130			
4-Bromofluorobenzene (S)	%						101	102	70-130			
Toluene-d8 (S)	%						101	100	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

QC Batch:	907894	Analysis Method:	EPA 9056A
QC Batch Method:	EPA 9056A	Analysis Description:	9056 IC anions 28 Days
		Laboratory:	Pace Analytical Services - Asheville

Associated Lab Samples: 92773113033, 92773113034, 92773113035, 92773113036, 92773113037, 92773113038, 92773113039, 92773113040

METHOD BLANK:	4670317	Matrix:	Water
---------------	---------	---------	-------

Associated Lab Samples: 92773113033, 92773113034, 92773113035, 92773113036, 92773113037, 92773113038, 92773113039, 92773113040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	01/09/25 20:05	

LABORATORY CONTROL SAMPLE:		4670318				
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	50	49.8	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		4670319					4670320				
Parameter	Units	92772954009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Chloride	mg/L	7.3	50	50	56.7	57.8	99	101	90-110	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GFL - Eagle Point Landfill
Pace Project No.: 92773113

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
Acid preservation may not be appropriate for 2 Chloroethylvinyl ether.
A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D6	The precision between the sample and sample duplicate exceeded laboratory control limits.
IH	This analyte exceeded secondary source verification criteria high for the initial calibration. The reported results should be considered an estimated value.
R1	RPD value was outside control limits.
v2	The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.
v3	The continuing calibration verification was below the method acceptance limit. Any detection for the analyte in the associated samples may have low bias.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92773113001	GWA-1		910530		
92773113002	GWA-2		910530		
92773113003	GWC-1		910530		
92773113004	GWC-2		910530		
92773113005	GWC-3		910530		
92773113006	GWC-4		910530		
92773113007	GWC-5		910530		
92773113008	GWC-6		910530		
92773113009	GWC-7		910530		
92773113010	GWC-7A		910530		
92773113011	GWC-8		910530		
92773113012	GWC-9		910530		
92773113013	GWC-10		910530		
92773113014	GWC-11		910530		
92773113015	GWC-12R		910530		
92773113016	GWC-13R		910530		
92773113017	GWC-14R		910530		
92773113018	GWC-15		910530		
92773113019	GWC-16		910530		
92773113020	GWC-17		910530		
92773113021	GWC-18		910530		
92773113022	GWC-20		910530		
92773113023	GWC-21		910530		
92773113024	GWC-22		910530		
92773113025	GWC-23		910530		
92773113026	GWC-24		910530		
92773113027	GWC-25		910530		
92773113028	GWC-26		910530		
92773113029	GWC-28		910530		
92773113030	GWC-29		910530		
92773113033	UD-6		910530		
92773113034	UD-8		910530		
92773113035	UD-12		910530		
92773113036	UD-13		910530		
92773113037	SWA-1		910530		
92773113038	SWA-2		910530		
92773113039	SWC-9		910530		
92773113040	SWC-14		910530		
92773113001	GWA-1	EPA 3005A	908256	EPA 6020B	908350
92773113002	GWA-2	EPA 3005A	908256	EPA 6020B	908350
92773113003	GWC-1	EPA 3005A	908256	EPA 6020B	908350
92773113004	GWC-2	EPA 3005A	908256	EPA 6020B	908350
92773113005	GWC-3	EPA 3005A	908256	EPA 6020B	908350
92773113006	GWC-4	EPA 3005A	908256	EPA 6020B	908350
92773113007	GWC-5	EPA 3005A	908256	EPA 6020B	908350
92773113008	GWC-6	EPA 3005A	908256	EPA 6020B	908350
92773113009	GWC-7	EPA 3005A	908256	EPA 6020B	908350
92773113010	GWC-7A	EPA 3005A	908256	EPA 6020B	908350

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92773113011	GWC-8	EPA 3005A	908256	EPA 6020B	908350
92773113012	GWC-9	EPA 3005A	908256	EPA 6020B	908350
92773113013	GWC-10	EPA 3005A	908256	EPA 6020B	908350
92773113014	GWC-11	EPA 3005A	908256	EPA 6020B	908350
92773113015	GWC-12R	EPA 3005A	908256	EPA 6020B	908350
92773113016	GWC-13R	EPA 3005A	908256	EPA 6020B	908350
92773113017	GWC-14R	EPA 3005A	908256	EPA 6020B	908350
92773113018	GWC-15	EPA 3005A	908256	EPA 6020B	908350
92773113019	GWC-16	EPA 3005A	908256	EPA 6020B	908350
92773113020	GWC-17	EPA 3005A	908261	EPA 6020B	908356
92773113021	GWC-18	EPA 3005A	908261	EPA 6020B	908356
92773113022	GWC-20	EPA 3005A	908261	EPA 6020B	908356
92773113023	GWC-21	EPA 3005A	908261	EPA 6020B	908356
92773113024	GWC-22	EPA 3005A	908261	EPA 6020B	908356
92773113025	GWC-23	EPA 3005A	908261	EPA 6020B	908356
92773113026	GWC-24	EPA 3005A	908261	EPA 6020B	908356
92773113027	GWC-25	EPA 3005A	908261	EPA 6020B	908356
92773113028	GWC-26	EPA 3005A	908261	EPA 6020B	908356
92773113029	GWC-28	EPA 3005A	908261	EPA 6020B	908356
92773113030	GWC-29	EPA 3005A	908261	EPA 6020B	908356
92773113031	Field Blank	EPA 3005A	908261	EPA 6020B	908356
92773113033	UD-6	SM 2540C-2015	907875		
92773113034	UD-8	SM 2540C-2015	907875		
92773113035	UD-12	SM 2540C-2015	907875		
92773113036	UD-13	SM 2540C-2015	907875		
92773113037	SWA-1	SM 2540C-2015	907875		
92773113038	SWA-2	SM 2540C-2015	907875		
92773113039	SWC-9	SM 2540C-2015	907875		
92773113040	SWC-14	SM 2540C-2015	907875		
92773113001	GWA-1	EPA 8260D	908039		
92773113002	GWA-2	EPA 8260D	908039		
92773113003	GWC-1	EPA 8260D	908039		
92773113004	GWC-2	EPA 8260D	908039		
92773113005	GWC-3	EPA 8260D	908039		
92773113006	GWC-4	EPA 8260D	908039		
92773113007	GWC-5	EPA 8260D	908039		
92773113008	GWC-6	EPA 8260D	908039		
92773113009	GWC-7	EPA 8260D	908039		
92773113010	GWC-7A	EPA 8260D	908039		
92773113011	GWC-8	EPA 8260D	908039		
92773113012	GWC-9	EPA 8260D	908039		
92773113013	GWC-10	EPA 8260D	908039		
92773113014	GWC-11	EPA 8260D	908039		
92773113015	GWC-12R	EPA 8260D	908039		
92773113016	GWC-13R	EPA 8260D	908039		
92773113017	GWC-14R	EPA 8260D	908039		
92773113018	GWC-15	EPA 8260D	908041		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GFL - Eagle Point Landfill

Pace Project No.: 92773113

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92773113019	GWC-16	EPA 8260D	908041		
92773113020	GWC-17	EPA 8260D	908041		
92773113021	GWC-18	EPA 8260D	908041		
92773113022	GWC-20	EPA 8260D	908041		
92773113023	GWC-21	EPA 8260D	908041		
92773113024	GWC-22	EPA 8260D	908041		
92773113025	GWC-23	EPA 8260D	908041		
92773113026	GWC-24	EPA 8260D	908041		
92773113027	GWC-25	EPA 8260D	908041		
92773113028	GWC-26	EPA 8260D	908041		
92773113029	GWC-28	EPA 8260D	908041		
92773113030	GWC-29	EPA 8260D	908043		
92773113031	Field Blank	EPA 8260D	908039		
92773113032	Trip Blank	EPA 8260D	908039		
92773113033	UD-6	EPA 8260D	908043		
92773113034	UD-8	EPA 8260D	908043		
92773113035	UD-12	EPA 8260D	908043		
92773113036	UD-13	EPA 8260D	908043		
92773113037	SWA-1	EPA 8260D	908043		
92773113038	SWA-2	EPA 8260D	908043		
92773113039	SWC-9	EPA 8260D	908043		
92773113040	SWC-14	EPA 8260D	908043		
92773113033	UD-6	EPA 9056A	907894		
92773113034	UD-8	EPA 9056A	907894		
92773113035	UD-12	EPA 9056A	907894		
92773113036	UD-13	EPA 9056A	907894		
92773113037	SWA-1	EPA 9056A	907894		
92773113038	SWA-2	EPA 9056A	907894		
92773113039	SWC-9	EPA 9056A	907894		
92773113040	SWC-14	EPA 9056A	907894		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Peachtree Corners
110 Technology Pkwy, Peachtree Corners, GA 30092

CHAIN-OF-CUSTODY Analytical Request Document
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: GFL Environmental
Street Address: 8880 Old Federal Road
Ball Ground, GA 30107

Contact/Report To: Scott Mann
Phone #: (404) 655-2834
E-Mail: scott.mann@gflenv.com
Cc E-Mail:

Customer Project #: GFL - Eagle Point Landfill

Invoice To: Scott Mann
Invoice E-Mail: scott.mann@gflenv.com
Purchase Order # (if applicable):

Site Collection Info/Facility ID (as applicable):

Quote #:

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
Data Deliverables: Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No

[] Level II [] Level III [] Level IV
[] EQUIS
Date Results: Rush (Pre-approval required):
[] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other: _____
Field Filtered (if applicable): [] Yes [] No
Analysis: _____

Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OI), Wipe (WP), Tissue (TS), Biossary (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Canine (CX), Leachate (L), Biocidal (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Date	Time	Collected or Composite End	# Cont.	Res. Chlorine Results	Units
GWA-1	WT		1-8-25	1232	4			
GWA-2	WT		1-8-25	1442	4			
GWC-1	WT		1-7-25	1448	4			
GWC-2	WT		1-7-25	0910	4			
GWC-3	WT		1-7-25	1354	4			
GWC-4	WT		1-8-25	1320	4			
GWC-5	WT		1-8-25	1346	4			
GWC-6	WT		1-6-25	1035	4			
GWC-7	WT		1-6-25	1023	4			
GWC-7A	WT		1-6-25	1057	4			

Additional Instructions from Pace®: Collected By: M. Young 10 Conts

Received by (Company): Signature: M. Young

Received by (Company): Signature: M. Young

Received by (Company): Signature: M. Young

Received by (Company): Signature: M. Young

Received by (Company): Signature: M. Young

W0# : 92773113
92773113

Specify Container Size **
3 6
Identify Container Preservative Type***
2 4
Analysis Requested

APP. I Metals
APP. I VOC
Chloride
TDS
Profil. Mgr: Eben Buchanan
Actinum / Client ID:
Table #: 17404
Profile / Template:
Prelog / Bottle Ord ID: EZ 3186550
Sample Comment

Customer Remarks / Special Conditions / Possible Hazards:
Thermometer ID: Correction Factor (°C): Obs. Temp (°C): Corrected Temp (°C):
Date/Time: 1/9/25 0846
Tracking Number:
Delivered by: [] In-Person [] Courier
[] FedEx [] UPS [] Other

Page Location Requested (City/State):
Pace Analytical Peachtree Corners
110 Technology Pkwy, Peachtree Corners, GA 30092

CHAIN-OF-CUSTODY Analytical Request Document
Chain-of-custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: GFL Environmental
Street Address: 8880 Old Federal Road
Ball Ground, GA 30107

Contact/Report To: Scott Mann
Phone #: (404) 555-2834
E-Mail: scott.mann@gflen.com
Cc E-Mail:

Customer Project #: GFL - Eagle Point Landfill
Project Name:

Site Collection Info/Facility ID (as applicable):

Invoice To: Scott Mann
Invoice E-Mail: scott.mann@gflen.com
Purchase Order # (if applicable):
Quote #:

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
Data Deliverables: Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No

[] Level II [] Level III [] Level IV
[] EQUIS
[] Other
Rush (Pre-approval required):
Date Results: [] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other
Field Filtered (if applicable): [] Yes [] No
Analysis: Matrix Code (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biosay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix	Comp / Grab	Composite Start	Collected or Composite End	#	Res. Chlorine	Units	APP. I Metals	APP. I VOC	Chloride	TDS	Preservation non-conformance identified for sample.
GW-C-8	WT		1-5-25	1158	4			X	X			
GW-C-9	WT		1-6-25	1145	4			X	X			
GW-C-10	WT		1-7-25	0855	4			X	X			
GW-C-11	WT		1-6-25	1337	4			X	X			
GW-C-12R	WT		1-8-25	1039	4			X	X			
GW-C-13R	WT		1-7-25	1312	4			X	X			
GW-C-14R	WT		1-8-25	1120	4			X	X			
GW-C-15	WT		1-7-25	0947	4			X	X			
GW-C-16	WT		1-8-25	0936	4			X	X			
GW-C-17	WT		1-7-25	1129	4			X	X			

Additional Instructions from Page:

Collected By: M. Young / D. Cantu
(Printed Name)
Signature: M. Young

Relinquished By/Company: (Signature)	Date/Time: 1-9-25 0846	Received By/Company: (Signature)	Date/Time: 1-9-25 0846	Tracking Number:
Relinquished By/Company: (Signature)	Date/Time:	Received By/Company: (Signature)	Date/Time:	Delivered by: [] In Person [] Courier
Relinquished By/Company: (Signature)	Date/Time:	Received By/Company: (Signature)	Date/Time:	[] FedEx [] UPS [] Other
Relinquished By/Company: (Signature)	Date/Time:	Received By/Company: (Signature)	Date/Time:	Page: 2 of 5

W0#: 92773113
PM: EDB Due Date: 01/23/25
CLIENT: GR-GFL Env

Specify Container Size **
3 6
Identify Container Preservative Type ***
2 4
Analysis Requested

Lab Use Only
Pro: Mgr: Eben Buchanan
AccNum / Client ID:
Table #: 17404
Profile / Template: EZ 3186550
Prelog / Bottle Ord. ID:
Sample Comment

Pace* Location Requested (City/State):
Pace Analytical Peachtree Corners
110 Technology Pkwy, Peachtree Corners, GA 30092

CHAIN-OF-CUSTODY Analytical Request Document
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: GFL Environmental
Street Address: 8880 Old Federal Road
Ball Ground, GA 30107

Contact/Report To: Scott Mann
Phone #: (404) 655-2834
E-Mail: scott.mann@gflenv.com
Cc E-Mail:

Customer Project #: GFL - Eagle Point Landfill
Project Name:

Site Collection Info/Facility ID (as applicable):

Invoice To: Scott Mann
Invoice E-Mail: scott.mann@gflenv.com
Purchase Order # (if applicable):
Quote #:

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
Date Deliverables: Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No
County / State origin of sample(s): Georgia

[] Level II [] Level III [] Level IV
[] ECUS
[] Other

Rush (Pre-approval required):
[] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other
Date Results: Field Filtered (if applicable): [] Yes [] No
Analysis:

Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biosolids (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Bioreactor (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Res. Chlorine Results	Units
GW-C-18	WT		1-7-25	10:12	3				
GW-C-19	WT		1-7-25	12:56	4				
GW-C-20	WT		1-7-25	10:1	4				
GW-C-21	WT		1-7-25	11:08	4				
GW-C-22	WT		1-7-25	10:34	4				
GW-C-23	WT		1-7-25	09:57	4				
GW-C-24	WT		1-7-25	14:05	4				
GW-C-25	WT		1-7-25	14:48	4				
GW-C-26	WT		1-7-25	14:48	4				
GW-C-27	WT		1-7-25	14:48	4				

Additional Instructions from Pace*:

Collected By: M. Lewis / D. Carter
(Printed Name)
Signature: M. Lewis

Customer Remarks / Special Conditions / Possible Hazards:

Cores:

Thermometer ID:

Correction Factor (°C):

Obs. Temp (°C)

Corrected Temp (°C)

On Ice:

Relinquished by/Company (Signature)

Relinquished by/Company (Signature)

Relinquished by/Company (Signature)

Relinquished by/Company (Signature)

Relinquished by/Company (Signature)

Relinquished by/Company (Signature)

Date/Time: 1-9-25 08:46
Received by/Company (Signature)
Date/Time: 1-9-25 08:46
Received by/Company (Signature)

Date/Time: 1-9-25 08:46
Received by/Company (Signature)
Date/Time: 1-9-25 08:46
Received by/Company (Signature)

Date/Time: 1-9-25 08:46
Received by/Company (Signature)
Date/Time: 1-9-25 08:46
Received by/Company (Signature)

Date/Time: 1-9-25 08:46
Received by/Company (Signature)
Date/Time: 1-9-25 08:46
Received by/Company (Signature)

Date/Time: 1-9-25 08:46
Received by/Company (Signature)
Date/Time: 1-9-25 08:46
Received by/Company (Signature)

Tracking Number:

Delivered by: [] In-Person [] Courier

[] FedEx [] UPS [] Other

Page: 3 of 5

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace* Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

ENV-FRM-CORQ-0019_v02_110123 ©

Pace* Location Requested (City/State):

LAB USE ONLY - Affix Workorder/Login Label Here

PM: EDB Due Date: 01/23/25
CLIENT: GR-GFL Env

LAB USE ONLY - Affix Workorder/Login Label Here
W0#: 92773113

PM: EDB Due Date: 01/23/25
CLIENT: GR-GFL Env

125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) 250mL, (4) 100mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8)

Identify Container Preservative Type***
Analysis Requested
*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) 2N Acetic, (7) H2SO4, (8) Sodium Thiosulfate, (9) Ascorbic Acid, (10) Mecon, (11) Other

Lab Use Only
Proj. Mgr: Eben Buchanan
AccNum / Client ID:
Table #: 17404
Profile / Template: EZ 3186550
Prelog / Bottle Ord. ID:
Sample Comment
Preservation non-conformance identified for sample.

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: GFL Environmental
Street Address: 8880 Old Federal Road
Ball Ground, GA 30107

Customer Project #: GFL - Eagle Point Landfill
Project Name: GFL - Eagle Point Landfill

Contact/Report To: Scott Mann
Phone #: (404) 655-2834
E-Mail: scott.mann@gflenv.com
CC E-Mail:

Site Collection Info/Facility ID (as applicable):
Quote #:

Invoice To: Scott Mann
Invoice E-Mail: scott.mann@gflenv.com
Purchase Order # (if applicable):

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No

[] Level II [] Level III [] Level IV
[] EQUIS
Rush (Pre-approval required):
Date Results: [] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other
Field Filtered (if applicable): [] Yes [] No

[] Other
Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biosassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Leachate (LL), Bioreactor (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Res. Chlorine Results	Units	APP. I Metals	APP. I VOC	Chloride	TDS
UD-28	WT		1-7-25	1226	4					X	X		
GWC-29	WT		1-7-25	1154	4					X	X		
Field Blank	WT		1-8-25	1430	4					X	X		
Trip Blank	WT		1-6-25	0700	2					X			
UD-6	WT		1-8-25	0917	5					X	X	X	
UD-8	WT		1-8-25	0856	5					X	X	X	
UD-12	WT		1-8-25	0950	5					X	X	X	
UD-13	WT		1-6-25	1419	5					X	X	X	
SWA-1	WT		1-8-25	1041	5					X	X	X	
SWA-2	WT		1-8-25	1217	5					X	X	X	

Additional Instructions from Pace*: Collected By: M Young ID Card
(Printed Name)
Signature: M Young

Requisitioned by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time	Tracking Number
M Young	1-9-25	OS 46	1-9-25	0846
Requisitioned by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time	Delivered by: [] In-Person [] Courier
Requisitioned by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time	[] FedEx [] UPS [] Other
Requisitioned by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time	Page: 4 of 5

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace* Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

Pace* Location Requested (City/State):
Pace Analytical Peachtree Corners

CHAIN-OF-CUSTODY Analytical Request Document

LAB USE ONLY - Affix Workorder/Login Label Here

MO#: 92773113
PM: EDB Due Date: 01/23/25
CLIENT: GR-GFL Env

Identify Container/Preservative Type***	Analysis Requested
300mL (1) 250mL (4) 1L Vial (7) Endorse (8)	
*** Preservative Types: (1) HNO ₃ , (2) HNO ₃ , (3) HClO ₄ , (4) HCl, (5) NaOH, (6) 20 Acetic, (7) NH ₄ OH, (8) Sol. Thiodiazole, (9) Acetic Acid, (10) MeOH, (11) Other	

Proj. Mgr: Eben Buchanan	ActNum / Client ID:
Table #:	Profile / Template: 17404
Prelog / Bottle Ord. ID:	EZ 3186550
Sample Comment	Preservation non-conformance identified for sample.

[illegible]

MO# : 92773113



DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

Laboratory receiving samples:

Asheville ☐ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☒ Kernersville ☐Sample Condition
Upon Receipt

Client Name:

GFL

Project #

WO#: 92773113

PM: EDB

Due Date: 01/23/25

CLIENT: GA-GFL Env

Courier:

☐ Commercial☐ Fed Ex☐ UPS☐ USPS☒ Client☐ Pace☐ Other: _____

Custody Seal Present?

☒ Yes☐ No

Seals Intact?

☒ Yes☐ No☐ N/A

Date/Initials Person Examining Contents: 1/9/25 DW

Packing Material:

☒ Bubble Wrap☒ Bubble Bags☐ None☐ Other

Biological Tissue Frozen?

☐ Yes☐ No☒ N/A

Thermometer:

☐ IR Gun ID:

214

Type of Ice:

☐ Wet☐ Blue☐ None

Cooler Temp:

0.5

Correction Factor:

Add/Subtract (°C)

0

Temp should be above freezing to 6°C

☐ Samples out of temp criteria. Samples on ice, cooling process has begun

Cooler Temp Corrected (°C):

0.5

USDA Regulated Soil (☐ N/A, water sample)Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)? ☐ Yes ☐ NoDid samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☐ No

			Comments/Discrepancy:
Chain of Custody Present?	☒ Yes ☐ No ☐ N/A	1.	
Samples Arrived within Hold Time?	☒ Yes ☐ No ☐ N/A	2.	
Short Hold Time Analysis (<72 hr.)?	☐ Yes ☒ No ☐ N/A	3.	
Rush Turn Around Time Requested?	☐ Yes ☒ No ☐ N/A	4.	
Sufficient Volume?	☒ Yes ☐ No ☐ N/A	5.	
Correct Containers Used?	☒ Yes ☐ No ☐ N/A	6.	
-Pace Containers Used?	☒ Yes ☐ No ☐ N/A		
Containers Intact?	☐ Yes ☒ No ☐ N/A	7.	GWC-18 received broken vial
Dissolved analysis: Samples Field Filtered?	☐ Yes ☒ No ☒ N/A	8.	
Sample Labels Match COC?	☒ Yes ☐ No ☐ N/A	9.	
-Includes Date/Time/ID/Analysis Matrix: WT			
Headspace in VOA Vials (>5-6mm)?	☐ Yes ☒ No ☐ N/A	10.	
Trip Blank Present?	☒ Yes ☐ No ☐ N/A	11.	
Trip Blank Custody Seals Present?	☒ Yes ☐ No ☐ N/A		

COMMENTS/SAMPLE DISCREPANCY

Field Data Required? ☐ Yes ☐ No

Lot ID of split containers:

CLIENT NOTIFICATION/RESOLUTION

Person contacted:

Date/Time:

Project Manager SCURF Review:

Date:

Project Manager SRF Review:

Date:



DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

WO#: 92773113

Project #

PM: EDB

Due Date: 01/23/25

CLIENT: GA-GFL Env

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

**Bottom half of box is to list number of bottles

***Check all unpreserved Nitrates for chlorine

Laboratory Receiving Location: Asheville ☐ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☒ Kernersville ☐

Client GFL Profile/EZ (Circle one) 3186550 Notes

Client	Profile/EZ (Circle One)	Notes	Item#	
			BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	
			BP3U-250 mL Plastic Unpreserved (N/A)	
			BP2U-500 mL Plastic Unpreserved (N/A)	
			BP1U-1 liter Plastic Unpreserved (N/A)	
			BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	
			BP3N-250 mL plastic HNO3 (pH < 2)	
			BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	
			BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	
			WGFU-Wide-mouthed Glass jar Unpreserved	
			AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	
			AG1H-1 liter Amber HCl (pH < 2)	
			AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	
			AG1S-1 liter Amber H2SO4 (pH < 2)	
			AG3S-250 mL Amber H2SO4 (pH < 2)	
			DG9A-40 mL Amber NH4Cl (N/A)(Cl-)	
			DG9H-40 mL VOA HCl (N/A)	
			VG9T-40 mL VOA Na2S2O3 (N/A)	
			VG9U-40 mL VOA Unpreserved (N/A)	
			DG9V-40 mL VOA H3PO4 (N/A)	
			KP7U-50 mL Plastic Unpreserved (N/A)	
			V/GK (3 vials per kit)-VPH/Gas kit (N/A)	
			SP5T-125 mL Sterile Plastic (N/A - lab)	
			SP2T-250 mL Sterile Plastic (N/A - lab)	
			BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	
			AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	
			V5GU-20 mL Scintillation vials (N/A)	
			DG9U-40 mL Amber Unpreserved vials (N/A)	

CC	1	2	3	4	5	6	7	8	9	10	11	12
		</										

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.



DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

WO#: 92773113

PM: EDB

Due Date: 01/23/25

CLIENT: GA-GFL Env

Project #

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

**Bottom half of box is to list number of bottles

***Check all unpreserved Nitrates for chlorine

Laboratory Receiving Location: Asheville ☐ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☒ Kernersville ☐

Client GFL Profile/EZ (Circle one) 3186550 Notes

Client	Item#	CC	1	2	3	4	5	6	7	8	9	10	11	12
Profile/EZ (Circle One)	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)													
	BP3U-250 mL Plastic Unpreserved (N/A)													
	BP2U-500 mL Plastic Unpreserved (N/A)													
	BP1U-1 liter Plastic Unpreserved (N/A)													
	BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)													
	BP3N-250 mL plastic HNO3 (pH < 2)													
	BP4Z-125 mL Plastic 2N Acetate & NaOH (>9)													
	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)													
	WGFU-Wide-mouthed Glass jar Unpreserved													
	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)													
	AG1H-1 liter Amber HCl (pH < 2)													
	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)													
	AG1S-1 liter Amber H2SO4 (pH < 2)													
	AG3S-250 mL Amber H2SO4 (pH < 2)													
	DG94-40 mL Amber NH4Cl (N/A)(Cl-)													
	DG9H-40 mL VOA HCl (N/A)													
	VG9T-40 mL VOA Na2S2O3 (N/A)													
	VG9U-40 mL VOA Unpreserved (N/A)													
	DG9V-40 mL VOA H3PO4 (N/A)													
	KP7U-50 mL Plastic Unpreserved (N/A)													
	V/GK (3 vials per kit)-VPH/Gas kit (N/A)													
	SP5T-125 mL Sterile Plastic (N/A - lab)													
	SP2T-250 mL Sterile Plastic (N/A - lab)													
	BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)													
	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)													
	VSGU-20 mL Scintillation vials (N/A)													
	DG9U-40 mL Amber Unpreserved vials (N/A)													

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.



DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

**Bottom half of box is to list number of bottles

***Check all unpreserved Nitrates for chlorine

Project #

WO#: 92773113

PM: EDB

Due Date: 01/23/25

CLIENT: GA-GFL Env

Laboratory Receiving Location: Asheville ☐ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kennesaw ☐

Client: GFL Profile/EZ (Circle one) 3186550 Notes

Client		Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)		BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2SO3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A - lab)	SP2T-250 mL Sterile Plastic (N/A - lab)		BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)	
CC		AS				GA			GA										Cl													
1																			3													
2																			3													
3																			3													
4																			3													
5																			3													
6																			3													
7																			3													
8																			3													
9																			3													
10																			3													
11																			3													
12																			3													

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.



DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

WO#: 92773113

Project #

PM: EDB

Due Date: 01/23/25

CLIENT: GA-GFL Env

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

**Bottom half of box is to list number of bottles

***Check all unpreserved Nitrates for chlorine

Laboratory Receiving Location: Asheville ☐ Eden ☐ Greenwood ☐ Huntersville ☐ Raleigh ☐ Mechanicsville ☐ Atlanta ☐ Kernersville ☐Client GFL Profile/EZ (Circle one) 3186550 Notes

Client	Profile/EZ (Circle one)	Notes	Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)	BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG9A-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KPTU-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A - lab)	SP2T-250 mL Sterile Plastic (N/A - lab)	BP3R-250 mL Plastic (NH4)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)	
			CC		AS		GA												CH												
			1																												
			2																												
			3																												
			4																												
			5																	3											
			6																												
			7																												
			8																												
			9																												
			10																												
			11																												
			12																												

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

EMServices

Environmental Monitoring Services, LLC

Phone (770) 823-7174

January 15, 2025

GFL Environmental
Scott Mann
8880 Old Federal Road
Ball Ground, GA 30107

RE: Eagle Point Landfill Semi-Annual Sampling Event

Scott,

We completed the semi-annual groundwater and surface water monitoring at the referenced site January 6th – 8th. The points sampled and their respective analyses are:

GWA-1, 2, GWC-1, 2, 3, 4, 5, 6, 7, 7A, 8, 9, 10, 11, 12R, 13R, 14R, 15, 16, 17, 18, 20, 21, 22, 23, 24, 25, 26, 28, 29, Field Blank, Trip Blank (VOC only)	GA App I VOC (8260B only)/Metals
--	----------------------------------

GWC-10D, 13	Water Level Only
-------------	------------------

SWA-1, 2, SWC-9, 14, UD-6, 8, 12, 13	GA App I VOC (8260), Chloride, TDS
--------------------------------------	------------------------------------

GWC-19, 27	Insufficient water for sampling
------------	---------------------------------

The sampling activities were performed according to the facility's operating permit and the EPA Region IV LSASD SOP's. Split samples were collected from GWC-6, 9, 11, SWC-9, and UD-13 for Forsyth County.

Upon arrival at each well, notes were taken as to the condition of the area around the well and the condition of the well itself. The samplers then donned new Nitrile gloves. These gloves were changed as often as deemed necessary to prevent contamination of the samples. A new piece of plastic was laid down next to the well to serve as a work area. Then, a pre-cleaned water level indicator was lowered into the well to sound the water level.

The depth to water was measured from a surveyed mark on the top of casing, if present. The process of collecting water levels was completed on January 10th to ensure a representative potentiometric map. The water level indicator was cleaned in between each well using a Liquinox soap solution followed by a water rinse.

Wells GWA-2, GWC-1, 2, 3, 7, 7A, 11, 13R, 17, 20, 22, 23, 24, 25, 26, 28, and 29 have dedicated bladder pumps installed. For these wells, after collecting the water level, we began purging the well. Both purging and sampling were accomplished by utilizing the dedicated bladder pumps. The bladders are of Teflon construction and the water discharge lines are Teflon-lined. The bottoms of the pumps are placed approximately 3' from the bottom of the well to allow for operation in potential low water column situations due to seasonal water table fluctuations. At each well, the pump was turned on and timing and pressure adjusted until the water level stabilized. After the water level had stabilized and at least one equipment volume had cleared the flow cell, field readings for pH, conductivity, temperature, dissolved oxygen, oxidation-reduction potential and turbidity were measured. Purging continued until three

"For all your environmental monitoring needs"

4658 Webster Way NW
Acworth, GA 30101
inquiry@emservicesonline.com

Page 1 of 2

consecutive measurements of these parameters, measured at four-minute intervals, were stable as defined by accepted low-flow guidelines. The purge water was captured in 5-gallon buckets to quantify the purge volumes. All samples were collected immediately. Metals samples were collected first to avoid any effects on turbidity from adjusting the pressure prior to sampling for volatiles. Volatiles samples were then collected after slowing the purge rate to 100mL/min or less.

A peristaltic pump was used for purging and sampling wells GWA-1, GWC-4, 5, 6, 8, 9, 10, 12R, 14R, 16 and 21, after collecting the water level, we began purging the well. Both purging and sampling were accomplished by utilizing a peristaltic pump with new silicone pump-head tubing and Teflon-lined down-hole tubing at each well. The down-hole tubing was placed approximately 5' from the bottom of the well or at the mid-point of the water column if the water column was less than 10'. The pump was turned on and timing adjusted until the water level stabilized. After the water level had stabilized and at least one equipment volume had cleared the flow cell, field readings for pH, conductivity, temperature, dissolved oxygen and oxidation-reduction potential, and turbidity were measured and recorded. Purging continued until three consecutive measurements of these parameters, measured at four-minute intervals, were stable as defined by accepted low-flow guidelines. The purge water was captured in 5-gallon buckets to quantify the purge volumes. The metals samples were collected first through the pump-head. The volatiles samples were collected immediately using the reverse-flow method at a flow rate of less than 100 mL/min.

For wells GWC-15 and 18, the water level was too low to use the dedicated bladder pump, so the pump was removed and the well purged and sampled using a new disposable Teflon bailer attached to new nylon string. After collecting the water level, we calculated the purge volume to three well-volumes using a standard formula. Purging continued until each well purged dry. Readings for pH, conductivity, temperature, turbidity, dissolved oxygen and oxidation-reduction potential were recorded at each well-volume. Volatiles samples were collected immediately following purging. The purge water was captured in 5-gallon buckets to quantify the purge volumes. All bailers and string were discarded at the completion of the sampling event.

The samples were collected in containers provided by the laboratory. These containers were of types, sizes and preserved in a manner consistent with SW-846 and other guidance. Upon filling, the containers were placed on ice. The samples were hand-delivered under chain of custody to the Pace Environmental located in Peachtree Corners, GA.

On-site parameter readings were recorded from YSI ProQuatros that were calibrated each morning. Turbidity readings were collected using LaMotte 2020ts which were cal-checked prior to use. The meters have a programmed calibration that is checked in-house using formazine standards.

We appreciate the opportunity to work with you on this project and look forward to any feedback you have.

Respectfully,



Jeff Johnson

Attachments: Groundwater Field Data
Surface Water Field Data

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWA-1
Date 1/8/2025
DTW¹ 5.41
DTB² 28.10
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1213 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1220	5.54	180	0.33	4.62	18	12.6	2	4.45	376
1224	5.54	180	0.52	4.69	17	12.0	1	4.26	367
1228	5.54	180	0.71	4.67	18	12.3	1	4.19	375
1232	5.54	180	0.90	4.72	18	12.4	1	4.24	383

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWA-2
Date 1/8/2025
DTW¹ 41.50
DTB² 50.09
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1419 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1430	41.73	260	0.75	5.15	22	14.6	1	7.20	317
1434	41.73	260	1.02	5.11	22	14.7	1	7.13	318
1438	41.73	260	1.29	5.13	23	14.8	2	7.12	313
1442	41.73	260	1.56	5.08	23	14.6	2	7.18	311

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-1
Date 1/7/2025
DTW¹ 20.71
DTB² 34.90
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1426 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1436	21.74	220	0.58	5.92	48	15.2	1	7.10	159
1440	21.74	220	0.81	5.92	48	14.9	1	7.11	160
1444	21.74	220	1.04	5.96	48	15.3	1	7.09	162
1448	21.74	220	1.27	5.94	48	15.2	1	7.12	163

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-2
Date 1/7/2025
DTW¹ 36.34
DTB² 41.44
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0849 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0858	36.25	280	0.66	5.74	47	7.7	13	8.43	293
0902	36.25	280	0.96	5.71	40	7.3	11	8.30	295
0906	36.25	280	1.26	5.70	40	7.2	11	8.24	296
0910	36.25	280	1.56	5.68	40	7.2	10	8.17	297

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-3
Date 1/7/2025
DTW¹ 26.83
DTB² 46.90
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1332 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1342	29.41	260	0.69	5.09	16	13.0	3	7.84	46
1346	29.41	260	0.96	5.07	16	12.3	2	7.85	79
1350	29.41	260	1.23	5.08	16	12.3	2	7.86	125
1354	29.41	260	1.50	5.06	16	12.3	1	7.84	136

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-4
Date 1/8/2025
DTW¹ 14.20
DTB² 38.56
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1301 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1308	14.36	180	0.33	4.81	43	14.1	1	0.28	388
1312	14.36	180	0.52	4.78	42	14.0	1	0.23	389
1316	14.36	180	0.71	4.78	42	14.0	1	0.22	391
1320	14.36	180	0.90	4.80	43	14.2	1	0.20	390

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-5
Date 1/8/2025
DTW¹ 9.73
DTB² 23.19
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1328 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1334	9.85	160	0.25	4.82	45	14.9	1	1.32	324
1338	9.85	160	0.42	4.81	45	15.0	1	1.29	323
1342	9.85	160	0.59	4.81	45	15.1	1	1.30	321
1346	9.85	160	0.76	4.82	45	15.2	1	1.27	324

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-6
Date 1/6/2025
DTW¹ 26.39
DTB² 37.54
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1034 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1043	26.45	180	0.43	5.24	84	15.5	1	2.13	226
1047	26.45	180	0.62	5.25	83	15.0	1	1.82	288
1051	26.45	180	0.81	5.23	83	15.0	0	1.83	326
1055	26.45	180	1.00	5.24	83	15.0	0	1.71	345

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-7
Date 1/6/2025
DTW¹ 28.41
DTB² 91.33
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0957 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1007	28.62	180	0.47	6.69	103	14.4	5	4.43	70
1011	28.62	180	0.66	6.55	103	14.2	6	6.25	65
1015	28.62	180	0.85	6.58	102	13.5	4	6.41	68
1019	28.62	180	1.04	6.53	102	13.3	3	6.40	73
1023	28.62	180	1.23	6.54	102	13.1	3	6.39	74

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-7A
Date 1/6/2025
DTW¹ 28.93
DTB² 50.80
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1035 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1045	32.12	400	1.06	6.35	85	18.9	3	6.99	96
1049	32.12	400	1.48	6.33	85	18.8	3	7.00	101
1053	32.12	400	1.90	6.35	85	18.5	2	6.98	104
1057	32.12	400	2.32	6.32	84	18.5	2	6.97	106

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-8
Date 1/8/2025
DTW¹ 18.79
DTB² 36.43
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1140 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1146	18.90	210	0.33	4.40	88	15.2	2	0.64	267
1150	18.90	210	0.55	4.37	87	15.7	2	0.60	259
1154	18.90	210	0.77	4.34	88	15.8	2	0.54	287
1158	18.90	210	0.99	4.32	87	16.0	2	0.49	278

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-9
Date 1/6/2025
DTW¹ 18.30
DTB² 24.35
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1124 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1133	18.83	210	0.50	4.57	743	15.4	1	1.43	396
1137	18.91	210	0.72	4.56	729	15.3	1	1.45	374
1141	18.97	210	0.94	4.55	730	15.4	0	1.51	380
1145	19.01	210	1.16	4.55	730	15.6	0	1.41	378

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-10
Date 10/11/2024
DTW¹ 29.27
DTB² 36.30
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0833 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0843	28.31	150	0.40	5.30	219	15.7	2	1.21	-75
0847	28.31	150	0.56	5.12	219	15.3	1	1.15	-5
0851	28.31	150	0.72	5.13	218	15.0	1	1.30	20
0855	28.31	150	0.88	5.12	218	15.3	1	1.26	23

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-11
Date 1/6/2025
DTW¹ 32.10
DTB² 41.17
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1303 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1317	32.48	190	0.70	5.17	478	15.2	1	1.92	272
1321	32.55	190	0.90	5.16	473	13.9	1	2.18	281
1325	32.61	190	1.10	5.17	472	14.8	1	2.29	338
1329	32.71	190	1.30	5.15	470	14.8	1	1.72	360
1333	32.74	190	1.50	5.15	468	14.9	2	1.71	375
1337	32.74	190	1.70	5.12	466	14.4	2	1.61	367

Comments
Clear, slight odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-12R
Date 1/8/2025
DTW¹ 8.79
DTB² 29.79
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1021 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1027	8.91	200	0.32	5.73	826	14.0	2	0.44	204
1031	8.91	200	0.53	5.71	832	14.1	1	0.31	196
1035	8.91	200	0.74	5.69	833	14.2	1	0.29	193
1039	8.91	200	0.95	5.68	830	14.3	1	0.25	191

Comments
Clear, slight odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-13R
Date 1/7/2025
DTW¹ 26.05
DTB² 37.94
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1250 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1300	26.54	300	0.79	5.72	161	14.3	1	5.43	193
1304	26.54	300	1.11	5.71	168	14.5	1	5.11	190
1308	26.54	300	1.43	5.72	170	14.5	1	5.03	191
1312	26.54	300	1.75	5.72	171	14.4	1	5.01	192

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-14R
Date 1/8/2025
DTW¹ 21.81
DTB² 34.89
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1101 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1108	21.93	200	0.37	6.12	61	8.2	5	1.42	264
1112	21.93	200	0.58	5.90	61	8.4	4	1.23	272
1116	21.93	200	0.79	5.85	60	8.4	3	1.08	299
1120	21.93	200	1.00	5.82	60	8.5	3	1.11	303

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental

Site Eagle Point Landfill

Well ID GWC-15

Date 1/7/2025

DTW¹ 41.52

DTB² 46.35

1 Well Volume (DTB - DTW) * 0.163 = 0.79

3 Well Volumes 1 WV * 3 = 2.36

Purge Method Disposable Teflon Bailer

Sample Method Disposable Teflon Bailer

Parameters Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0947	1.00	5.01	57	14.6	3	1.33	115

Metals sample collection if allowed to settle:

Date: _____ Time: _____ NTU: _____

Comments
Clear, no odor, purged dry

Field Tech: M. Young

- ¹ Depth to water as measured in feet from top of casing
- ² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-16
Date 1/8/2025
DTW¹ 18.91
DTB² 24.62
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0918 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0924	19.07	160	0.25	5.11	192	11.3	8	2.02	300
0928	19.07	160	0.42	5.07	187	11.3	4	1.88	268
0932	19.07	160	0.59	5.06	185	11.4	4	1.95	267
0936	19.07	160	0.76	5.04	185	11.4	4	1.83	269

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-17
Date 1/7/2025
DTW¹ 46.15
DTB² 54.75
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1107 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1117	47.01	220	0.58	5.86	76	12.7	7	3.21	-11
1121	47.01	220	0.81	5.38	76	12.9	5	3.14	35
1125	47.01	220	1.04	5.34	76	12.9	5	3.09	51
1129	47.01	220	1.28	5.35	76	12.9	4	3.10	57

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental

Site Eagle Point Landfill

Well ID GWC-18

Date 1/7/2025

DTW¹ 46.59

DTB² 49.29

1 Well Volume (DTB - DTW) * 0.163 = 0.44

3 Well Volumes 1 WV * 3 = 1.32

Purge Method Disposable Teflon Bailer

Sample Method Disposable Teflon Bailer

Parameters Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1012	0.50	5.87	50	14.2	92	3.80	25

Metals sample collection if allowed to settle:

Date: 1/8/2025 Time: 0835 NTU: 6

Comments
Cloudy, no odor, purged dry

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-19
Date 1/7/2025
DTW¹ 54.29
DTB² 55.18
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)

Comments
Insufficient water for sampling purposes

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-20
Date 1/7/2025
DTW¹ 74.51
DTB² 84.87
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1234 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1244	75.15	260	0.69	7.34	147	14.3	2	0.98	54
1248	75.15	260	0.96	7.34	138	14.8	2	0.91	5
1252	75.15	260	1.23	7.32	137	14.6	1	0.89	16
1256	75.15	260	1.50	7.32	136	14.4	1	0.91	18

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-21
Date 1/8/2025
DTW¹ 27.91
DTB² 29.91
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0953 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0959	28.09	160	0.25	5.20	73	10.8	1	4.44	309
1003	28.09	160	0.42	5.15	74	10.7	1	4.50	333
1007	28.09	160	0.59	5.17	73	10.5	1	4.47	336
1011	28.09	160	0.76	5.16	74	10.3	1	4.57	333

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-22
Date 1/7/2025
DTW¹ 70.27
DTB² 81.06
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1048 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1056	70.71	300	0.63	5.18	43	13.5	1	2.31	294
1100	70.71	300	0.95	5.15	43	13.2	1	2.39	279
1104	70.71	300	1.27	5.12	42	13.2	1	2.37	266
1108	70.71	300	1.59	5.13	43	13.0	1	2.35	248

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-23
Date 1/7/2025
DTW¹ 83.72
DTB² 98.15
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1014 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1022	83.96	300	0.63	6.05	40	10.2	4	8.64	248
1026	83.96	300	0.95	6.03	40	9.6	2	8.73	253
1030	83.96	300	1.27	6.03	39	9.2	2	8.89	258
1034	83.96	300	1.59	6.02	39	9.0	2	9.15	264

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-24
Date 1/7/2025
DTW¹ 84.61
DTB² 90.34
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0931 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0941	84.88	260	0.69	5.96	57	7.7	2	7.08	278
0945	84.88	260	0.96	5.81	55	7.5	1	6.34	291
0949	84.88	260	1.23	5.69	54	7.3	2	5.97	301
0953	84.88	260	1.50	5.65	54	7.3	2	5.85	313
0957	84.88	260	1.77	5.63	53	7.1	2	5.81	318

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-25
Date 1/7/2025
DTW¹ 32.40
DTB² 58.58
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1338 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1349	32.98	280	0.81	5.03	50	14.4	1	2.25	220
1353	32.98	280	1.11	5.00	50	14.3	1	2.00	228
1357	32.98	280	1.41	5.04	51	14.5	1	1.73	234
1401	32.98	280	1.71	5.04	52	14.4	1	1.61	238
1405	32.98	280	2.01	5.02	52	14.3	1	1.57	236

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-26
Date 1/7/2025
DTW¹ 25.17
DTB² 43.66
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1426 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1436	25.68	300	0.79	5.19	86	15.5	1	1.17	207
1440	25.68	300	1.11	5.21	87	15.3	1	1.09	205
1444	25.68	300	1.43	5.23	87	15.3	1	1.02	203
1448	25.68	300	1.75	5.23	88	15.3	1	0.92	201

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental

Site Eagle Point Landfill

Well ID GWC-27

Date 1/10/2024

DTW¹ 52.96

DTB² 53.75

1 Well Volume (DTB - DTW) * 0.163 = 0.13

3 Well Volumes 1 WV * 3 = 0.39

Purge Method Disposable Teflon Bailer

Sample Method Disposable Teflon Bailer

Parameters Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)

Metals sample collection if allowed to settle:

Date: _____ Time: _____ NTU: _____

Comments
Insufficient water for sampling purposes

Field Tech: M. Young

- ¹ Depth to water as measured in feet from top of casing
- ² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-28
Date 1/7/2025
DTW¹ 61.22
DTB² 71.81
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1204 LEL/Vol = 0.05

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1214	61.69	280	0.74	5.87	45	14.2	1	5.87	220
1218	61.69	280	1.04	5.86	45	13.8	1	5.80	26
1222	61.69	280	1.34	5.86	44	13.5	1	5.73	232
1226	61.69	280	1.64	5.85	44	13.5	1	5.75	240

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-29
Date 1/7/2025
DTW¹ 52.85
DTB² 62.74
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1125 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1134	53.27	260	0.62	6.15	79	12.6	1	4.24	286
138	53.27	260	0.89	5.96	60	12.5	1	5.11	304
1142	53.27	260	1.16	5.88	47	12.5	1	5.95	318
1146	53.27	260	1.43	5.34	26	12.4	0	6.64	342
1150	53.27	260	1.70	5.29	26	12.3	0	6.89	379
1154	53.27	260	1.97	5.26	25	12.1	0	7.06	399

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

***EM** Services*

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
ID	Field Blank
Date	1/8/2025
Time	1420
Parameters	Appendix I VOCs / Metals

Comments
DI Water from Eurofins ET Service Center - Atlanta stored at EM Services' office. Field Blank poured directly into bottles at equipment trailer by LF Office

Field Tech: M. Young

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Sample Method Directly into bottles
Parameters Appendix I VOCs, Chloride, TDS

Surface Water ID	Date	Time	pH	T (°C)	Comments
SWA-1	1/8/2025	1041	6.57	3.8	Clear, no odor, good flow
SWA-2	1/8/2025	1217	6.82	6.7	Clear, no odor
SWC-9	1/6/2025	1505	6.60	6.6	Clear, no odor, good flow
SWC-14	1/8/2025	1101	6.64	5.4	Clear, no odor

Field Tech: D. Cantu. M. Young

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Sample Method Directly into bottles
Parameters Appendix I VOCs, Chloride, TDS

Surface Water ID	Date	Time	pH	T (°C)	Comments
UD-6	1/8/2025	0917	6.28	24.1	Clear, no odor
UD-8	1/8/2025	0856	5.88	19.9	Clear, no odor
UD-12	1/8/2025	0950	6.23	10.2	Clear, no odor
UD-13	1/6/2025	1419	6.1	18.0	Clear, strong odor, good flow

Field Tech: D. Cantu, M. Young

EM Services

Environmental Monitoring Services, LLC

Client	GFL Environmental
Site	Eagle Point Landfill
Date	1/6/2025

Well	DTW ¹	DTB ¹
GWA-1	5.41	28.10
GWA-2	41.50	50.09
GWC-1	20.71	34.90
GWC-2	35.90	41.44
GWC-3	26.83	46.90
GWC-4	14.20	38.56
GWC-5	9.73	23.19
GWC-6	26.39	37.54
GWC-7	28.41	91.33
GWC-7A	28.93	50.80
GWC-8	18.79	36.43
GWC-9	18.30	24.35
GWC-10	28.21	36.55
GWC-10D	15.80	36.30
GWC-11	32.16	41.17
GWC-12R	8.79	29.79
GWC-13	Dry	23.05

Well	DTW ¹	DTB ¹
GWC-13R	26.05	37.94
GWC-14R	21.81	34.89
GWC-15	41.52	46.35
GWC-16	18.91	24.62
GWC-17	46.51	54.75
GWC-18	46.59	49.29
GWC-19	54.29	55.18
GWC-20	74.51	84.87
GWC-21	27.91	29.91
GWC-22	70.27	81.06
GWC-23	83.72	98.15
GWC-24	84.61	90.34
GWC-25	32.40	58.58
GWC-26	25.17	43.66
GWC-27	52.96	53.75
GWC-28	61.22	71.81
GWC-29	52.85	62.74

1 Measured in feet from Top of Casing