

## Periodic Methane Monitoring Report

4th Quarter / 2021  
Quarter or Month / Year

<b>Facility Name:</b> <u>Eagle Point Landfill</u>	<b>Date(s) of Monitoring:</b> <u>10/1/2021</u>
<b>Facility Permit #'s:</b> _____	<b>Monitoring Conducted by:</b> <u>EM Services</u>
<b>Permit #'s (cont):</b> <u>058-012D(MSWL)</u>	<b>Equipment Field Calibrated by:</b> <u>N. Walker</u>
<b>County (Location):</b> <u>Forsyth</u>	<b>Date of Field Calibration:</b> <u>10/1/2021</u>
<b>Monitoring Equipment:</b> <u>RKI GX-2012</u>	<b>Manufacturer Calibration/Service Date:</b> <u>9/2/2021</u>

1. **All reports must include a scaled and dated potentiometric surface map, (this applies only to those facilities required to perform groundwater monitoring) that shows ALL monitoring points, accompanied by a table listing the as-built depths and corresponding elevations of the bottoms of the methane monitoring wells and/or barhole punches. The potentiometric surface maps must be updated on an annual basis, signed & sealed by a qualified groundwater scientist. Those facilities that do not conduct groundwater monitoring should, at a minimum, include a site map that shows ALL monitoring locations.**
  
2. **All reports must specify whether each monitoring location is a structure, permanent well, barhole punch or vent (e.g. MM-1=scalehouse, MM-1=well, MM-1=BHP (barhole punch), MM-1=vent, or GWC-1=groundwater well).**

### 3. Monitoring Results

#### a. Permanent Approved COMPLIANCE Monitoring Locations

<u>Monitoring Point Identification</u>	<u>Monitoring Results</u>	<u>Monitoring Point Identification</u>	<u>Monitoring Results</u>										
<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-1S</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>16.9%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1205</u></td></tr> </table>	<u>MM-1S</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>16.9%</u>		Time Sampled: <u>1205</u>	<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td></td><td>% Oxygen: <u>18.0%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1227</u></td></tr> </table>		% Methane By Volume: <u>0%</u>		% Oxygen: <u>18.0%</u>		Time Sampled: <u>1227</u>
<u>MM-1S</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>16.9%</u>												
	Time Sampled: <u>1205</u>												
	% Methane By Volume: <u>0%</u>												
	% Oxygen: <u>18.0%</u>												
	Time Sampled: <u>1227</u>												
<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-1D</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>19.9%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1208</u></td></tr> </table>	<u>MM-1D</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>19.9%</u>		Time Sampled: <u>1208</u>	<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-5</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>18.6%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1230</u></td></tr> </table>	<u>MM-5</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>18.6%</u>		Time Sampled: <u>1230</u>
<u>MM-1D</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>19.9%</u>												
	Time Sampled: <u>1208</u>												
<u>MM-5</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>18.6%</u>												
	Time Sampled: <u>1230</u>												
<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-2S</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>18.6%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1214</u></td></tr> </table>	<u>MM-2S</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>18.6%</u>		Time Sampled: <u>1214</u>	<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-6</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>20.9%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1300</u></td></tr> </table>	<u>MM-6</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>20.9%</u>		Time Sampled: <u>1300</u>
<u>MM-2S</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>18.6%</u>												
	Time Sampled: <u>1214</u>												
<u>MM-6</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>20.9%</u>												
	Time Sampled: <u>1300</u>												
<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-2D</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>20.1%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1217</u></td></tr> </table>	<u>MM-2D</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>20.1%</u>		Time Sampled: <u>1217</u>	<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-7</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>18.5%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1257</u></td></tr> </table>	<u>MM-7</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>18.5%</u>		Time Sampled: <u>1257</u>
<u>MM-2D</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>20.1%</u>												
	Time Sampled: <u>1217</u>												
<u>MM-7</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>18.5%</u>												
	Time Sampled: <u>1257</u>												
<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-3S</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>18.0%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1221</u></td></tr> </table>	<u>MM-3S</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>18.0%</u>		Time Sampled: <u>1221</u>	<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-8S</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>20.9%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1251</u></td></tr> </table>	<u>MM-8S</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>20.9%</u>		Time Sampled: <u>1251</u>
<u>MM-3S</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>18.0%</u>												
	Time Sampled: <u>1221</u>												
<u>MM-8S</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>20.9%</u>												
	Time Sampled: <u>1251</u>												
<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-3D</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>20.9%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1224</u></td></tr> </table>	<u>MM-3D</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>20.9%</u>		Time Sampled: <u>1224</u>	<table border="0" style="width: 100%;"> <tr><td style="width: 50%;"><u>MM-8D</u></td><td style="width: 50%;">% Methane By Volume: <u>0%</u></td></tr> <tr><td>Well</td><td>% Oxygen: <u>20.9%</u></td></tr> <tr><td></td><td>Time Sampled: <u>1254</u></td></tr> </table>	<u>MM-8D</u>	% Methane By Volume: <u>0%</u>	Well	% Oxygen: <u>20.9%</u>		Time Sampled: <u>1254</u>
<u>MM-3D</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>20.9%</u>												
	Time Sampled: <u>1224</u>												
<u>MM-8D</u>	% Methane By Volume: <u>0%</u>												
Well	% Oxygen: <u>20.9%</u>												
	Time Sampled: <u>1254</u>												

**a. Permanent Approved COMPLIANCE Monitoring Locations (cont'd)**

<u>Monitoring Point Identification</u>		<u>Monitoring Results</u>			
<u>MM-9A</u> Well	% Methane By Volume:	<u>0%</u>	<u>MM-10</u> Well	% Methane By Volume:	<u>0%</u>
	% Oxygen:	<u>19.2%</u>		% Oxygen:	<u>18.9%</u>
	Time Sampled:	<u>1233</u>		Time Sampled:	<u>1236</u>
<u>MM-9S</u> Well	% Methane By Volume:	<u>0%</u>	<u>MM-11</u> Well	% Methane By Volume:	<u>0%</u>
	% Oxygen:	<u>19.0%</u>		% Oxygen:	<u>16.2%</u>
	Time Sampled:	<u>1245</u>		Time Sampled:	<u>1239</u>
<u>MM-9D</u> Well	% Methane By Volume:	<u>0%</u>			
	% Oxygen:	<u>16.2%</u>			
	Time Sampled:	<u>1248</u>			

**b. Facility Structures (All on-site structures must be monitored, listed, and shown on map)**

<u>Facility Structure</u>		<u>Monitoring Results</u>		<u>Facility Structure</u>		<u>Monitoring Results</u>	
<u>MM-12</u> Scale House	% LEL:	<u>0%</u>	<u>MM-15</u> Maintenance Shop	% LEL:	<u>0%</u>		
	% Methane by Volume:	<u>0%</u>		% Methane by Volume:	<u>0%</u>		
	% Oxygen:	<u>20.9%</u>		% Oxygen:	<u>20.9%</u>		
	Time Sampled:	<u>1117</u>		Time Sampled:	<u>1132</u>		
<u>MM-13</u> Storage Shed A	% LEL:	<u>0%</u>	<u>MM-16</u> Break Trailer	% LEL:	<u>0%</u>		
	% Methane by Volume:	<u>0%</u>		% Methane by Volume:	<u>0%</u>		
	% Oxygen:	<u>20.9%</u>		% Oxygen:	<u>20.9%</u>		
	Time Sampled:	<u>1126</u>		Time Sampled:	<u>1120</u>		
<u>MM-13</u> Storage Shed B	% LEL:	<u>0%</u>	<u>MM-17</u> Operations Trailer	% LEL:	<u>0%</u>		
	% Methane by Volume:	<u>0%</u>		% Methane by Volume:	<u>0%</u>		
	% Oxygen:	<u>20.9%</u>		% Oxygen:	<u>20.9%</u>		
	Time Sampled:	<u>1129</u>		Time Sampled:	<u>1123</u>		
<u>MM-14</u> Office	% LEL:	<u>0%</u>	<u>MM-18</u> Pump Maint. Bldg.	% LEL:	<u>0%</u>		
	% Methane by Volume:	<u>0%</u>		% Methane by Volume:	<u>0%</u>		
	% Oxygen:	<u>20.9%</u>		% Oxygen:	<u>20.9%</u>		
	Time Sampled:	<u>1114</u>		Time Sampled:	<u>1117</u>		

**c. Miscellaneous Monitoring Locations (vents, trenches not part of compliance monitoring)**

<u>Monitoring Point Identification</u>		<u>Monitoring Results</u>	
<u>N/A</u>	% Methane By Volume:	<u>          </u>	<u>          </u>
	% Oxygen:	<u>          </u>	<u>          </u>
	Time Sampled:	<u>          </u>	<u>          </u>

**d. Adjacent Off-site Structures** (off-site structures at facilities with known release)

<u>Off-site Structure</u>	<u>Monitoring Results</u>
N/A	% LEL: _____
	% Methane by Volume: _____
	% Oxygen: _____
	Time Sampled: _____

**4. Climatic/Physical Conditions at Site**

Samples must be collected under normal/average conditions of temperature, pressure, and climate for the season. Barhole punch sampling should not be performed during or immediately after rain events, or when soils are saturated or frozen. **All sampling at compliance monitoring locations must be performed after 12:00 pm, and completed by 6:00 pm.** Barometric information can be obtained from many locations (i.e. <http://weather.noaa.gov>).

- a. Soil Conditions: Dry
- b. Weather Conditions: Cloudy
- c. Temperature: 78 - 81 °F
- d. Barometric Conditions: Rising \_\_\_\_\_ Falling x Steady \_\_\_\_\_ Reading: 30.25 - 30.24 "
- e. Relative Humidity 10%-90%? Yes \_\_\_\_\_ No x Range: 78 - 83 %
- f. Condition/Access: Sampling points are properly identified, secured and maintained? Yes \_\_\_\_\_ No x

If no please list deficiencies observed:

---



---



---

g. If stressed vegetation due to the presence of methane gas is noted, describe the extent and location in the space provided below.

None noticed

---



---

**5. Description of Sampling Techniques:** Provide a clear and concise description for each type of sampling (well, barhole punch, structure, etc.) performed during the monitoring event. Wells are **NOT** to be vented, peak readings should be reported. Any exceptions should be noted here.

Wells are opened and tested immediately. Peak readings are recorded.

---



---



---



---

6. **Additional Comments**

---

---

---

---

---

---

EM Services uses the RKI Eagle 2 or the RKI GX-2012 for monitoring. Operating manuals can be found at:  
Eagle 2 - <https://www.rkiinstruments.com/pdf/71-0154RK.pdf>  
GX-2012 - <https://www.rkiinstruments.com/pdf/71-0335.pdf>

---

**CERTIFICATION**

I CERTIFY that all required information on this form is complete and accurate, and

I further CERTIFY that methane sampling was conducted by myself or my authorized representative in accordance with all applicable rules and current EPD guidance. Concentrations of methane detected during this sampling/monitoring event   do /   x   do not exceed 25 percent of the lower explosive limit (LEL) for methane in facility structures (excluding the gas recovery system components) and gas concentrations   do /   x   do not exceed the LEL for methane at the approved compliance monitoring locations.

**(IF THIS STATEMENT IS NOT SIGNED OR THE FORM IS ALTERED THE DIVISION WILL NOT ACCEPT THE RESULTS FROM THE SUBJECT FACILITY)**

  
\_\_\_\_\_  
(Signature)

Owner, EM Services  
\_\_\_\_\_  
(Title)

10/4/2021  
\_\_\_\_\_  
(Date)

Jeff Johnson  
Environmental Monitoring Services  
4658 Webster Way NW, Acworth, GA 30101  
770-823-7174

\_\_\_\_\_  
(Typed Name, Address, and Telephone Number)