

Groundwater Statistical Analysis Report

First Semi-Annual 2026 Sampling Event

**Eagle Point Landfill, LLC
Permit # 058-012D(MSWL)
Forsyth County, Georgia**

February 2026

Prepared by:



**18 Lexington Oaks Court
Foristell, MO 63348**

**314-496-4654
www.jettenviro.com**

TABLE OF CONTENTS

1.0 INTRODUCTION	1
2.0 SITE BACKGROUND AND MONITORING NETWORK.....	1
3.0 GROUNDWATER FLOW RATE & DIRECTION.....	2
4.0 STATISTICAL PROCEDURES & GROUNDWATER RESULTS	2
5.0 SURFACE WATER SUMMARY.....	4
6.0 UNDERDRAIN SUMMARY.....	4
7.0 SEMI-ANNUAL RESULTS SUMMARY & CONCLUSIONS.....	4
8.0 REFERENCES	5

TABLES

Table 1	Monitoring Program Summary
Table 2	Groundwater Inorganic Results Summary
Table 3	Surface Water Results Summary
Table 4	Underdrain Results Summary
Table 5	Statistically Significant Increases Summary

APPENDICES

Appendix A	Field Sampling Summary
Appendix B	Potentiometric Surface Map
Appendix C	Statistical Evaluations
Appendix D	Laboratory Analytical Report
Appendix E	Hydrographs & Drought Data

1.0 INTRODUCTION

On behalf of Eagle Point Landfill, LLC, Jett Environmental Consulting statistically evaluated the First Semi-Annual 2026 groundwater data from the Eagle Point Municipal Solid Waste (MSW) and Construction & Demolition (C&D) Landfill. Sampling for the January 2026 event was performed by Environmental Monitoring Services, LLC (EM Services) and analytical testing was performed by Pace Analytical Services, LLC (Pace). The statistical analysis software package utilized, *Sanitas™*, follows a documented decision logic that incorporates the following applicable document: USEPA “Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, *Unified Guidance*” (March 2009).

2.0 SITE BACKGROUND AND MONITORING NETWORK

Jett Environmental Consulting statistically analyzed parameters from the First Semi-Annual 2026 event using inter-well prediction interval analysis. Prediction intervals are considered a powerful tool for groundwater statistical analysis, when feasible, due to their inherent low false negative and false positive rates utilizing confirmatory resampling, if necessary.

There are thirty-six groundwater monitoring wells at the site consisting of two background wells and thirty-four downgradient wells. Additionally, there are three underdrain sampling locations and four surface water sampling locations. New monitoring wells and surface water sampling locations have been added to the environmental monitoring system for the site as new waste cells have been developed. C&D Cells No. 3A, 3B, and 4, and MSW Cells No. 1A, 1B, 2A, 2B, 5 through 16B, and 18 have been constructed. **Table 1** lists the groundwater monitoring program wells. Groundwater monitoring wells GWC-13 and GWC-10D are utilized for water level only and are not sampled; however, an attempt to sample GWC-10D is made in the event that adjacent well GWC-10 is dry. **Table 1** also lists the underdrain and surface water monitoring network.

Wells GWC-46 through GWC-49 were installed in July-August 2025. Well GWC-45 was installed in December 2025. These wells were installed in conjunction with Cell No.18 development. Each well was sampled initially during First Semi-Annual 2026 event. After four background events are completed, wells GWC-45 through GWC-49 will be eligible for statistical analysis, which is estimated to occur during the next semi-annual sampling event (Second Semi-Annual 2026 event).

Samples were collected from all compliance groundwater wells during the First Semi-Annual 2026 event, except for GWC-18, GWC-21, and GWC-27, which did not produce sufficient water volume for sample collection. The First Semi-Annual 2026 event was the second consecutive event wells GWC-18 and GWC-21 had insufficient volume present to sample. The First Semi-Annual 2026 event was the second time historically that GWC-27 had insufficient volume to sample. Provided in **Appendix E** are time series graphs (hydrographs) for the site wells. The graphs show that the groundwater elevation has been decreasing over the last few years at many wells, but especially at GWC-18, GWC-21, and GWC-27. According to the Forsyth County drought monitor, this area has experienced abnormally dry to severe drought during recent 2024, 2025, and 2026 events. Included in **Appendix E** is a drought graph and data for Forsyth County (National Oceanic and Atmospheric Administration, National Integrated Drought Information System). Based on these data, we recommend to continue to evaluate water levels at GWC-18 and GWC-21 before considering replacement.

The groundwater samples were analyzed in the laboratory by Pace for the Georgia Department of Natural Resources Environmental Protection Division (EPD) Appendix I list of constituents consisting of total metals and volatile organic compounds (VOCs) and in the field by EM Services for pH, specific conductance, temperature, and turbidity.

Samples were collected from the four surface water locations. The surface water samples were analyzed in the laboratory by Pace for chloride, total dissolved solids (TDS), the Appendix I list of VOCs, and in the field by EM Services for pH and temperature.

Samples were collected from the three underdrain sampling locations (UD-6, UD-8, and UD-13). The underdrain samples were analyzed in the laboratory by Pace for chloride, TDS, the Appendix I list of VOCs, and in the field by EM Services for pH and temperature.

Assessment Monitoring was initiated for wells GWA-1, GWA-2, and GWC-12R in July 2017 due to intermittent detections of benzene. In July 2022, the facility added monitoring well GWC-11 to Assessment Monitoring due to the second consecutive detection of benzene at that location. Background monitoring wells GWA-1 and GWA-2 and compliance monitoring wells GWC-11 and GWC-12R are sampled for analysis of a modified Appendix II list (Appendix II metals and VOCs) annually during the July events.

Historically, no Appendix II constituents have been detected at GWA-1, GWA-2, GWC-11, or GWC-12R. Based on these findings, the Second Semi-Annual 2023 Report included a recommendation that all Appendix II monitoring parameters be removed from the modified Assessment Monitoring program at GWA-1, GWA-2, and GWC-12R. The Second Semi-Annual 2024 Report included a recommendation that all Appendix II Monitoring parameters be removed from the modified Assessment Monitoring program at GWC-11. EPD is currently reviewing these recommendations.

Included in **Appendix A** is a summary of the field sampling protocols/procedures for the First Semi-Annual 2026 event. The field summary was compiled by EM Services. A map displaying the monitoring well, surface water point, and underdrain locations is available in **Appendix B**.

3.0 GROUNDWATER FLOW RATE & DIRECTION

Appendix B provides a potentiometric surface map utilizing groundwater level data from the First Semi-Annual 2026 event. Collection of depth to water measurements was completed on January 6, 2026. As shown on the potentiometric surface map, groundwater flow is generally towards the east. Groundwater flow rates for the First Semi-Annual 2026 event were estimated to average approximately 67 feet/year. The groundwater flow rate for the First Semi-Annual 2026 event was consistent with past events. Flow rate calculations are available in **Appendix B**.

4.0 STATISTICAL PROCEDURES & GROUNDWATER RESULTS

The *Sanitas*TM program was utilized to compile and statistically evaluate the data for the First Semi-Annual 2026 sampling event. Summary tables for the inter-well prediction interval analysis are available in **Appendix C**.

Background for this report is defined as all samples taken from initiation of monitoring through the First Semi-Annual 2026 event from upgradient wells GWA-1 and GWA-2. Each of the groundwater monitoring wells was sampled during the First Semi-Annual 2026 sampling event, except for GWC-18, GWC-21, and GWC-27, which did not produce sufficient water for sample collection.

Inter-Well Prediction Intervals

The prediction interval is a statistical method used to compare a single observation to a group of observations. The prediction interval is calculated to include observations from the same population with a specified confidence. In groundwater monitoring, a prediction interval approach may be used to make comparisons between background and compliance data. The interval is developed to contain all future observations, within a certain probability. For the Eagle Point site, inter-well prediction intervals have been developed based on a 99% confidence that future observations will fall within the range. If any future observation exceeds this interval, this is considered statistically significant evidence that the observation is not representative of the background group.

During parametric prediction interval analysis, the mean and the standard deviation are calculated for the raw or transformed background data. The number of comparison observations, K , is defined to be included in the interval. If less than 15% of the background observations are nondetects, the nondetects are replaced

with one half of the reporting limit prior to performing the analysis. If more than 15% but less than 50% of the background data are below the reporting limit, the data's sample mean and standard deviation are adjusted according to the Kaplan-Meier method. However, when the background data are not transformed-normal or contain greater than 50% observations below the reporting limit, *Sanitas™* automatically constructs a nonparametric prediction interval. During nonparametric analysis, the highest value from the background data is used to set the upper limit of the prediction interval.

Due to a recent change in the contract analytical laboratory utilized at the site, the laboratory reporting limits were lowered considerably for a majority of the parameters during the First Semi-Annual 2024 event. Once eight rounds of sampling events have been completed utilizing the recent, lower laboratory reporting limits, then the historical non-detect values will be replaced with current reporting limits prior to performing statistical analyses.

For the First Semi-Annual 2026 event, four inorganic results exhibited a statistically significant increase (SSI): barium at GWC-10 and GWC-11, and cobalt at GWC-9 and GWC-12R. **Table 5** provides a summary of the SSIs for the First Semi-Annual 2026 event.

As shown on the time series graphs in **Appendix C**, the inorganic SSIs have been detected at stable levels over the last 2 to 4 years, with the exception of barium at GWC-10, which exhibited an initial SSI this event. The barium concentrations were well below the Maximum Contaminant Level (MCL). Cobalt does not have an established MCL.

Concentrations of total metals are routinely detected in the groundwater samples collected at the site. The most likely source of total metals is from their natural occurrence within the geologic formation material contained in the residual soils and bedrock underlying the site (i.e., alternate source). The EPD required an alternate source demonstration (ASD) for the past detections of total cobalt; consequently, Bunnell-Lammons Engineering, Inc. (BLE) prepared an ASD (dated November 18, 2015), which was approved by the EPD on November 24, 2015. Although the ASD was prepared for historical detections of total cobalt, the ASD report also included detections of other naturally occurring metals in background native soil samples, (i.e., a natural alternative source not attributable to the landfill as related to detections in groundwater) including barium, nickel, and zinc.

One VOC was confirmed detected for the groundwater samples collected during the First Semi-Annual 2026 event: benzene at GWC-12R. The First Semi-Annual 2026 concentration of benzene at GWC-12R (1.9 micrograms per liter or ug/L) was consistent with benzene results at GWC-12R since the initial detection in July 2016, and remained below the MCL of 5 ug/L. Benzene has not been detected above the MCL at GWC-12R to date; therefore, the benzene concentration was not statistically above the MCL.

One VOC was initially detected for the groundwater samples collected during the First Semi-Annual 2026 event: carbon disulfide at GWC-49 (7.5 ug/L). Well GWC-49 was sampled for the first time during the First Semi-Annual 2026 event and is currently being sampled to establish background. Sampling verification will occur for carbon disulfide during the upcoming background sampling events. Carbon disulfide does not have an established MCL.

Table 2 provides a summary of the inorganic groundwater results for the First Semi-Annual 2026 event. As shown on **Table 2**, no groundwater results exceeded an MCL during the First Semi-Annual 2026 event.

Included in **Appendix C** are time series plots for each inorganic parameter and each confirmed VOC detection. **Appendix D** contains a copy of the groundwater laboratory analytical report and field sampling forms for the First Semi-Annual 2026 event.

5.0 SURFACE WATER SUMMARY

The surface water monitoring network consists of two upstream surface water sampling points (SWA-1 and SWA-2) and two downstream points (SWC-9 and SWC-14). During the First Semi-Annual 2026 event, each surface water monitoring point was sampled. The sampling results are included on **Table 3**.

As provided on **Table 3**, concentrations of the detected inorganic parameters were below their respective USEPA In-Stream Water Quality (ISWQ) standards. No VOCs were detected for the surface water samples during the First Semi-Annual 2026 event.

The First Semi-Annual 2026 field pH value at upstream point SWA-1 (5.93 standard units or SU) was slightly below the ISWQ minimum EPD standard range of 6.0 to 8.5 SU. The field pH values were consistent with past events for the surface water samples, including upstream surface water monitoring point SWA-1, for which historical field pH measurements are slightly outside the ISWQ range. Therefore, the First Semi-Annual 2026 pH values at SWA-1 appear indicative of background surface water quality.

Appendix D contains a copy of the surface water laboratory analytical report and field sampling forms for the First Semi-Annual 2026 event.

6.0 UNDERDRAIN SUMMARY

The underdrain monitoring network consists of three grab sampling locations (UD-6, UD-8, and UD-13). Each location was able to be sampled during the First Semi-Annual 2026 event. The inorganic sampling results are summarized on **Table 4**. No VOCs were detected in the underdrain samples during the First Semi-Annual 2026 event. **Appendix D** contains a copy of the underdrain laboratory analytical report and field sampling forms for the First Semi-Annual 2026 event.

7.0 SEMI-ANNUAL RESULTS SUMMARY & CONCLUSIONS

During the First Semi-Annual 2026 event, no inorganic constituent groundwater results exceeded their respective MCLs. For the First Semi-Annual 2026 event, four inorganic results exhibited an SSI over background: barium at GWC-10 and GWC-11, and cobalt at GWC-9 and GWC-12R. Each of the SSIs has been detected at stable levels over the last 2 to 4 years, with the exception of barium at GWC-10, which exhibited an initial SSI this event. The barium concentrations were well below the MCL. Cobalt does not have an established MCL.

Concentrations of total metals are routinely detected in the groundwater samples collected at the site. The most likely source of total metals is from their natural occurrence within the geologic formation material contained in the residual soils and bedrock underlying the site (i.e., alternate source). The EPD required an ASD for the past detections of total cobalt; consequently, BLE prepared an ASD (dated November 18, 2015), which was approved by the EPD on November 24, 2015. Although the ASD was prepared for historical detections of total cobalt, the ASD report also included detections of other naturally occurring metals in background native soil samples, (i.e., a natural alternative source not attributable to the landfill as related to detections in groundwater) including barium, nickel, and zinc.

No VOCs were detected for the surface water or underdrain samples collected during the First Semi-Annual 2026 event. One VOC was confirmed detected for the groundwater samples collected during the First Semi-Annual 2026 event: benzene at GWC-12R. The First Semi-Annual 2026 concentration of benzene at GWC-12R (1.9 ug/L) was consistent with benzene results at GWC-12R since the initial detection in July 2016, and remained below the MCL of 5 ug/L.

One VOC was initially detected for the groundwater samples collected during the First Semi-Annual 2026 event: carbon disulfide at GWC-49 (7.5 ug/L). Well GWC-49 was sampled for the first time during the First

Semi-Annual 2026 event and is currently being sampled to establish background. Sampling verification will occur for carbon disulfide during the upcoming background sampling events.

The First Semi-Annual 2026 results for the surface water monitoring points were below their respective ISWQ standard and within the ISWQ standard range of 6.0 to 8.5 SU for field pH, with the exception of field pH at upstream point SWA-1. The First Semi-Annual 2026 field pH value at upstream point SWA-1 (5.93 SU) was slightly below the ISWQ minimum EPD standard range of 6.0 to 8.5 SU. The field pH values were consistent with past events for the surface water samples, including upstream surface water monitoring point SWA-1, for which historical field pH measurements are slightly outside the ISWQ range. Therefore, the First Semi-Annual 2026 pH values at SWA-1 appear indicative of background surface water quality.

Assessment Monitoring was initiated for wells GWA-1, GWA-2, and GWC-12R in July 2017 due to intermittent detections of benzene. In July 2022, the facility added monitoring well GWC-11 to the Assessment Monitoring program due to the second consecutive detection of benzene at this location. Background monitoring wells GWA-1 and GWA-2 and compliance monitoring wells GWC-11 and GWC-12R are sampled for a modified Appendix II list (Appendix II metals and VOCs) annually during the July events.

Historically, no Appendix II constituents have been detected at GWA-1, GWA-2, GWC-11, or GWC-12R. Based on these findings, the Second Semi-Annual 2023 Report recommended that all Appendix II monitoring parameters be removed from the modified Assessment Monitoring program at GWA-1, GWA-2, and GWC-12R. The Second Semi-Annual 2024 Report requested to remove all Appendix II parameters from the modified Assessment Monitoring program at GWC-11. EPD is currently reviewing these recommendations. Based on the data from the First Semi-Annual 2026 event, it is again recommended that all Appendix II parameters (any parameter not also on the Appendix I list) be removed from the modified Assessment Monitoring program at GWA-1, GWA-2, GWC-11, and GWC-12R.

8.0 REFERENCES

USEPA. 2009. Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance. March.

Bunnell-Lammons Engineering, Inc. 2015. Alternate Source Demonstration for Cobalt in Groundwater. November 18.

Bunnell-Lammons Engineering, Inc. 2023. Semi-Annual Water Quality Monitoring Report, Second Event of 2023. October 11.

Jett Environmental Consulting. 2024. Groundwater Statistical Analysis Report, Second Semi-Annual 2024 Sampling Event. September 27.

TABLES

**Table 1
Monitoring Program Summary
Eagle Point Landfill**

GROUNDWATER MONITORING SYSTEM			
Upgradient	Downgradient		
GWA-1	GWC-1	GWC-10D (sample if GWC-10 dry)	GWC-20
GWA-2	GWC-2	GWC-11	GWC-21
	GWC-3	GWC-12R	GWC-22
	GWC-4	GWC-13 (water level only)	GWC-23
	GWC-5	GWC-13R	GWC-27
	GWC-6	GWC-14R	GWC-28
	GWC-7	GWC-15	GWC-29
	GWC-7A	GWC-16	GWC-45
	GWC-8	GWC-17	GWC-46
	GWC-9	GWC-18	GWC-47
	GWC-10	GWC-19	GWC-48
			GWC-49

SURFACE WATER MONITORING SYSTEM	
Upgradient	Downgradient
SWA-1	SWC-9
SWA-2	SWC-14

UNDERDRAIN MONITORING SYSTEM
UD-6
UD-8
UD-13

**Table 2
Groundwater Inorganic Results Summary
First Semi-Annual 2026 Event
Eagle Point Landfill**

Well	Antimony Total	Arsenic Total	Barium Total	Beryllium Total	Cadmium Total	Chromium Total	Cobalt Total	Copper Total	Lead Total	Nickel Total	Selenium Total	Silver Total	Thallium Total	Vanadium Total	Zinc Total
Units	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Primary MCL	6	10	2,000	4	5	100	NE	1,300	15	100	50	NE	2	NE	NE
GWA-1	<3	<5	16.3	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWA-2	<3	<5	13.4	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-1	<3	<5	13.7	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-2	<3	<5	17.7	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-3	<3	<5	18.3	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-4	<3	<5	30.9	<0.5	<0.5	<5	<5	<5	<1	5.1	<5	<5	<1	<10	16.9
GWC-5	<3	<5	31.4	<0.5	<0.5	<5	<5	<5	1.7	<5	<5	<5	<1	<10	<10
GWC-6	<3	<5	71.9	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	13.5
GWC-7	<3	<5	22.4	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-7A	<3	<5	30.0	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-8	<3	<5	46.5	<0.5	<0.5	<5	26.7	<5	<1	<5	<5	<5	<1	<10	<10
GWC-9	<3	<5	107	<0.5	0.71	<5	58.5	<5	2.6	5.4	<5	<5	<1	<10	28.2
GWC-10	<3	<5	166	<0.5	<0.5	<5	27.3	<5	<1	<5	<5	<5	<1	<10	17.7
GWC-11	<3	<5	227	0.56	<0.5	<5	37.1	<5	<1	5.8	9.6	<5	<1	<10	44.1
GWC-12R	<3	<5	90.9	<0.5	<0.5	<5	40.8	<5	<1	12.1	<5	<5	<1	<10	<10
GWC-13R	<3	<5	86.1	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-14R	<3	<5	20.6	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-15	<3	<5	146	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	19.9
GWC-16	<3	<5	112	<0.5	<0.5	<5	16.6	<5	<1	<5	<5	<5	<1	<10	<10
GWC-17	<3	<5	34.4	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-18	Dry														
GWC-19	<3	<5	43.4	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-20	<3	<5	<5	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-21	Dry														
GWC-22	<3	<5	11.0	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-23	<3	<5	20.3	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-27	Dry														
GWC-28	<3	<5	6.6	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-29	<3	<5	5.5	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	44.8
GWC-45	<3	<5	12.6	<0.5	<0.5	<5	<5	<5	<1	<5	7.5	<5	<1	<10	<10
GWC-46	<3	<5	30.4	<0.5	<0.5	6.4	<5	5.5	<1	<5	<5	<5	<1	13.2	<10
GWC-47	<3	<5	16.8	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10
GWC-48	<3	<5	44.2	<0.5	<0.5	<5	<5	<5	1.9	<5	<5	<5	<1	<10	12.9
GWC-49	<3	<5	21.0	<0.5	<0.5	<5	<5	<5	<1	<5	<5	<5	<1	<10	<10

NE: No National Primary Drinking Water Standard - Maximum Contaminant Level (MCL) established.

Nickel has a Georgia EPD MCL of 100 ug/L.

ug/L: micrograms per liter.

Primary MCL is sourced from the National Primary Drinking Water Regulations provided by the USEPA.

**Table 3
Surface Water Results Summary
First Semi-Annual 2026 Event
Eagle Point Landfill**

Point	Units	Chloride	Total Dissolved Solids	Field pH	Field Temperature
ISWQ		NE	NE	6.0 - 8.5	≤32
SWA-1	mg/L	2.2	34.0	5.93	11.0
SWA-2	mg/L	1.4	27.0	6.25	13.3
SWC-9	mg/L	1.9	35.0	6.33	13.8
SWC-14	mg/L	2.0	37.0	7.15	9.7

All units listed except pH (standard units) and temperature (degrees-Celsius).

mg/L: milligrams per liter.

ISWQ: USEPA In-Stream Water Quality Standard.

NE: No ISWQ established.

 *Denotes an ISWQ exceedance.*

**Table 4
Underdrain Results Summary
First Semi-Annual 2026 Event
Eagle Point Landfill**

Point	Units	Chloride	Total Dissolved Solids	Field pH	Field Temperature
UD-6	mg/L	2.9	58.0	5.66	27.8
UD-8	mg/L	4.1	82.0	5.79	25.6
UD-13	mg/L	8.0	68.0	6.27	20.4

*All units listed except pH (standard units) and temperature (degrees-Celsius).
mg/L: milligrams per liter.*

TABLE 5
Statistically Significant Increases Summary
First Semi-Annual 2026 Event
Eagle Point Landfill

Well	Parameter	Results (ug/L)	Inter-Well Prediction Limit (ug/L)
GWC-9	Cobalt, total	58.5	40
GWC-10	Barium, total	166	160
GWC-11	Barium, total	227	160
GWC-12R	Cobalt, total	40.8	40
	Benzene	1.9	1.0 (RL)

(RL): Denotes Laboratory Reporting Limit.

ug/L: micrograms per liter.

APPENDICES

APPENDIX A FIELD SAMPLING SUMMARY

*EM*Services

Environmental Monitoring Services, LLC
Phone (770) 823-7174

January 12, 2026

GFL Environmental
Scott Mann
8880 Old Federal Road
Ball Ground, GA 30107

RE: Eagle Point Landfill Semi-Annual Sampling Event

Scott,

We completed the semi-annual groundwater and surface water monitoring at the referenced site January 6th – 9th. The points sampled and their respective analyses are:

GWA-1, 2, GWC-1, 2, 3, 4, 5, 6, 7, 7A, 8, GA App I VOC (8260B only)/Metals
9, 10, 11, 12R, 13R, 14R, 15, 16, 17, 19,
20, 22, 23, 28, 29, 45, 46, 47, 48, 49, Field
Blank, Trip Blank (VOC only)

GWC-10D, 13 Water Level Only

SWA-1, 2, SWC-9, 14, UD-6, 8, 13 GA App I VOC (8260), Chloride, TDS

GWC-18, 21, 27 Insufficient water for sampling

The sampling activities were performed according to the facility's operating permit and the EPA Region IV LSASD SOPs. Split samples were collected from GWC-6, 9, 12R, SWC-9, and UD-13 for Forsyth County.

Upon arrival at each well, notes were taken as to the condition of the area around the well and the condition of the well itself. The samplers then donned new Nitrile gloves. These gloves were changed as often as deemed necessary to prevent contamination of the samples. A new piece of plastic was laid down next to the well to serve as a work area. Then, a pre-cleaned water level indicator was lowered into the well to sound the water level.

The depth to water was measured from a surveyed mark on the top of casing if present. The process of collecting water levels was completed on January 6th to ensure a representative potentiometric map. The water level indicator was cleaned between each well using a Liquinox soap solution followed by a water rinse.

"For all your environmental monitoring needs"

4658 Webster Way NW
Acworth, GA 30101
inquiry@emsonline.com

Page 1 of 3

Wells GWA-2, GWC-1, 3, 7, 7A, 11, 13R, 17, 20, 22, 28, and 29 have dedicated bladder pumps installed. A non-dedicated bladder pump was used for wells GWC-45, 46, 47, 48, and 49. For these wells, after collecting the water level, we began purging the well. Both purging and sampling were accomplished by utilizing the dedicated bladder pumps. The bladders are of Teflon construction, and the water discharge lines are Teflon-lined. The bottoms of the pumps are placed approximately 3' from the bottom of the well to allow for operation in potential low water column situations due to seasonal water table fluctuations. At each well, the pump was turned on and timing and pressure adjusted until the water level stabilized. After the water level had stabilized and at least one equipment volume had cleared the flow cell, field readings for pH, conductivity, temperature, dissolved oxygen, oxidation-reduction potential and turbidity were measured. Purging continued until three consecutive measurements of these parameters, measured at four-minute intervals, were stable as defined by accepted low-flow guidelines. The purge water was captured in 5-gallon buckets to quantify the purge volumes. All samples were collected immediately. Metals samples were collected first to avoid any effects on turbidity from adjusting the pressure prior to sampling for volatiles. Volatiles samples were then collected after slowing the purge rate. The non-dedicated pump was cleaned between each well using a Liquinox soap solution followed by a water rinse.

A peristaltic pump was used for purging and sampling wells GWA-1, GWC-4, 5, 6, 8, 9, 12R, 14R, and 16. After collecting the water level, we began purging the well. Both purging and sampling were accomplished by utilizing a peristaltic pump with new silicone pump-head tubing and Teflon-lined down-hole tubing at each well. The down-hole tubing was placed approximately 5' from the bottom of the well or at the mid-point of the water column if the water column was less than 10'. The pump was turned on and timing adjusted until the water level stabilized. After the water level had stabilized and at least one equipment volume had cleared the flow cell, field readings for pH, conductivity, temperature, dissolved oxygen and oxidation-reduction potential, and turbidity were measured and recorded. Purging continued until three consecutive measurements of these parameters, measured at four-minute intervals, were stable as defined by accepted low-flow guidelines. The purge water was captured in 5-gallon buckets to quantify the purge volumes. The metals samples were collected first through the pump-head. The volatiles samples were collected immediately using the reverse-flow method at a low flow rate.

For wells GWC-2, 10, 15 and 19, the water level was too low to use the dedicated bladder pump or peristaltic pump, so the pump or tubing was removed and the well purged and sampled using a new disposable Teflon bailer attached to new nylon string. After collecting the water level, we calculated the purge volume to three well-volumes using a standard formula. Purging continued until 3 well-volumes were removed or the well purged dry. Readings for pH, conductivity, temperature, turbidity, dissolved oxygen and oxidation-reduction potential were recorded at each well-volume. Volatiles samples were collected immediately following purging. The purge water was captured in 5-gallon buckets to quantify the purge volumes. All bailers and string were discarded at the completion of the sampling event.

EMServices

Environmental Monitoring Services, LLC

Phone (770) 823-7174

The samples were collected in containers provided by the laboratory. These containers were of types, sizes and preserved in a manner consistent with SW-846 and other guidance. Upon filling, the containers were placed on ice. The samples were hand-delivered under chain of custody to Pace Environmental Services located in Peachtree Corners, GA.

On-site parameter readings were recorded from YSI ProQuatros that were calibrated each morning. Turbidity readings were collected using LaMotte 2020ts which were checked prior to use. The meters have a programmed calibration that is checked in-house using formazine standards.

We appreciate the opportunity to work with you on this project and look forward to any feedback you have.

Respectfully,



Jeff Johnson

Attachments: Groundwater Field Data
Surface Water Field Data

“For all your environmental monitoring needs”

4658 Webster Way NW

Acworth, GA 30101

inquiry@emservicesonline.com

Page 3 of 3

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWA-1
 Date 1/7/2026
 DTW¹ 18.38
 DTB² 38.30
 Purge Method Peristaltic Pump
 Sample Method Peristaltic Pump (Reverse Flow for VOC's)
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 1100 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1110	19.40	220	0.58	4.75	18	16.5	4	4.41	88
1114	19.40	220	0.81	4.79	18	16.6	4	4.37	90
1118	19.40	220	1.04	4.72	18	16.5	3	4.31	100
1122	19.40	220	1.28	4.71	18	16.6	3	4.29	105

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWA-2
 Date 1/8/2026
 DTW¹ 41.33
 DTB² 50.09
 Purge Method Dedicated Bladder Pump
 Sample Method Dedicated Bladder Pump
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 1014 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1024	41.81	230	0.61	5.04	23	15.5	3	7.09	82
1028	41.81	230	0.85	5.09	23	15.5	2	7.01	91
1032	41.81	230	1.10	5.09	23	15.5	2	7.02	95
1036	41.81	230	1.32	5.10	23	15.5	2	6.99	97

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-1
 Date 1/7/2026
 DTW¹ 24.15
 DTB² 34.90
 Purge Method Dedicated Bladder Pump
 Sample Method Dedicated Bladder Pump
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 1201 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1211	24.73	180	0.48	5.83	56	18.4	4	4.69	37
1215	24.73	180	0.67	5.82	56	18.8	5	4.70	38
1219	24.73	180	0.86	5.84	55	18.8	5	4.68	39
1223	24.73	180	1.06	5.85	55	18.8	4	4.69	40

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental

Site Eagle Point Landfill

Well ID GWC-2

Date 1/7/2026

DTW¹ 38.60

DTB² 41.44

1 Well Volume (DTB - DTW) * 0.163 = 0.46

3 Well Volumes 1 WV * 3 = 1.39

Purge Method Disposable Teflon Bailer

Sample Method Disposable Teflon Bailer

Parameters Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1256	0.50	5.45	24	18.4	144	5.11	46

Metals sample collection if allowed to settle:

Date: 1/8/2026 Time: 0855 NTU: 26

Comments
Cloudy, no odor, purged dry

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-3
Date 1/8/2026
DTW¹ 28.61
DTB² 46.90
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0920 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (μ S/cm)	T ($^{\circ}$ C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0930	31.37	250	0.66	4.61	18	14.8	4	6.31	113
0934	31.37	250	0.92	4.51	18	14.8	2	6.37	127
0938	31.37	250	1.19	4.52	17	14.7	1	6.37	139
0942	31.37	250	1.45	4.53	17	14.7	1	6.36	143

Comments

Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-4
Date 1/7/2026
DTW¹ 18.03
DTB² 38.56
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1318 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1328	19.61	190	0.50	4.85	42	17.3	2	0.49	57
1332	19.61	190	0.70	4.84	42	17.3	2	0.33	65
1336	19.61	190	0.90	4.80	41	17.3	2	0.23	73
1340	19.61	190	1.10	4.81	42	17.2	2	0.21	74
1344	19.61	190	1.30	4.80	42	17.2	2	0.21	71

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-5
Date 1/7/2026
DTW¹ 10.49
DTB² 23.19
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1359 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1409	12.28	210	0.56	5.28	69	17.7	4	2.22	55
1413	12.28	210	0.78	5.28	68	17.7	5	2.19	53
1417	12.28	210	1.01	5.28	68	17.8	4	2.16	53
1421	12.28	210	1.23	5.28	68	17.8	4	2.13	53

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-6
Date 1/6/2026
DTW¹ 27.75
DTB² 37.54
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1034 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1040	27.80	180	0.28	5.55	81	17.1	3	1.25	217
1044	27.80	180	0.47	5.48	81	17.4	3	1.13	261
1048	27.80	180	0.66	5.53	80	17.3	3	1.07	258
1052	27.80	180	0.85	5.57	80	17.1	2	1.06	263

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-7
 Date 1/6/2026
 DTW¹ 30.30
 DTB² 91.33
 Purge Method Dedicated Bladder Pump
 Sample Method Dedicated Bladder Pump
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 1137 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1148	30.59	180	0.52	6.73	108	18.1	78	4.35	146
1152	30.59	180	0.71	6.73	108	17.9	63	5.27	172
1156	30.59	180	0.90	6.74	108	18.0	46	5.36	187
1200	30.59	180	1.09	6.73	108	17.6	23	5.45	196
1204	30.59	180	1.28	6.72	107	17.5	13	5.55	202
1208	30.59	180	1.47	6.73	107	17.6	9	5.57	205

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-7A
 Date 1/6/2026
 DTW¹ 30.82
 DTB² 50.80
 Purge Method Dedicated Bladder Pump
 Sample Method Dedicated Bladder Pump
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 1225 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (μS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1238	31.70	280	0.96	6.49	87	18.8	3	6.72	217
1242	31.75	280	1.26	6.52	87	18.7	2	6.81	220
1246	31.77	280	1.56	6.49	86	18.7	2	6.62	223
1250	31.80	280	1.86	6.50	86	18.6	2	6.79	224

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-8
 Date 1/7/2026
 DTW¹ 20.49
 DTB² 36.43
 Purge Method Peristaltic Pump
 Sample Method Peristaltic Pump (Reverse Flow for VOC's)
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 1451 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (μS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1501	21.23	210	0.56	4.54	71	20.4	1	0.41	101
1505	21.23	210	0.78	4.52	71	20.0	2	0.39	99
1509	21.23	210	1.01	4.55	71	19.9	2	0.39	99
1513	21.23	210	1.23	4.50	71	19.9	2	0.38	99

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-9
 Date 1/6/2026
 DTW¹ 20.72
 DTB² 24.35
 Purge Method Peristaltic Pump
 Sample Method Peristaltic Pump (Reverse Flow for VOC's)
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 1409 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1415	21.02	140	0.22	4.72	769	18.4	2	1.30	80
1419	21.16	140	0.37	4.70	770	18.6	2	0.73	87
1423	21.28	140	0.52	4.70	775	18.5	2	0.64	91
1427	21.39	140	0.67	4.70	779	18.6	2	0.56	92

Comments
Clear, no odor

Field Tech: T. Wardell

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Well ID	GWC-10
Date	1/6/2026
DTW ¹	30.43
DTB ²	36.55
1 Well Volume	$(DTB - DTW) * 0.163 = 1.00$
3 Well Volumes	$1 WV * 3 = 2.99$
Purge Method	Disposable Teflon Bailer
Sample Method	Disposable Teflon Bailer
Parameters	Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (μ S/cm)	T ($^{\circ}$ C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1211	1.00	5.40	297	18.9	3	0.93	58
1216	2.00	5.13	277	18.9	4	1.13	64
1219	2.50	5.14	275	18.9	4	0.96	64
1223	3.00	5.13	274	18.9	4	0.94	64

Metals sample collection if allowed to settle:

Date: _____ Time: _____ NTU: _____

Comments
Clear, slight odor

Field Tech: T. Wardell

- ¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Well ID	GWC-11
Date	1/7/2026
DTW ¹	36.31
DTB ²	41.17
1 Well Volume	$(DTB - DTW) * 0.163 = 0.79$
3 Well Volumes	$1 WV * 3 = 2.38$
Purge Method	Disposable Teflon Bailer
Sample Method	Disposable Teflon Bailer
Parameters	Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC ($\mu\text{S}/\text{cm}$)	T ($^{\circ}\text{C}$)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1448	1.00	5.10	419	19.6	> 1100	1.82	232
1216	2.00	5.13	277	18.9	4	1.13	64
1223	3.00	5.13	274	18.9	4	0.94	64

Metals sample collection if allowed to settle:

Date: 1/8/2026 Time: 0920 NTU: 17

Comments
Cloudy, no odor

Field Tech: D. Cantu

- ¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-12R
 Date 1/6/2026
 DTW¹ 11.10
 DTB² 29.79
 Purge Method Peristaltic Pump
 Sample Method Peristaltic Pump (Reverse Flow for VOC's)
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 1511 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1516	11.54	180	0.24	6.02	859	16.3	7	0.60	-44
1520	11.54	180	0.43	6.05	859	16.2	11	0.51	-63
1524	11.54	180	0.62	6.07	860	16.3	8	0.57	-71
1528	11.54	180	0.81	6.10	860	16.3	6	0.47	-78
1532	11.54	180	1.00	6.09	862	16.3	5	0.50	-82

Comments
Clear, odor present

Field Tech: T. Wardell

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-14R
 Date 1/6/2026
 DTW¹ 26.06
 DTB² 34.89
 Purge Method Peristaltic Pump
 Sample Method Peristaltic Pump (Reverse Flow for VOC's)
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 1251 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1256	26.12	150	0.20	5.88	87	16.6	4	1.88	32
1300	26.12	150	0.36	6.00	84	17.0	3	1.76	25
1304	26.12	150	0.52	6.00	83	17.2	4	1.56	28
1308	26.12	150	0.68	5.99	83	17.2	3	1.61	26

Comments
Clear, no odor

Field Tech: T. Wardell

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental

Site Eagle Point Landfill

Well ID GWC-15

Date 1/7/2026

DTW¹ 43.05

DTB² 46.35

1 Well Volume (DTB - DTW) * 0.163 = 0.54

3 Well Volumes 1 WV * 3 = 1.61

Purge Method Disposable Teflon Bailer

Sample Method Disposable Teflon Bailer

Parameters Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1330	0.75	5.19	53	17.9	5	1.52	289
1334	1.25	5.10	52	18.2	2	1.34	278

Metals sample collection if allowed to settle:

Date: _____ Time: _____ NTU: _____

Comments
Clear, slight odor, purged dry

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-16
Date 1/7/2026
DTW¹ 20.52
DTB² 24.62
Purge Method Peristaltic Pump
Sample Method Peristaltic Pump (Reverse Flow for VOC's)
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 0946 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0956	21.50	190	0.50	5.11	176	16.1	48	0.38	-1
0959	21.50	190	0.80	5.14	175	16.2	35	0.33	4
1002	21.50	190	1.00	5.14	175	16.2	33	0.28	6
1005	21.50	190	1.20	5.16	175	16.1	23	0.24	9
1008	21.50	190	1.40	5.16	174	16.1	22	0.21	12
1011	21.50	190	1.60	5.17	173	16.1	20	0.19	15
1014	21.50	190	1.80	5.17	173	16.2	16	0.17	18
1017	21.50	190	2.00	5.17	172	16.2	17	0.16	22
1020	21.50	190	2.20	5.18	172	16.2	13	0.16	24
1023	21.50	190	2.40	5.17	172	16.2	11	0.15	28
1026	21.50	190	2.60	5.17	171	16.3	11	0.16	31
1029	21.50	190	2.80	5.18	171	16.3	10	0.15	34
1032	21.50	190	3.00	5.17	171	16.3	10	0.14	38
1035	21.50	190	3.20	5.18	171	16.3	8	0.14	41

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-17
 Date 1/8/2026
 DTW¹ 46.88
 DTB² 54.75
 Purge Method Dedicated Bladder Pump
 Sample Method Dedicated Bladder Pump
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 1536 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1549	46.94	180	0.62	5.56	83	17.6	13	3.32	216
1554	46.94	180	0.81	5.47	80	17.3	9	1.38	261
1558	46.94	180	1.00	5.43	80	17.3	9	1.33	274
1602	46.94	180	1.19	5.39	79	17.2	8	1.20	287

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-18
 Date 1/8/2026
 DTW¹ 47.60
 DTB² 48.25
 Purge Method Dedicated Bladder Pump
 Sample Method Dedicated Bladder Pump
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = _____ LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)

Comments
Insufficient water for sampling purposes

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental

Site Eagle Point Landfill

Well ID GWC-19

Date 1/7/2026

DTW¹ 52.51

DTB² 55.18

1 Well Volume (DTB - DTW) * 0.163 = 0.44

3 Well Volumes 1 WV * 3 = 1.31

Purge Method Disposable Teflon Bailer

Sample Method Disposable Teflon Bailer

Parameters Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1309	0.50	5.87	131	18.5	2	4.86	233

Metals sample collection if allowed to settle:

Date: _____ Time: _____ NTU: _____

Comments
Clear, no odor, purged dry

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Well ID	GWC-20
Date	1/6/2026
DTW ¹	74.83
DTB ²	84.87
Purge Method	Dedicated Bladder Pump
Sample Method	Dedicated Bladder Pump
Stabilization	Yes
Parameters	Appendix I VOCs / Metals

Purge Start Time = 1519 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (μS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1527	74.96	280	0.54	8.00	169	14.3	7	1.70	203
1531	74.96	280	0.84	7.95	149	15.8	2	0.96	201
1535	74.96	280	1.14	7.89	147	15.6	2	0.87	202
1539	74.96	280	1.44	7.87	143	15.6	2	0.85	201
1543	74.96	280	1.74	7.85	144	15.6	2	0.82	201

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Well ID	GWC-21
Date	1/7/2026
DTW ¹	29.68
DTB ²	29.91
Purge Method	Peristaltic Pump
Sample Method	Peristaltic Pump (Reverse Flow for VOC's)
Stabilization	Yes
Parameters	Appendix I VOCs / Metals

Purge Start Time = _____ LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)

Comments

Insufficient water for sampling purposes

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-22
Date 1/6/2026
DTW¹ 70.48
DTB² 81.06
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1445 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1454	70.52	260	0.62	5.55	45	15.0	5	3.39	238
1458	70.52	260	0.89	5.51	44	15.0	2	3.21	245
1502	70.52	260	1.16	5.51	44	14.9	2	2.81	252
1506	70.52	260	1.43	5.51	44	14.9	2	2.85	255
1510	70.52	260	1.70	5.50	44	14.9	2	2.83	254

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-23
Date 1/6/2026
DTW¹ 83.21
DTB² 98.15
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1405 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC ($\mu\text{S}/\text{cm}$)	T ($^{\circ}\text{C}$)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1414	84.43	240	0.57	6.36	39	14.7	14	8.42	217
1418	84.47	240	0.82	6.37	39	14.7	11	8.83	221
1422	84.49	240	1.07	6.34	40	14.7	10	9.03	225
1426	84.49	240	1.32	6.37	40	14.7	10	8.94	223

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-28
Date 1/7/2026
DTW¹ 61.80
DTB² 71.81
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1126 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1138	61.94	240	0.76	6.21	44	16.2	1	5.84	159
1142	61.94	240	1.01	6.21	44	16.3	1	5.82	170
1146	61.94	240	1.26	6.20	44	16.2	1	5.80	174
1150	61.94	240	1.51	6.20	44	16.1	1	5.95	176

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-29
Date 1/7/2026
DTW¹ 52.91
DTB² 62.74
Purge Method Dedicated Bladder Pump
Sample Method Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1206 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC ($\mu\text{S/cm}$)	T ($^{\circ}\text{C}$)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1214	52.93	280	0.59	6.30	56	16.5	2	4.44	139
1218	52.93	280	0.89	5.84	33	16.6	2	5.79	194
1222	52.93	280	1.19	5.71	27	16.5	2	5.69	215
1226	52.93	280	1.49	5.62	25	16.5	2	6.35	229
1230	52.93	280	1.79	5.63	25	16.5	2	6.49	237
1234	52.93	280	2.09	5.60	24	16.5	2	6.37	211

Comments
Clear, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Well ID GWC-45
Date 1/8/2026
DTW¹ 56.66
DTB² 82.40
Purge Method Non-Dedicated Bladder Pump
Sample Method Non-Dedicated Bladder Pump
Stabilization Yes
Parameters Appendix I VOCs / Metals

Purge Start Time = 1436 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1446	59.03	160	0.42	8.03	206	16.2	24	6.17	121
1450	59.11	160	0.59	8.00	199	16.2	12	5.25	115
1454	59.19	160	0.76	7.97	195	16.3	8	4.68	109
1458	59.25	160	0.93	7.92	192	16.2	4	4.03	101
1502	59.27	160	1.10	7.95	188	16.0	2	3.91	96
1506	59.32	160	1.27	7.92	187	16.0	2	3.82	93
1510	59.40	160	1.44	7.94	188	16.0	2	3.73	91

Comments
Clear, slight odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client: GFL Environmental
 Site: Eagle Point Landfill
 Well ID: GWC-46
 Date: 1/8/2026
 DTW¹: 60.08
 DTB²: 90.63
 Purge Method: Non-Dedicated Bladder Pump
 Sample Method: Non-Dedicated Bladder Pump
 Stabilization: Yes
 Parameters: Appendix I VOCs / Metals

Purge Start Time = 1231 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (μS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1242	60.15	260	0.75	6.04	97	18.7	281	2.86	212
1246	60.19	260	1.02	6.05	98	18.6	211	2.80	214
1250	60.19	260	1.29	6.06	98	18.9	95	2.72	214
1254	60.20	260	1.56	6.05	99	19.1	77	2.56	215
1258	60.20	260	1.83	6.04	98	19.2	77	2.48	215
1302	60.20	260	2.10	6.05	98	18.9	77	2.44	217
0835	1/9/2026						7		

Comments
Cloudy, no odor, allowed to settle overnight

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Well ID	GWC-47
Date	1/8/2026
DTW ¹	57.29
DTB ²	82.72
Purge Method	Non-Dedicated Bladder Pump
Sample Method	Non-Dedicated Bladder Pump
Stabilization	Yes
Parameters	Appendix I VOCs / Metals

Purge Start Time = 1136 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1146	57.36	280	0.74	7.79	247	17.8	> 1100	2.18	190
1150	57.36	280	1.04	7.60	239	17.5	934	1.73	129
1154	57.37	280	1.34	7.53	231	17.6	555	1.86	97
1158	57.37	280	1.64	7.43	224	17.4	347	1.84	83
1202	57.37	280	1.94	7.41	219	17.3	333	1.95	77
1206	57.37	280	2.24	7.38	216	17.4	242	2.00	74
1210	57.37	280	2.54	7.37	214	17.5	191	2.09	73
1214	57.37	280	2.84	7.34	212	17.2	186	2.12	74
1218	57.37	280	3.14	7.35	211	17.0	183	2.11	74
0825	1/9/2026						17		

Comments
Cloudy, no odor, allowed to settle overnight

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-48
 Date 1/8/2026
 DTW¹ 40.59
 DTB² 67.57
 Purge Method Non-Dedicated Bladder Pump
 Sample Method Non-Dedicated Bladder Pump
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 0939 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1033	41.94	240	3.42	6.00	68	15.6	630	2.49	234
1037	41.94	240	3.67	5.99	68	15.6	415	2.48	236
1041	41.94	240	3.92	5.98	68	15.4	422	2.56	237
1045	41.94	240	4.17	5.97	67	15.6	369	2.47	237
1049	41.94	240	4.42	5.98	67	15.8	370	2.49	238
1053	41.94	240	4.67	5.97	67	16.1	367	2.46	238
1057	41.94	240	4.92	5.97	67	16.2	369	2.50	238
0816	1/9/2026						4		

Comments
Cloudy, no odor, allowed to settle overnight

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Well ID	GWC-49
Date	1/8/2026
DTW ¹	45.29
DTB ²	105.88
Purge Method	Non-Dedicated Bladder Pump
Sample Method	Non-Dedicated Bladder Pump
Stabilization	Yes
Parameters	Appendix I VOCs / Metals

Purge Start Time = 1334 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (μS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1343	47.43	240	0.57	8.06	149	17.3	85	0.67	-96
1347	47.48	240	0.82	8.18	149	17.0	112	0.34	-131
1351	47.49	240	1.07	8.22	149	16.9	82	0.30	-146
1355	47.52	240	1.32	8.23	149	16.9	85	0.38	-153
1359	47.60	240	1.57	8.22	149	16.9	87	0.42	-150
0846	1/9/2026						15		

Comments
Cloudy, strong odor, allowed to settle overnight

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

***EM** Services*

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
ID	Field Blank
Date	1/7/2026
Time	1521
Parameters	Appendix I VOCs / Metals

Comments
DI Water from Eurofins - Atlanta stored at EM Services' office. Field Blank poured directly into bottles at GWC-8.

Field Tech: M. Young

***EM** Services*

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Sample Method Directly into bottles
Parameters Appendix I VOCs, Chloride, TDS

Surface Water ID	Date	Time	pH	T (°C)	Comments
SWA-1	1/8/2026	1545	5.93	11.0	Clear, no odor, good flow
SWA-2	1/8/2026	1327	6.25	13.3	Clear, no odor, good flow
SWC-9	1/7/2026	1025	7.15	9.7	Clear, no odor, good flow
SWC-14	1/8/2026	1530	6.33	13.8	Clear, no odor, good flow

Field Tech: D. Cantu. M. Young

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Sample Method Directly into bottles
Parameters Appendix I VOCs, Chloride, TDS

Surface Water ID	Date	Time	pH	T (°C)	Comments
UD-6	1/8/2026	1135	5.66	27.8	Clear, no odor, good flow
UD-8	1/8/2026	1200	5.79	25.6	Clear, no odor, good flow
UD-13	1/7/2026	0950	6.27	20.4	Clear, strong odor, good flow

Field Tech: D. Cantu, M. Young

EM Services

Environmental Monitoring Services, LLC

Client GFL Environmental
Site Eagle Point Landfill
Date 1/6/2026

Well	DTW ¹	DTB ¹
GWA-1	18.38	38.30
GWA-2	41.33	50.09
GWC-1	24.15	34.90
GWC-2	38.60	41.44
GWC-3	28.61	46.90
GWC-4	18.03	38.56
GWC-5	10.49	23.19
GWC-6	27.75	37.54
GWC-7	30.30	91.33
GWC-7A	30.82	50.80
GWC-8	20.49	36.43
GWC-9	20.72	24.35
GWC-10	30.43	36.55
GWC-10D	18.16	36.30
GWC-11	36.31	41.17
GWC-12R	11.10	29.79
GWC-13	Dry	23.05
GWC-13R	28.63	37.94

Well	DTW ¹	DTB ¹
GWC-14R	26.06	34.89
GWC-15	43.05	46.35
GWC-16	20.52	24.62
GWC-17	46.88	54.75
GWC-18	47.60	49.29
GWC-19	52.51	55.18
GWC-20	74.83	84.87
GWC-21	29.68	29.91
GWC-22	70.48	81.06
GWC-23	83.21	98.15
GWC-27	52.81	53.75
GWC-28	64.80	71.81
GWC-29	52.91	62.74
GWC-45	56.66	82.4
GWC-46	60.08	90.63
GWC-47	57.29	82.72
GWC-48	40.59	67.57
GWC-49	45.29	105.88


1 Measured in feet from Top of Casing

**APPENDIX B
POTENTIOMETRIC SURFACE MAP**

METHANE MONITORING PROBE AS-BUILT INFORMATION

PROBE NUMBER	SURVEY PIN ELEVATION	TOP OF CASING ELEVATION	TOTAL PROBE DEPTH
MM-1S/1D	1126.60'	1129.32'	13.5'/35.0'
MM-2S/2D	1101.04'	1104.54'	25.5'/65.0'
MM-3S/3D	1,146.35'	1,149.98'	14.0'/39.5'
MM-4	1,127.04'	1,130.11'	22.0'
MM-4A	1,124.02'	1,126.02'	22.0'
MM-5	1,124.39'	1,127.11'	20.5'
MM-5A	1,148.90'	1,151.90'	30.0'
MM-6	1,161.77'	1,164.18'	14.8'
MM-7	1,121.52'	1,123.91'	9'
MM-8A	1,115.89'	1,119.67'	24.0'
MM-8S/8D	1,149.85'	1,152.75'	14/32'
MM-9S/9D	1,126.64'	1,129.24'	14/35'
MM-9A	1,087.83'	1,090.47'	5'
MM-10	1,079.58'	1,082.38'	14'
MM-11	1,051.26'	1,053.82'	17'

- NOTES:
1. ALL ELEVATIONS MEASURED IN FEET MEAN SEA LEVEL (FMSL)
 2. PROBE DEPTH MEASURED BELOW GROUND SURFACE (FEET)
 3. LOCATIONS MM-12 THROUGH MM-16 ARE STRUCTURES



LEGEND

- GWC-1 Groundwater Monitoring Well
- 1083.12 Groundwater Elevation (fmsl)
- 1040 Potentiometric Surface Contour
- Groundwater Flow Direction & Hydraulic Gradient
- $i = 0.0508$
- ▲ SWA-1 Surface Water Monitoring Point
- UD-6 Underdrain Monitoring Point
- ▲ MM-10 Methane Monitoring Probe (MM-12 through MM-16 are Structures)
- Waste Boundary
- - - Property Boundary

- NOTES:
1. Depth to water measurements were initiated by Environmental Monitoring Services, LLC on January 6, 2026.
 2. Basemap courtesy of Bunnell Lammons Engineering. Date of Aerial Topographic Survey: February 2017 by Southern Resources Mapping Corporation.



Scale in Feet
Graphic Scale: 1 inch = 600 feet



18 Lexington Oaks Court
Forsyth, MO 63348
314-496-4654
www.jettenviro.com

First Semi-Annual 2026 Event, Potentiometric Surface Map
Eagle Point Landfill, Forsyth County, Georgia

**Groundwater Elevation Summary Table
Eagle Point Landfill**

Well	Top of PVC Casing Elevation (fmsl)¹	Depth to Water (ft)²	Groundwater Elevation (fmsl)
GWA-1	1124.69	18.38	1106.31
GWA-2	1152.92	41.33	1111.59
GWC-1	1107.27	24.15	1083.12
GWC-2	1100.22	38.60	1061.62
GWC-3	1072.84	28.61	1044.23
GWC-4	1039.25	18.03	1021.22
GWC-5	1022.71	10.49	1012.22
GWC-6	1040.34	27.75	1012.59
GWC-7	1035.77	30.30	1005.47
GWC-7A	1036.01	30.82	1005.19
GWC-8	1023.98	20.49	1003.49
GWC-9	1009.70	20.72	988.98
GWC-10	1005.66	30.43	975.23
GWC-10D	992.67	18.16	974.51
GWC-11	1030.15	36.31	993.84
GWC-12R	1043.41	11.10	1032.31
GWC-13	1038.00	Dry	Dry
GWC-13R	1035.70	28.63	1007.07
GWC-14R	1014.46	26.06	988.40
GWC-15	1044.91	43.05	1001.86
GWC-16	1020.31	20.52	999.79
GWC-17	1024.49	46.88	977.61
GWC-18	1038.15	47.60	990.55
GWC-19	1084.78	52.51	1032.27
GWC-20	1109.86	74.83	1035.03
GWC-21	1085.67	29.68	1055.99
GWC-22	1136.10	70.48	1065.62
GWC-23	1127.13	83.21	1043.92
GWC-27	1054.73	52.81	1001.92
GWC-28	1105.07	64.80	1040.27
GWC-29	1101.73	52.91	1048.82
GWC-45	1054.81	56.66	998.15
GWC-46	1095.08	60.08	1035.00
GWC-47	1094.91	57.29	1037.62
GWC-48	1098.17	40.59	1057.58
GWC-49	1144.75	45.29	1099.46

Note 1: Source of top of PVC casing elevation is from Table 1 of the Second 2023 Semi-Annual Water Quality Report by Bunnell-Lammons Engineering, Inc., dated October 11, 2023 (wells GWA-1 through GWC-29).

Source of top of PVC casing elevation is from Table 1 of the Report of Groundwater Monitoring Well Installation by Bunnell-Lammons Engineering, Inc., dated January 26, 2026. (wells GWC-45 through GWC-49).

Note 2: Depth to water measurements were initiated by Environmental Monitoring Services, LLC on January 6, 2026.

fmsl: feet above mean sea level.

ft: feet.

Groundwater Flow Rate Calculations First Semi-Annual 2026 Event Eagle Point Landfill							
	Hydraulic Conductivity			Hydraulic Gradient (ft/ft)	Effective Porosity	Flow Velocity (ft/day)	Flow Velocity (ft/year)
	K(ft/min)	K(cm/sec)	K(ft/day)				
High Flow Velocity	0.0094	0.0048	14	0.0830	20%	5.81	2121
Low Flow Velocity	0.000044	0.000022	0.063	0.0411	40%	0.0065	2
Geometric Mean Flow	0.00064	0.00032	0.94	0.0584	30%	0.1828	67

Hydraulic conductivities and effective porosities taken from the Second 2023 Semi-Annual Water Quality Report by Bunnell-Lammons Engineering, Inc., dated October 11, 2023.

Highest and Lowest hydraulic gradients from this event's potentiometric surface map.

ft/min: feet per minute.

cm/sec: centimeter per second.

ft/day: feet per day.

ft/ft: feet per foot.

ft/year: feet per year.

APPENDIX C
STATISTICAL EVALUATIONS

Prediction Limit

Eagle Point Client: GFL Data: Eagle Point Printed 2/23/2026, 4:38 PM

Constituent	Well	Upper Lim.	Lower Lim.	Date	Obsrv.	Sig.	Bg N	Bg Mean	Std. Dev.	%NDs	ND Adj.	Transform	Alpha	Method
Barium Total (ug/L)	GWC-10	160	n/a	1/6/2026	166	Yes	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-11	160	n/a	1/8/2026	227	Yes	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-12R	160	n/a	1/6/2026	90.9	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-14R	160	n/a	1/6/2026	20.6	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-15	160	n/a	1/7/2026	146	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-16	160	n/a	1/7/2026	112	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-17	160	n/a	1/8/2026	34.4	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-19	160	n/a	1/7/2026	43.4	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-2	160	n/a	1/8/2026	17.7	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-20	160	n/a	1/6/2026	20ND	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-22	160	n/a	1/6/2026	11	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-23	160	n/a	1/6/2026	20.3	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-28	160	n/a	1/7/2026	6.6	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-29	160	n/a	1/7/2026	5.5	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-3	160	n/a	1/8/2026	18.3	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-4	160	n/a	1/7/2026	30.9	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-5	160	n/a	1/7/2026	31.4	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-6	160	n/a	1/6/2026	71.9	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-7	160	n/a	1/6/2026	22.4	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-7A	160	n/a	1/6/2026	30	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-8	160	n/a	1/7/2026	46.5	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Barium Total (ug/L)	GWC-9	160	n/a	1/6/2026	107	No	102	n/a	n/a	66.67	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-13R	3.0	n/a	1/7/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-1	3.0	n/a	1/7/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-10	3.0	n/a	1/6/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-11	3.0	n/a	1/8/2026	0.56	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-12R	3.0	n/a	1/6/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-14R	3.0	n/a	1/6/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-15	3.0	n/a	1/7/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-16	3.0	n/a	1/7/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-17	3.0	n/a	1/8/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-19	3.0	n/a	1/7/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-2	3.0	n/a	1/8/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-20	3.0	n/a	1/6/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-22	3.0	n/a	1/6/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-23	3.0	n/a	1/6/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-28	3.0	n/a	1/7/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-29	3.0	n/a	1/7/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-3	3.0	n/a	1/8/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-4	3.0	n/a	1/7/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-5	3.0	n/a	1/7/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-6	3.0	n/a	1/6/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-7	3.0	n/a	1/6/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-7A	3.0	n/a	1/6/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-8	3.0	n/a	1/7/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Beryllium Total (ug/L)	GWC-9	3.0	n/a	1/6/2026	3ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-13R	5.0	n/a	1/7/2026	5ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-1	5.0	n/a	1/7/2026	5ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-10	5.0	n/a	1/6/2026	5ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Cadmium Total (ug/L)	GWC-11	5.0	n/a	1/8/2026	5ND	No	102	n/a	n/a	100	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2

Prediction Limit


Eagle Point Client: GFL Data: Eagle Point Printed 2/23/2026, 4:38 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>Bg Mean</u>	<u>Std. Dev.</u>	<u>%NDs</u>	<u>ND Adj.</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Zinc Total (ug/L)	GWC-28	150	n/a	1/7/2026	20ND	No	102	n/a	n/a	87.25	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-29	150	n/a	1/7/2026	44.8	No	102	n/a	n/a	87.25	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-3	150	n/a	1/8/2026	20ND	No	102	n/a	n/a	87.25	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-4	150	n/a	1/7/2026	16.9	No	102	n/a	n/a	87.25	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-5	150	n/a	1/7/2026	20ND	No	102	n/a	n/a	87.25	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-6	150	n/a	1/6/2026	13.5	No	102	n/a	n/a	87.25	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-7	150	n/a	1/6/2026	20ND	No	102	n/a	n/a	87.25	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-7A	150	n/a	1/6/2026	20ND	No	102	n/a	n/a	87.25	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-8	150	n/a	1/7/2026	20ND	No	102	n/a	n/a	87.25	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2
Zinc Total (ug/L)	GWC-9	150	n/a	1/6/2026	28.2	No	102	n/a	n/a	87.25	n/a	n/a	0.0001844	NP Inter (NDs) 1 of 2

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 100% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Antimony Total Analysis Run 2/23/2026 4:36 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 100% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Arsenic Total Analysis Run 2/23/2026 4:36 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Exceeds Limit: GWC-10, GWC-11

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 66.67% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. After outlier removal distribution was non-normal, so outlier results were invalidated.


Constituent: Barium Total Analysis Run 2/23/2026 4:36 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 100% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Beryllium Total Analysis Run 2/23/2026 4:36 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 100% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Cadmium Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 92.16% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. After outlier removal distribution was non-normal, so outlier results were invalidated.


Constituent: Chromium Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Exceeds Limit: GWC-12R, GWC-9

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 100% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Cobalt Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 97.06% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. After outlier removal distribution was non-normal, so outlier results were invalidated.


Constituent: Copper Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 100% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Lead Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 99.02% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Nickel Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 100% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Selenium Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 100% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Silver Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 100% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. Distribution was found to be non-normal after removal of suspect values, so outliers could not be identified.


Constituent: Thallium Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 94.12% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. After outlier removal distribution was non-normal, so outlier results were invalidated.


Constituent: Vanadium Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point

Within Limit

Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 102 background values. 87.25% NDs. Annual per-constituent alpha = 0.008813. Individual comparison alpha = 0.0001844 (1 of 2). Comparing 24 points to limit. After outlier removal distribution was non-normal, so outlier results were invalidated.

Constituent: Zinc Total Analysis Run 2/23/2026 4:37 PM View: Inter-Well PLs

Eagle Point Client: GFL Data: Eagle Point


TIME SERIES TREND ANALYSIS

Time Series




Constituent: Antimony Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Arsenic Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Barium Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Beryllium Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Cadmium Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Chromium Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Cobalt Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Copper Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
 Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Lead Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Nickel Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Selenium Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
 Eagle Point Client: GFL Data: Eagle Point

Time Series



Constituent: Silver Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point


Time Series



Constituent: Thallium Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals


Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Vanadium Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series



Constituent: Zinc Total Analysis Run 2/23/2026 4:54 PM View: TS - Metals
Eagle Point Client: GFL Data: Eagle Point

Time Series



Time Series

Constituent: Benzene (ug/L) Analysis Run 2/23/2026 4:50 PM View: TS - VOCs

Eagle Point Client: GFL Data: Eagle Point

GWC-12R

7/6/2009	<2
1/6/2010	<2
7/8/2010	<2
1/7/2011	<2
7/7/2011	<2
1/15/2012	<2
7/6/2012	<2
1/9/2013	<2
7/3/2013	<2
2/5/2014	<2
7/23/2014	<2
1/28/2015	<2
7/18/2015	<2
1/29/2016	<2
7/27/2016	2.1
1/15/2017	2.3
7/6/2017	<2
1/4/2018	2.3
7/25/2018	2.9
1/17/2019	2.1
7/18/2019	2.8
1/8/2020	2.7
7/9/2020	3.15
1/7/2021	2.7
7/9/2021	2.6
1/5/2022	2.1
7/8/2022	3.3
1/6/2023	<2
7/13/2023	2.6
1/11/2024	2.2
7/10/2024	<1
1/8/2025	2.2
7/9/2025	1.9
1/6/2026	1.9

APPENDIX D
LABORATORY ANALYTICAL REPORT



February 23, 2026

Bob Hayes
GFL Environmental
8880 Old Federal Road
Ball Ground, GA 30107

RE: Project: GFL - Eagle Point Landfill
Pace Project No.: 92838345

Dear Bob Hayes:

Enclosed are the analytical results for sample(s) received by the laboratory on January 09, 2026. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Asheville
- Pace Analytical Services - Charlotte
- Pace Analytical Services - Ormond Beach

Revision issued 2/23/26 to update metals reporting limits.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Taylor M Cannon
taylor.cannon@pacelabs.com
704-977-0943
Project Manager

Enclosures

cc: Robert Heller, Hodges, Harbin, Newberry & Tribble, Inc.
Steve Jett, Jett Environmental



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Pace Analytical Services Ormond Beach

8 East Tower Circle, Ormond Beach, FL 32174

Alaska DEC- CS/UST/LUST

Alabama Certification #: 41320

California Certification# 3096

Colorado Certification: FL NELAC Reciprocity

Connecticut Certification #: PH-0216

Delaware Certification: FL NELAC Reciprocity

DoD-ANAB #:ADE-3199

Florida Certification #: E83079

Georgia Certification #: 955

Guam Certification: FL NELAC Reciprocity

Hawaii Certification: FL NELAC Reciprocity

Illinois Certification #: 200068

Indiana Certification: FL NELAC Reciprocity

Kansas Certification #: E-10383

Kentucky Certification #: 90050

Louisiana Certification #: FL NELAC Reciprocity

Louisiana Environmental Certificate #: 05007

Maine Certification #: FL01264

Maryland Certification: #346

Massachusetts Certification #: M-FL1264

Michigan Certification #: 9911

Mississippi Certification: FL NELAC Reciprocity

Missouri Certification #: 236

Montana Certification #: Cert 0074

Nebraska Certification: NE-OS-28-14

Nevada Certification: FL NELAC Reciprocity

New Hampshire Certification #: 2958

New Jersey Certification #: FL022

New York Certification #: 11608

North Carolina Environmental Certificate #: 667

North Carolina Certification #: 12710

North Dakota Certification #: R-216

Ohio DEP 87780

Oklahoma Certification #: D9947

Pennsylvania Certification #: 68-00547

Puerto Rico Certification #: FL01264

South Carolina Certification: #96042001

Tennessee Certification #: TN02974

Texas Certification: FL NELAC Reciprocity

US Virgin Islands Certification: FL NELAC Reciprocity

Utah

Utah FL NELAC Reciprocity

Virginia Environmental Certification #: 460165

Washington Certification #: C955

West Virginia Certification #: 9962C

Wisconsin Certification #: 399079670

Wyoming (EPA Region 8): FL NELAC Reciprocity

Pace Analytical Services Charlotte

South Carolina Laboratory ID: 99006

9800 Kincey Ave. Ste 100, Huntersville, NC 28078

North Carolina Drinking Water Certification #: 37706

North Carolina Field Services Certification #: 5342

North Carolina Wastewater Certification #: 12

South Carolina Laboratory ID: 99006

South Carolina Certification #: 99006001

South Carolina Drinking Water Cert. #: 99006003

Florida/NELAP Certification #: E87627

Kentucky UST Certification #: 84

Louisiana DoH Drinking Water #: LA029

Virginia/VELAP Certification #: 460221

Pace Analytical Services Asheville

2225 Riverside Drive, Asheville, NC 28804

Florida/NELAP Certification #: E87648

North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40

South Carolina Laboratory ID: 99030

South Carolina Certification #: 99030001

Virginia/VELAP Certification #: 460222

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92838345001	GWA-1	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345002	GWA-2	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345003	GWC-1	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345004	GWC-2	EPA 8260D	LMB	50	PASI-C
92838345005	GWC-2	EPA 6020	EAP	15	PASI-O
92838345006	GWC-3	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345007	GWC-4	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345008	GWC-5	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345009	GWC-6	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345010	GWC-7	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345011	GWC-7A	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345012	GWC-8	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345013	GWC-9	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345014	GWC-10	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345015	GWC-11	EPA 8260D	LMB	50	PASI-C
92838345016	GWC-11	EPA 6020	ADS, EAP	15	PASI-O
92838345017	GWC-12R	EPA 6020	ADS	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345018	GWC-13R	EPA 6020	ADS	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345019	GWC-14R	EPA 6020	ADS	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345020	GWC-15	EPA 6020	ADS	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345021	GWC-16	EPA 6020	ADS	15	PASI-O

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92838345022	GWC-17	EPA 8260D	LMB	50	PASI-C
		EPA 6020	ADS	15	PASI-O
92838345023	GWC-19	EPA 8260D	LMB	50	PASI-C
		EPA 6020	ADS	15	PASI-O
92838345024	GWC-20	EPA 8260D	LMB	50	PASI-C
		EPA 6020	EAP	15	PASI-O
92838345025	GWC-22	EPA 8260D	LMB	50	PASI-C
		EPA 6020	ADS	15	PASI-O
92838345026	GWC-23	EPA 8260D	LMB	50	PASI-C
		EPA 6020	ADS	15	PASI-O
92838345027	GWC-28	EPA 8260D	LMB	50	PASI-C
		EPA 6020	EAP	15	PASI-O
92838345028	GWC-29	EPA 8260D	LMB	50	PASI-C
		EPA 6020	EAP	15	PASI-O
92838345029	GWC-45	EPA 8260D	LMB	50	PASI-C
		EPA 6020	ADS	15	PASI-O
92838345030	GWC-46	EPA 8260D	LMB	50	PASI-C
92838345031	GWC-46	EPA 6020	ADS	15	PASI-O
92838345032	GWC-47	EPA 8260D	LMB	50	PASI-C
92838345033	GWC-47	EPA 6020	ADS	15	PASI-O
92838345034	GWC-48	EPA 8260D	LMB	50	PASI-C
92838345035	GWC-48	EPA 6020	EAP	15	PASI-O
92838345036	GWC-49	EPA 8260D	LMB	50	PASI-C
92838345037	GWC-49	EPA 6020	ADS	15	PASI-O
92838345038	FIELD BLANK	EPA 6020	EAP	15	PASI-O
		EPA 8260D	LMB	50	PASI-C
92838345039	TRIP BLANK	EPA 8260D	LMB	50	PASI-C
92838345040	SWA-1	EPA 8260D	LMB	50	PASI-C
		SM 2540C-2020	ACE	1	PASI-A
92838345041	SWA-2	EPA 9056A	JCM	1	PASI-A
		EPA 8260D	LMB	50	PASI-C
92838345042	SWC-9	SM 2540C-2020	ACE	1	PASI-A
		EPA 9056A	JCM	1	PASI-A
92838345042	SWC-9	EPA 8260D	LMB	50	PASI-C
		SM 2540C-2020	CDM	1	PASI-A
		EPA 9056A	JCM	1	PASI-A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92838345043	UD-6	EPA 8260D	LMB	50	PASI-C
		SM 2540C-2020	ACE	1	PASI-A
		EPA 9056A	JCM	1	PASI-A
92838345044	UD-8	EPA 8260D	LMB	50	PASI-C
		SM 2540C-2020	ACE	1	PASI-A
		EPA 9056A	JCM	1	PASI-A
92838345045	UD-13	EPA 8260D	LMB	50	PASI-C
		SM 2540C-2020	CDM	1	PASI-A
		EPA 9056A	JCM	1	PASI-A
92838345046	SWC-14	EPA 8260D	LMB	50	PASI-C
		SM 2540C-2020	ACE	1	PASI-A
		EPA 9056A	JCM	1	PASI-A

PASI-A = Pace Analytical Services - Asheville

PASI-C = Pace Analytical Services - Charlotte

PASI-O = Pace Analytical Services - Ormond Beach

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWA-1 **Lab ID: 92838345001** Collected: 01/07/26 11:22 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 09:43		
Collected By	M Young			1		01/13/26 09:43		
Collected Date	1/7/26			1		01/13/26 09:43		
Collected Time	11:22			1		01/13/26 09:43		
pH	4.71	Std. Units		1		01/13/26 09:43		
Temperature	16.6	deg C		1		01/13/26 09:43		
Appearance	Clear			1		01/13/26 09:43		
Specific Conductance	18	umhos/cm		1		01/13/26 09:43		
Oxygen, Dissolved	4.29	mg/L		1		01/13/26 09:43	7782-44-7	
REDOX	105	mV		1		01/13/26 09:43		
Turbidity	3	NTU		1		01/13/26 09:43		
Odor	None			1		01/13/26 09:43		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 01:02	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:02	7440-38-2	
Barium	16.3	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:02	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:02	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:02	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:02	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:02	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:02	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:02	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:02	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:02	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:02	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:02	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:02	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:02	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 20:19	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 20:19	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 20:19	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 20:19	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 20:19	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 20:19	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 20:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 20:19	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 20:19	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 20:19	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 20:19	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 20:19	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWA-1	Lab ID: 92838345001	Collected: 01/07/26 11:22	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/12/26 20:19	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 20:19	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 20:19	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 20:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 20:19	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 20:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 20:19	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 20:19	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 20:19	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 20:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 20:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:19	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 20:19	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 20:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 20:19	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 20:19	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 20:19	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 20:19	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 20:19	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 20:19	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 20:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 20:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 20:19	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 20:19	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 20:19	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 20:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 20:19	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 20:19	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 20:19	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 20:19	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 20:19	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 20:19	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 20:19	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	97	%	70-130	1		01/12/26 20:19	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130	1		01/12/26 20:19	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		01/12/26 20:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWA-2 **Lab ID: 92838345002** Collected: 01/08/26 10:36 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 09:44		
Collected By	M Young			1		01/13/26 09:44		
Collected Date	1/8/26			1		01/13/26 09:44		
Collected Time	10:36			1		01/13/26 09:44		
pH	5.10	Std. Units		1		01/13/26 09:44		
Temperature	15.5	deg C		1		01/13/26 09:44		
Appearance	clear			1		01/13/26 09:44		
Specific Conductance	23	umhos/cm		1		01/13/26 09:44		
Oxygen, Dissolved	6.99	mg/L		1		01/13/26 09:44	7782-44-7	
REDOX	97	mV		1		01/13/26 09:44		
Turbidity	2	NTU		1		01/13/26 09:44		
Odor	No Odor			1		01/13/26 09:44		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 16:30	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:30	7440-38-2	
Barium	13.4	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:30	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 16:30	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 16:30	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:30	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:30	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:30	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 16:30	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:30	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:30	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:30	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 16:30	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 16:30	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 16:30	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 20:37	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 20:37	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 20:37	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 20:37	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 20:37	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 20:37	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 20:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 20:37	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 20:37	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 20:37	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 20:37	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 20:37	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWA-2	Lab ID: 92838345002	Collected: 01/08/26 10:36	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/12/26 20:37	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 20:37	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 20:37	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 20:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 20:37	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 20:37	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 20:37	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 20:37	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 20:37	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 20:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 20:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:37	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 20:37	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 20:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 20:37	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 20:37	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 20:37	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 20:37	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 20:37	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 20:37	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 20:37	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 20:37	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 20:37	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 20:37	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 20:37	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 20:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 20:37	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 20:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 20:37	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 20:37	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 20:37	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 20:37	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 20:37	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/12/26 20:37	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130	1		01/12/26 20:37	17060-07-0	
Toluene-d8 (S)	103	%	70-130	1		01/12/26 20:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-1 **Lab ID: 92838345003** Collected: 01/07/26 12:23 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 09:45		
Collected By	M Young			1		01/13/26 09:45		
Collected Date	1/7/26			1		01/13/26 09:45		
Collected Time	12:23			1		01/13/26 09:45		
pH	5.85	Std. Units		1		01/13/26 09:45		
Temperature	18.8	deg C		1		01/13/26 09:45		
Appearance	clear			1		01/13/26 09:45		
Specific Conductance	55	umhos/cm		1		01/13/26 09:45		
Oxygen, Dissolved	4.69	mg/L		1		01/13/26 09:45	7782-44-7	
REDOX	40	mV		1		01/13/26 09:45		
Turbidity	4	NTU		1		01/13/26 09:45		
Odor	No Odor			1		01/13/26 09:45		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 01:20	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:20	7440-38-2	
Barium	13.7	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:20	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:20	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:20	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:20	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:20	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:20	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:20	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:20	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:20	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:20	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:20	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:20	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:20	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D

Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 20:56	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 20:56	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 20:56	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 20:56	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 20:56	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 20:56	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 20:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 20:56	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 20:56	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 20:56	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 20:56	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 20:56	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-1	Lab ID: 92838345003	Collected: 01/07/26 12:23	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Chloroform	ND	ug/L	1.0	1		01/12/26 20:56	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 20:56	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 20:56	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 20:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 20:56	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 20:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 20:56	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 20:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 20:56	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 20:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 20:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:56	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 20:56	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 20:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 20:56	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 20:56	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 20:56	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 20:56	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 20:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 20:56	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 20:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 20:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 20:56	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 20:56	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 20:56	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 20:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 20:56	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 20:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 20:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 20:56	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 20:56	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 20:56	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 20:56	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/12/26 20:56	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130	1		01/12/26 20:56	17060-07-0	
Toluene-d8 (S)	103	%	70-130	1		01/12/26 20:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-2	Lab ID: 92838345004	Collected: 01/07/26 12:56	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 09:46		
Collected By	M Young			1		01/13/26 09:46		
Collected Date	1/7/26			1		01/13/26 09:46		
Collected Time	12:56			1		01/13/26 09:46		
pH	5.45	Std. Units		1		01/13/26 09:46		
Temperature	18.4	deg C		1		01/13/26 09:46		
Appearance	cloudy			1		01/13/26 09:46		
Specific Conductance	24	umhos/cm		1		01/13/26 09:46		
Oxygen, Dissolved	5.11	mg/L		1		01/13/26 09:46	7782-44-7	
REDOX	46	mV		1		01/13/26 09:46		
Turbidity	144	NTU		1		01/13/26 09:46		
Odor	No Odor			1		01/13/26 09:46		
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/12/26 21:14	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 21:14	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 21:14	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 21:14	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 21:14	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 21:14	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 21:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 21:14	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 21:14	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 21:14	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 21:14	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 21:14	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/12/26 21:14	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 21:14	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 21:14	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 21:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 21:14	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 21:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 21:14	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 21:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 21:14	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 21:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 21:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 21:14	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 21:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 21:14	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 21:14	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-2	Lab ID: 92838345004	Collected: 01/07/26 12:56	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
2-Hexanone	ND	ug/L	5.0	1		01/12/26 21:14	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 21:14	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 21:14	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 21:14	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 21:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 21:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 21:14	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 21:14	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 21:14	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 21:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 21:14	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 21:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 21:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 21:14	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 21:14	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 21:14	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 21:14	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/12/26 21:14	460-00-4	
1,2-Dichloroethane-d4 (S)	96	%	70-130	1		01/12/26 21:14	17060-07-0	
Toluene-d8 (S)	106	%	70-130	1		01/12/26 21:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-2	Lab ID: 92838345005	Collected: 01/08/26 08:55	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 01:23	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:23	7440-38-2	
Barium	17.7	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:23	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:23	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:23	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:23	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:23	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:23	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:23	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:23	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:23	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:23	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:23	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:23	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:23	7440-66-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-3 **Lab ID: 92838345006** Collected: 01/08/26 09:42 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 09:48		
Collected By	M Young			1		01/13/26 09:48		
Collected Date	1/8/26			1		01/13/26 09:48		
Collected Time	09:42			1		01/13/26 09:48		
pH	4.53	Std. Units		1		01/13/26 09:48		
Temperature	14.7	deg C		1		01/13/26 09:48		
Appearance	clear			1		01/13/26 09:48		
Specific Conductance	17	umhos/cm		1		01/13/26 09:48		
Oxygen, Dissolved	6.36	mg/L		1		01/13/26 09:48	7782-44-7	
REDOX	143	mV		1		01/13/26 09:48		
Turbidity	1	NTU		1		01/13/26 09:48		
Odor	No Odor			1		01/13/26 09:48		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 01:25	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:25	7440-38-2	
Barium	18.3	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:25	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:25	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:25	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:25	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:25	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:25	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:25	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:25	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:25	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:25	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:25	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:25	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:25	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D

Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 21:32	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 21:32	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 21:32	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 21:32	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 21:32	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 21:32	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 21:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 21:32	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 21:32	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 21:32	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 21:32	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 21:32	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-3	Lab ID: 92838345006	Collected: 01/08/26 09:42	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Chloroform	ND	ug/L	1.0	1		01/12/26 21:32	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 21:32	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 21:32	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 21:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 21:32	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 21:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 21:32	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 21:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 21:32	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 21:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 21:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 21:32	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 21:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 21:32	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 21:32	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 21:32	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 21:32	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 21:32	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 21:32	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 21:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 21:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 21:32	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 21:32	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 21:32	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 21:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 21:32	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 21:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 21:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 21:32	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 21:32	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 21:32	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 21:32	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/12/26 21:32	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130	1		01/12/26 21:32	17060-07-0	
Toluene-d8 (S)	103	%	70-130	1		01/12/26 21:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-4	Lab ID: 92838345007	Collected: 01/07/26 13:44	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 09:49		
Collected By	M Young			1		01/13/26 09:49		
Collected Date	1/7/26			1		01/13/26 09:49		
Collected Time	13:44			1		01/13/26 09:49		
pH	4.80	Std. Units		1		01/13/26 09:49		
Temperature	17.2	deg C		1		01/13/26 09:49		
Appearance	clear			1		01/13/26 09:49		
Specific Conductance	42	umhos/cm		1		01/13/26 09:49		
Oxygen, Dissolved	0.21	mg/L		1		01/13/26 09:49	7782-44-7	
REDOX	71	mV		1		01/13/26 09:49		
Turbidity	2	NTU		1		01/13/26 09:49		
Odor	No Odor			1		01/13/26 09:49		
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3010 Pace Analytical Services - Ormond Beach								
Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 01:28	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:28	7440-38-2	
Barium	30.9	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:28	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:28	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:28	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:28	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:28	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:28	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:28	7439-92-1	
Nickel	5.1	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:28	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:28	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:28	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:28	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:28	7440-62-2	
Zinc	16.9	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:28	7440-66-6	
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/12/26 21:50	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 21:50	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 21:50	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 21:50	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 21:50	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 21:50	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 21:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 21:50	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 21:50	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 21:50	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 21:50	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 21:50	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-4	Lab ID: 92838345007	Collected: 01/07/26 13:44	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Chloroform	ND	ug/L	1.0	1		01/12/26 21:50	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 21:50	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 21:50	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 21:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 21:50	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 21:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 21:50	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 21:50	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 21:50	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 21:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 21:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 21:50	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 21:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 21:50	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 21:50	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 21:50	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 21:50	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 21:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 21:50	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 21:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 21:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 21:50	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 21:50	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 21:50	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 21:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 21:50	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 21:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 21:50	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 21:50	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 21:50	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 21:50	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 21:50	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	99	%	70-130	1		01/12/26 21:50	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130	1		01/12/26 21:50	17060-07-0	
Toluene-d8 (S)	103	%	70-130	1		01/12/26 21:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-5	Lab ID: 92838345008	Collected: 01/07/26 14:21	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 09:53		
Collected By	M Young			1		01/13/26 09:53		
Collected Date	1/7/26			1		01/13/26 09:53		
Collected Time	14:21			1		01/13/26 09:53		
pH	5.28	Std. Units		1		01/13/26 09:53		
Temperature	17.8	deg C		1		01/13/26 09:53		
Appearance	clear			1		01/13/26 09:53		
Specific Conductance	68	umhos/cm		1		01/13/26 09:53		
Oxygen, Dissolved	2.13	mg/L		1		01/13/26 09:53	7782-44-7	
REDOX	53	mV		1		01/13/26 09:53		
Turbidity	4	NTU		1		01/13/26 09:53		
Odor	No Odor			1		01/13/26 09:53		
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3010 Pace Analytical Services - Ormond Beach								
Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 01:30	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:30	7440-38-2	
Barium	31.4	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:30	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:30	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:30	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:30	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:30	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:30	7440-50-8	
Lead	1.7	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:30	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:30	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:30	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:30	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:30	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:30	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:30	7440-66-6	
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/12/26 22:09	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 22:09	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 22:09	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 22:09	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 22:09	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 22:09	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 22:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 22:09	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 22:09	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 22:09	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 22:09	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 22:09	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-5	Lab ID: 92838345008	Collected: 01/07/26 14:21	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/12/26 22:09	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 22:09	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 22:09	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 22:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 22:09	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 22:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 22:09	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 22:09	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 22:09	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 22:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 22:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:09	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 22:09	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 22:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 22:09	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 22:09	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 22:09	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 22:09	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 22:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 22:09	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 22:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 22:09	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 22:09	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 22:09	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 22:09	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 22:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 22:09	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 22:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 22:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 22:09	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 22:09	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 22:09	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 22:09	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	96	%	70-130	1		01/12/26 22:09	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130	1		01/12/26 22:09	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/12/26 22:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-6	Lab ID: 92838345009	Collected: 01/06/26 10:52	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 09:54		
Collected By	D Cantu			1		01/13/26 09:54		
Collected Date	1/6/26			1		01/13/26 09:54		
Collected Time	10:52			1		01/13/26 09:54		
pH	5.57	Std. Units		1		01/13/26 09:54		
Temperature	17.1	deg C		1		01/13/26 09:54		
Appearance	clear			1		01/13/26 09:54		
Specific Conductance	80	umhos/cm		1		01/13/26 09:54		
Oxygen, Dissolved	1.06	mg/L		1		01/13/26 09:54	7782-44-7	
REDOX	263	mV		1		01/13/26 09:54		
Turbidity	2	NTU		1		01/13/26 09:54		
Odor	No Odor			1		01/13/26 09:54		
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3010 Pace Analytical Services - Ormond Beach								
Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 01:33	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:33	7440-38-2	
Barium	71.9	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:33	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:33	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:33	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:33	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:33	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:33	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:33	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:33	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:33	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:33	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:33	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:33	7440-62-2	
Zinc	13.5	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:33	7440-66-6	
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/12/26 22:27	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 22:27	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 22:27	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 22:27	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 22:27	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 22:27	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 22:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 22:27	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 22:27	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 22:27	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 22:27	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 22:27	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-6	Lab ID: 92838345009	Collected: 01/06/26 10:52	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Chloroform	ND	ug/L	1.0	1		01/12/26 22:27	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 22:27	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 22:27	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 22:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 22:27	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 22:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 22:27	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 22:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 22:27	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 22:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 22:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 22:27	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 22:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 22:27	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 22:27	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 22:27	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 22:27	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 22:27	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 22:27	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 22:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 22:27	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 22:27	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 22:27	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 22:27	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 22:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 22:27	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 22:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 22:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 22:27	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 22:27	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 22:27	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 22:27	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/12/26 22:27	460-00-4	
1,2-Dichloroethane-d4 (S)	0	%	70-130	1		01/12/26 22:27	17060-07-0	S0
Toluene-d8 (S)	104	%	70-130	1		01/12/26 22:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-7 **Lab ID: 92838345010** Collected: 01/06/26 12:08 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 09:55		
Collected By	D Cantu			1		01/13/26 09:55		
Collected Date	1/6/26			1		01/13/26 09:55		
Collected Time	12:08			1		01/13/26 09:55		
pH	6.73	Std. Units		1		01/13/26 09:55		
Temperature	17.6	deg C		1		01/13/26 09:55		
Appearance	clear			1		01/13/26 09:55		
Specific Conductance	107	umhos/cm		1		01/13/26 09:55		
Oxygen, Dissolved	5.57	mg/L		1		01/13/26 09:55	7782-44-7	
REDOX	205	mV		1		01/13/26 09:55		
Turbidity	9	NTU		1		01/13/26 09:55		
Odor	No Odor			1		01/13/26 09:55		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 01:36	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:36	7440-38-2	
Barium	22.4	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:36	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:36	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:36	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:36	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:36	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:36	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:36	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:36	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:36	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:36	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:36	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:36	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:36	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D

Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 20:57	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 20:57	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 20:57	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 20:57	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 20:57	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 20:57	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 20:57	74-83-9	v2
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 20:57	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 20:57	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 20:57	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 20:57	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 20:57	75-00-3	v2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-7	Lab ID: 92838345010	Collected: 01/06/26 12:08	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/12/26 20:57	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 20:57	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 20:57	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 20:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 20:57	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 20:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 20:57	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 20:57	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 20:57	110-57-6	IK
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 20:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 20:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:57	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 20:57	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 20:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 20:57	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 20:57	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 20:57	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 20:57	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 20:57	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 20:57	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 20:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 20:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 20:57	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 20:57	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 20:57	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 20:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 20:57	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 20:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 20:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 20:57	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 20:57	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 20:57	75-01-4	v2
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 20:57	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/12/26 20:57	460-00-4	
1,2-Dichloroethane-d4 (S)	89	%	70-130	1		01/12/26 20:57	17060-07-0	
Toluene-d8 (S)	94	%	70-130	1		01/12/26 20:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-7A	Lab ID: 92838345011	Collected: 01/06/26 12:50	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 10:15		
Collected By	D Cantu			1		01/13/26 10:15		
Collected Date	1/6/26			1		01/13/26 10:15		
Collected Time	12:50			1		01/13/26 10:15		
pH	6.50	Std. Units		1		01/13/26 10:15		
Temperature	18.6	deg C		1		01/13/26 10:15		
Appearance	clear			1		01/13/26 10:15		
Specific Conductance	86	umhos/cm		1		01/13/26 10:15		
Oxygen, Dissolved	6.79	mg/L		1		01/13/26 10:15	7782-44-7	
REDOX	224	mV		1		01/13/26 10:15		
Turbidity	2	NTU		1		01/13/26 10:15		
Odor	No Odor			1		01/13/26 10:15		
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3010								
Pace Analytical Services - Ormond Beach								
Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 01:38	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:38	7440-38-2	
Barium	30.0	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:38	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:38	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 01:38	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:38	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:38	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:38	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:38	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:38	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:38	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 01:38	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 01:38	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:38	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 01:38	7440-66-6	
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D								
Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/12/26 22:46	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 22:46	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 22:46	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 22:46	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 22:46	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 22:46	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 22:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 22:46	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 22:46	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 22:46	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 22:46	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 22:46	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-7A	Lab ID: 92838345011	Collected: 01/06/26 12:50	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/12/26 22:46	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 22:46	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 22:46	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 22:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 22:46	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 22:46	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 22:46	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 22:46	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 22:46	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 22:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 22:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:46	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:46	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 22:46	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 22:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 22:46	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 22:46	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 22:46	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 22:46	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 22:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 22:46	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 22:46	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 22:46	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 22:46	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 22:46	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 22:46	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 22:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 22:46	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 22:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 22:46	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 22:46	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 22:46	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 22:46	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 22:46	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/12/26 22:46	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130	1		01/12/26 22:46	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/12/26 22:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-8 **Lab ID: 92838345012** Collected: 01/07/26 15:13 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 10:16		
Collected By	M Young			1		01/13/26 10:16		
Collected Date	1/7/26			1		01/13/26 10:16		
Collected Time	15:13			1		01/13/26 10:16		
pH	4.50	Std. Units		1		01/13/26 10:16		
Temperature	19.9	deg C		1		01/13/26 10:16		
Appearance	clear			1		01/13/26 10:16		
Specific Conductance	71	umhos/cm		1		01/13/26 10:16		
Oxygen, Dissolved	0.38	mg/L		1		01/13/26 10:16	7782-44-7	
REDOX	99	mV		1		01/13/26 10:16		
Turbidity	2	NTU		1		01/13/26 10:16		
Odor	No Odor			1		01/13/26 10:16		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 16:33	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:33	7440-38-2	
Barium	46.5	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:33	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 16:33	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 16:33	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:33	7440-47-3	
Cobalt	26.7	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:33	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:33	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 16:33	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:33	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:33	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:33	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 16:33	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 16:33	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 16:33	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 22:45	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 22:45	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 22:45	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 22:45	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 22:45	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 22:45	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 22:45	74-83-9	v2
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 22:45	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 22:45	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 22:45	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 22:45	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 22:45	75-00-3	v2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-8	Lab ID: 92838345012	Collected: 01/07/26 15:13	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/12/26 22:45	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 22:45	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 22:45	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 22:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 22:45	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 22:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 22:45	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 22:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 22:45	110-57-6	IK
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 22:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 22:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:45	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 22:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 22:45	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 22:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 22:45	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 22:45	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 22:45	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 22:45	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 22:45	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 22:45	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 22:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 22:45	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 22:45	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 22:45	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 22:45	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 22:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 22:45	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 22:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 22:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 22:45	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 22:45	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 22:45	75-01-4	v2
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 22:45	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	99	%	70-130	1		01/12/26 22:45	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%	70-130	1		01/12/26 22:45	17060-07-0	
Toluene-d8 (S)	97	%	70-130	1		01/12/26 22:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-9 **Lab ID: 92838345013** Collected: 01/06/26 14:27 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 10:20		
Collected By	T Wardell			1		01/13/26 10:20		
Collected Date	1/6/26			1		01/13/26 10:20		
Collected Time	14:27			1		01/13/26 10:20		
pH	4.70	Std. Units		1		01/13/26 10:20		
Temperature	18.6	deg C		1		01/13/26 10:20		
Appearance	clear			1		01/13/26 10:20		
Specific Conductance	779	umhos/cm		1		01/13/26 10:20		
Oxygen, Dissolved	0.56	mg/L		1		01/13/26 10:20	7782-44-7	
REDOX	92	mV		1		01/13/26 10:20		
Turbidity	2	NTU		1		01/13/26 10:20		
Odor	No Odor			1		01/13/26 10:20		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/23/26 16:02	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:02	7440-38-2	
Barium	107	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:02	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 16:02	7440-41-7	
Cadmium	0.71	ug/L	0.50	1	01/14/26 04:05	01/23/26 16:02	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:02	7440-47-3	
Cobalt	58.5	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:02	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:02	7440-50-8	
Lead	2.6	ug/L	1.0	1	01/14/26 04:05	01/23/26 16:02	7439-92-1	
Nickel	5.4	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:02	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:02	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:02	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 16:02	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/23/26 16:02	7440-62-2	
Zinc	28.2	ug/L	10.0	1	01/14/26 04:05	01/23/26 16:02	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 21:15	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 21:15	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 21:15	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 21:15	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 21:15	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 21:15	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 21:15	74-83-9	v2
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 21:15	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 21:15	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 21:15	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 21:15	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 21:15	75-00-3	v2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-9	Lab ID: 92838345013	Collected: 01/06/26 14:27	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/12/26 21:15	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 21:15	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 21:15	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 21:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 21:15	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 21:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 21:15	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 21:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 21:15	110-57-6	IK
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 21:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 21:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:15	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 21:15	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 21:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 21:15	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 21:15	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 21:15	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 21:15	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 21:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 21:15	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 21:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 21:15	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 21:15	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 21:15	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 21:15	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 21:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 21:15	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 21:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 21:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 21:15	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 21:15	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 21:15	75-01-4	v2
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 21:15	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	96	%	70-130	1		01/12/26 21:15	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-130	1		01/12/26 21:15	17060-07-0	
Toluene-d8 (S)	96	%	70-130	1		01/12/26 21:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-10	Lab ID: 92838345014	Collected: 01/06/26 12:23	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

Field Data

Analytical Method:

Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 10:21		
Collected By	T Wardell			1		01/13/26 10:21		
Collected Date	1/6/26			1		01/13/26 10:21		
Collected Time	12:23			1		01/13/26 10:21		
pH	5.13	Std. Units		1		01/13/26 10:21		
Temperature	18.9	deg C		1		01/13/26 10:21		
Appearance	clear			1		01/13/26 10:21		
Specific Conductance	274	umhos/cm		1		01/13/26 10:21		
Oxygen, Dissolved	0.94	mg/L		1		01/13/26 10:21	7782-44-7	
REDOX	64	mV		1		01/13/26 10:21		
Turbidity	4	NTU		1		01/13/26 10:21		
Odor	Slight Odor			1		01/13/26 10:21		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/23/26 16:05	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:05	7440-38-2	
Barium	166	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:05	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 16:05	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 16:05	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:05	7440-47-3	
Cobalt	27.3	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:05	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:05	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 16:05	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:05	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:05	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:05	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 16:05	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/23/26 16:05	7440-62-2	
Zinc	17.7	ug/L	10.0	1	01/14/26 04:05	01/23/26 16:05	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D

Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 23:04	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 23:04	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 23:04	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 23:04	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 23:04	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 23:04	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 23:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 23:04	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 23:04	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 23:04	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 23:04	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
 Pace Project No.: 92838345

Sample: GWC-10	Lab ID: 92838345014	Collected: 01/06/26 12:23	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroethane	ND	ug/L	1.0	1		01/12/26 23:04	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/12/26 23:04	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 23:04	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 23:04	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 23:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 23:04	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 23:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:04	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 23:04	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:04	75-35-4	v1
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 23:04	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:04	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 23:04	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 23:04	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 23:04	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 23:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 23:04	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 23:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:04	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:04	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 23:04	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 23:04	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:04	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 23:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 23:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 23:04	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 23:04	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 23:04	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 23:04	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	100	%	70-130	1		01/12/26 23:04	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130	1		01/12/26 23:04	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/12/26 23:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-11	Lab ID: 92838345015	Collected: 01/07/26 14:48	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 10:26		
Collected By	D Cantu			1		01/13/26 10:26		
Collected Date	1/7/26			1		01/13/26 10:26		
Collected Time	12:23			1		01/13/26 10:26		
pH	5.13	Std. Units		1		01/13/26 10:26		
Temperature	18.9	deg C		1		01/13/26 10:26		
Appearance	cloudy			1		01/13/26 10:26		
Specific Conductance	274	umhos/cm		1		01/13/26 10:26		
Oxygen, Dissolved	0.94	mg/L		1		01/13/26 10:26	7782-44-7	
REDOX	64	mV		1		01/13/26 10:26		
Turbidity	4	NTU		1		01/13/26 10:26		
Odor	No Odor			1		01/13/26 10:26		
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/12/26 23:22	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 23:22	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 23:22	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 23:22	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 23:22	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 23:22	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 23:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 23:22	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 23:22	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 23:22	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 23:22	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 23:22	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/12/26 23:22	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 23:22	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 23:22	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 23:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 23:22	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 23:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:22	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 23:22	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 23:22	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:22	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 23:22	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-11	Lab ID: 92838345015	Collected: 01/07/26 14:48	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
2-Hexanone	ND	ug/L	5.0	1		01/12/26 23:22	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 23:22	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 23:22	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 23:22	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 23:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:22	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 23:22	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 23:22	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:22	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 23:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 23:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 23:22	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 23:22	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 23:22	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 23:22	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/12/26 23:22	460-00-4	
1,2-Dichloroethane-d4 (S)	102	%	70-130	1		01/12/26 23:22	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/12/26 23:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-11	Lab ID: 92838345016	Collected: 01/08/26 09:20	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/23/26 16:07	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:07	7440-38-2	
Barium	227	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:42	7440-39-3	
Beryllium	0.56	ug/L	0.50	1	01/14/26 04:05	01/23/26 16:07	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 16:07	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:07	7440-47-3	
Cobalt	37.1	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:07	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:07	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 16:07	7439-92-1	
Nickel	5.8	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:07	7440-02-0	
Selenium	9.6	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:07	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 16:07	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 16:07	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/23/26 16:07	7440-62-2	
Zinc	44.1	ug/L	10.0	1	01/14/26 04:05	01/23/26 16:07	7440-66-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-12R **Lab ID: 92838345017** Collected: 01/06/26 15:32 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 10:30		
Collected By	T Wardell			1		01/13/26 10:30		
Collected Date	1/6/26			1		01/13/26 10:30		
Collected Time	15:32			1		01/13/26 10:30		
pH	6.09	Std. Units		1		01/13/26 10:30		
Temperature	16.3	deg C		1		01/13/26 10:30		
Appearance	clear			1		01/13/26 10:30		
Specific Conductance	862	umhos/cm		1		01/13/26 10:30		
Oxygen, Dissolved	0.50	mg/L		1		01/13/26 10:30	7782-44-7	
REDOX	-82	mV		1		01/13/26 10:30		
Turbidity	5	NTU		1		01/13/26 10:30		
Odor	Odor Present			1		01/13/26 10:30		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 20:44	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:44	7440-38-2	
Barium	90.9	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:44	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:44	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:44	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:44	7440-47-3	
Cobalt	40.8	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:44	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:44	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:44	7439-92-1	
Nickel	12.1	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:44	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:44	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:44	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:44	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:44	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:44	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 23:41	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 23:41	107-13-1	
Benzene	1.9	ug/L	1.0	1		01/12/26 23:41	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 23:41	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 23:41	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 23:41	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 23:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 23:41	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 23:41	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 23:41	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 23:41	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-12R	Lab ID: 92838345017	Collected: 01/06/26 15:32	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroethane	ND	ug/L	1.0	1		01/12/26 23:41	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/12/26 23:41	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 23:41	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 23:41	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 23:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 23:41	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 23:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:41	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:41	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 23:41	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:41	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 23:41	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:41	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 23:41	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 23:41	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 23:41	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 23:41	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 23:41	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 23:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:41	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 23:41	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 23:41	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:41	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 23:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 23:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 23:41	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 23:41	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 23:41	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 23:41	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/12/26 23:41	460-00-4	
1,2-Dichloroethane-d4 (S)	103	%	70-130	1		01/12/26 23:41	17060-07-0	
Toluene-d8 (S)	103	%	70-130	1		01/12/26 23:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-13R **Lab ID: 92838345018** Collected: 01/07/26 14:18 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 10:50		
Collected By	D Cantu			1		01/13/26 10:50		
Collected Date	1/7/26			1		01/13/26 10:50		
Collected Time	14:18			1		01/13/26 10:50		
pH	5.81	Std. Units		1		01/13/26 10:50		
Temperature	16.0	deg C		1		01/13/26 10:50		
Appearance	clear			1		01/13/26 10:50		
Specific Conductance	269	umhos/cm		1		01/13/26 10:50		
Oxygen, Dissolved	3.62	mg/L		1		01/13/26 10:50	7782-44-7	
REDOX	244	mV		1		01/13/26 10:50		
Turbidity	1	NTU		1		01/13/26 10:50		
Odor	No Odor			1		01/13/26 10:50		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 20:47	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:47	7440-38-2	
Barium	86.1	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:47	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:47	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:47	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:47	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:47	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:47	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:47	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:47	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:47	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:47	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:47	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:47	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:47	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D

Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 23:59	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 23:59	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 23:59	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 23:59	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 23:59	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 23:59	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 23:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 23:59	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 23:59	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 23:59	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 23:59	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 23:59	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-13R	Lab ID: 92838345018	Collected: 01/07/26 14:18	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/12/26 23:59	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 23:59	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 23:59	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 23:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 23:59	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 23:59	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:59	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:59	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 23:59	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 23:59	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:59	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 23:59	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 23:59	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 23:59	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 23:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 23:59	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 23:59	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:59	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:59	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 23:59	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 23:59	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:59	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 23:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 23:59	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 23:59	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 23:59	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 23:59	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 23:59	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/12/26 23:59	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130	1		01/12/26 23:59	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		01/12/26 23:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill
 Pace Project No.: 92838345

Sample: GWC-14R **Lab ID: 92838345019** Collected: 01/06/26 13:08 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
 Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 10:51		
Collected By	T Wardell			1		01/13/26 10:51		
Collected Date	1/6/26			1		01/13/26 10:51		
Collected Time	13:08			1		01/13/26 10:51		
pH	5.99	Std. Units		1		01/13/26 10:51		
Temperature	17.2	deg C		1		01/13/26 10:51		
Appearance	clear			1		01/13/26 10:51		
Specific Conductance	83	umhos/cm		1		01/13/26 10:51		
Oxygen, Dissolved	1.61	mg/L		1		01/13/26 10:51	7782-44-7	
REDOX	26	mV		1		01/13/26 10:51		
Turbidity	3	NTU		1		01/13/26 10:51		
Odor	No Odor			1		01/13/26 10:51		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
 Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 20:49	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:49	7440-38-2	
Barium	20.6	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:49	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:49	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:49	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:49	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:49	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:49	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:49	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:49	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:49	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:49	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:49	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:49	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:49	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
 Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 21:33	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 21:33	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 21:33	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 21:33	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 21:33	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 21:33	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 21:33	74-83-9	v2
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 21:33	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 21:33	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 21:33	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 21:33	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 21:33	75-00-3	v2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-14R	Lab ID: 92838345019	Collected: 01/06/26 13:08	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Chloroform	ND	ug/L	1.0	1		01/12/26 21:33	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 21:33	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 21:33	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 21:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 21:33	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 21:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 21:33	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 21:33	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 21:33	110-57-6	IK
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 21:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 21:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:33	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:33	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 21:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 21:33	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 21:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 21:33	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 21:33	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 21:33	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 21:33	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 21:33	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 21:33	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 21:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 21:33	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 21:33	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 21:33	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 21:33	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 21:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 21:33	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 21:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 21:33	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 21:33	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 21:33	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 21:33	75-01-4	v2
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 21:33	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	96	%	70-130	1		01/12/26 21:33	460-00-4	
1,2-Dichloroethane-d4 (S)	91	%	70-130	1		01/12/26 21:33	17060-07-0	
Toluene-d8 (S)	96	%	70-130	1		01/12/26 21:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-15 **Lab ID: 92838345020** Collected: 01/07/26 13:34 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 10:52		
Collected By	D Cantu			1		01/13/26 10:52		
Collected Date	1/7/26			1		01/13/26 10:52		
Collected Time	13:34			1		01/13/26 10:52		
pH	5.10	Std. Units		1		01/13/26 10:52		
Temperature	18.2	deg C		1		01/13/26 10:52		
Appearance	clear			1		01/13/26 10:52		
Specific Conductance	52	umhos/cm		1		01/13/26 10:52		
Oxygen, Dissolved	1.34	mg/L		1		01/13/26 10:52	7782-44-7	
REDOX	278	mV		1		01/13/26 10:52		
Turbidity	2	NTU		1		01/13/26 10:52		
Odor	Slight Odor			1		01/13/26 10:52		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 20:52	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:52	7440-38-2	
Barium	146	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:52	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:52	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:52	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:52	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:52	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:52	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:52	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:52	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:52	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:52	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:52	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:52	7440-62-2	
Zinc	19.9	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:52	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 23:03	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 23:03	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 23:03	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 23:03	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 23:03	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 23:03	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 23:03	74-83-9	v2
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 23:03	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 23:03	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 23:03	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 23:03	108-90-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-15	Lab ID: 92838345020	Collected: 01/07/26 13:34	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D								
Pace Analytical Services - Charlotte								
Chloroethane	ND	ug/L	1.0	1		01/12/26 23:03	75-00-3	v2
Chloroform	ND	ug/L	1.0	1		01/12/26 23:03	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 23:03	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 23:03	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 23:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 23:03	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 23:03	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:03	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:03	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 23:03	110-57-6	IK
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 23:03	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:03	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 23:03	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 23:03	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 23:03	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 23:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 23:03	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 23:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:03	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:03	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 23:03	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 23:03	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:03	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 23:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 23:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 23:03	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 23:03	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 23:03	75-01-4	v2
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 23:03	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	97	%	70-130	1		01/12/26 23:03	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%	70-130	1		01/12/26 23:03	17060-07-0	
Toluene-d8 (S)	95	%	70-130	1		01/12/26 23:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-16	Lab ID: 92838345021	Collected: 01/07/26 10:35	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 10:53		
Collected By	M Young			1		01/13/26 10:53		
Collected Date	1/7/26			1		01/13/26 10:53		
Collected Time	10:35			1		01/13/26 10:53		
pH	5.18	Std. Units		1		01/13/26 10:53		
Temperature	16.3	deg C		1		01/13/26 10:53		
Appearance	clear			1		01/13/26 10:53		
Specific Conductance	171	umhos/cm		1		01/13/26 10:53		
Oxygen, Dissolved	0.14	mg/L		1		01/13/26 10:53	7782-44-7	
REDOX	41	mV		1		01/13/26 10:53		
Turbidity	8	NTU		1		01/13/26 10:53		
Odor	No Odor			1		01/13/26 10:53		
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3010 Pace Analytical Services - Ormond Beach								
Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 20:54	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:54	7440-38-2	
Barium	112	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:54	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:54	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:54	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:54	7440-47-3	
Cobalt	16.6	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:54	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:54	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:54	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:54	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:54	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:54	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:54	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:54	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:54	7440-66-6	
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/13/26 00:17	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 00:17	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 00:17	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 00:17	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 00:17	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 00:17	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 00:17	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 00:17	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 00:17	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 00:17	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 00:17	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 00:17	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-16	Lab ID: 92838345021	Collected: 01/07/26 10:35	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Chloroform	ND	ug/L	1.0	1		01/13/26 00:17	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 00:17	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 00:17	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 00:17	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 00:17	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 00:17	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 00:17	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 00:17	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 00:17	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 00:17	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 00:17	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 00:17	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 00:17	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 00:17	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 00:17	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 00:17	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 00:17	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 00:17	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 00:17	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 00:17	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 00:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 00:17	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 00:17	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 00:17	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 00:17	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 00:17	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 00:17	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 00:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 00:17	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 00:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 00:17	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 00:17	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 00:17	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 00:17	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 00:17	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	99	%	70-130	1		01/13/26 00:17	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-130	1		01/13/26 00:17	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		01/13/26 00:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-17 **Lab ID: 92838345022** Collected: 01/08/26 16:02 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 10:54		
Collected By	M Young			1		01/13/26 10:54		
Collected Date	1/8/26			1		01/13/26 10:54		
Collected Time	16:02			1		01/13/26 10:54		
pH	5.39	Std. Units		1		01/13/26 10:54		
Temperature	17.2	deg C		1		01/13/26 10:54		
Appearance	clear			1		01/13/26 10:54		
Specific Conductance	79	umhos/cm		1		01/13/26 10:54		
Oxygen, Dissolved	1.20	mg/L		1		01/13/26 10:54	7782-44-7	
REDOX	287	mV		1		01/13/26 10:54		
Turbidity	8	NTU		1		01/13/26 10:54		
Odor	No Odor			1		01/13/26 10:54		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 20:57	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:57	7440-38-2	
Barium	34.4	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:57	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:57	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:57	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:57	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:57	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:57	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:57	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:57	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:57	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:57	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:57	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:57	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:57	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/13/26 00:36	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 00:36	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 00:36	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 00:36	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 00:36	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 00:36	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 00:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 00:36	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 00:36	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 00:36	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 00:36	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 00:36	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-17	Lab ID: 92838345022	Collected: 01/08/26 16:02	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/13/26 00:36	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 00:36	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 00:36	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 00:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 00:36	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 00:36	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 00:36	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 00:36	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 00:36	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 00:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 00:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 00:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 00:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 00:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 00:36	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 00:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 00:36	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 00:36	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 00:36	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 00:36	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 00:36	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 00:36	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 00:36	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 00:36	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 00:36	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 00:36	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 00:36	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 00:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 00:36	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 00:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 00:36	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 00:36	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 00:36	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 00:36	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 00:36	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	97	%	70-130	1		01/13/26 00:36	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130	1		01/13/26 00:36	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/13/26 00:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-19 **Lab ID: 92838345023** Collected: 01/07/26 13:09 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 12:26		
Collected By	D Cantu			1		01/13/26 12:26		
Collected Date	1/7/26			1		01/13/26 12:26		
Collected Time	13:09			1		01/13/26 12:26		
pH	5.87	Std. Units		1		01/13/26 12:26		
Temperature	18.5	deg C		1		01/13/26 12:26		
Appearance	clear			1		01/13/26 12:26		
Specific Conductance	131	umhos/cm		1		01/13/26 12:26		
Oxygen, Dissolved	4.86	mg/L		1		01/13/26 12:26	7782-44-7	
REDOX	233	mV		1		01/13/26 12:26		
Turbidity	2	NTU		1		01/13/26 12:26		
Odor	No Odor			1		01/13/26 12:26		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 20:59	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:59	7440-38-2	
Barium	43.4	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:59	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:59	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 20:59	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:59	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:59	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:59	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:59	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:59	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:59	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 20:59	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 20:59	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:59	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 20:59	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D

Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/13/26 00:54	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 00:54	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 00:54	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 00:54	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 00:54	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 00:54	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 00:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 00:54	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 00:54	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 00:54	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 00:54	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 00:54	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-19	Lab ID: 92838345023	Collected: 01/07/26 13:09	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/13/26 00:54	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 00:54	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 00:54	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 00:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 00:54	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 00:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 00:54	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 00:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 00:54	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 00:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 00:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 00:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 00:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 00:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 00:54	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 00:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 00:54	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 00:54	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 00:54	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 00:54	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 00:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 00:54	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 00:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 00:54	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 00:54	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 00:54	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 00:54	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 00:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 00:54	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 00:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 00:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 00:54	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 00:54	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 00:54	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 00:54	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	99	%	70-130	1		01/13/26 00:54	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-130	1		01/13/26 00:54	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/13/26 00:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-20	Lab ID: 92838345024	Collected: 01/06/26 15:43	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 10:57		
Collected By	M Young			1		01/13/26 10:57		
Collected Date	1/6/26			1		01/13/26 10:57		
Collected Time	15:43			1		01/13/26 10:57		
pH	7.85	Std. Units		1		01/13/26 10:57		
Temperature	15.6	deg C		1		01/13/26 10:57		
Appearance	clear			1		01/13/26 10:57		
Specific Conductance	144	umhos/cm		1		01/13/26 10:57		
Oxygen, Dissolved	0.82	mg/L		1		01/13/26 10:57	7782-44-7	
REDOX	201	mV		1		01/13/26 10:57		
Turbidity	2	NTU		1		01/13/26 10:57		
Odor	No Odor			1		01/13/26 10:57		
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3010 Pace Analytical Services - Ormond Beach								
Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/23/26 15:52	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:52	7440-38-2	
Barium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:52	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 15:52	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 15:52	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:52	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:52	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:52	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 15:52	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:52	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:52	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:52	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 15:52	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/23/26 15:52	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/23/26 15:52	7440-66-6	
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/13/26 01:12	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 01:12	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 01:12	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 01:12	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 01:12	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 01:12	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 01:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 01:12	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 01:12	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 01:12	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 01:12	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 01:12	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-20	Lab ID: 92838345024	Collected: 01/06/26 15:43	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/13/26 01:12	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 01:12	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 01:12	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 01:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 01:12	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 01:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 01:12	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 01:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 01:12	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 01:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 01:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 01:12	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 01:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 01:12	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 01:12	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 01:12	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 01:12	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 01:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 01:12	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 01:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 01:12	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 01:12	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 01:12	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 01:12	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 01:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 01:12	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 01:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 01:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 01:12	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 01:12	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 01:12	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 01:12	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	97	%	70-130	1		01/13/26 01:12	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130	1		01/13/26 01:12	17060-07-0	
Toluene-d8 (S)	103	%	70-130	1		01/13/26 01:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-22 **Lab ID: 92838345025** Collected: 01/06/26 15:10 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 10:58		
Collected By	D Cantu			1		01/13/26 10:58		
Collected Date	1/6/26			1		01/13/26 10:58		
Collected Time	15:10			1		01/13/26 10:58		
pH	5.50	Std. Units		1		01/13/26 10:58		
Temperature	14.9	deg C		1		01/13/26 10:58		
Appearance	clear			1		01/13/26 10:58		
Specific Conductance	44	umhos/cm		1		01/13/26 10:58		
Oxygen, Dissolved	2.83	mg/L		1		01/13/26 10:58	7782-44-7	
REDOX	254	mV		1		01/13/26 10:58		
Turbidity	2	NTU		1		01/13/26 10:58		
Odor	No Odor			1		01/13/26 10:58		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 21:10	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:10	7440-38-2	
Barium	11.0	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:10	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:10	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:10	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:10	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:10	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:10	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:10	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:10	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:10	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:10	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:10	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:10	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:10	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/13/26 01:31	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 01:31	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 01:31	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 01:31	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 01:31	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 01:31	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 01:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 01:31	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 01:31	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 01:31	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 01:31	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 01:31	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-22	Lab ID: 92838345025	Collected: 01/06/26 15:10	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Chloroform	ND	ug/L	1.0	1		01/13/26 01:31	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 01:31	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 01:31	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 01:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 01:31	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 01:31	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 01:31	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 01:31	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 01:31	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 01:31	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 01:31	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:31	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:31	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 01:31	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 01:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 01:31	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 01:31	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 01:31	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 01:31	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 01:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 01:31	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 01:31	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 01:31	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 01:31	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 01:31	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 01:31	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 01:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 01:31	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 01:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 01:31	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 01:31	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 01:31	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 01:31	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 01:31	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	99	%	70-130	1		01/13/26 01:31	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130	1		01/13/26 01:31	17060-07-0	
Toluene-d8 (S)	106	%	70-130	1		01/13/26 01:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-23 **Lab ID: 92838345026** Collected: 01/06/26 14:26 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 10:59		
Collected By	D Cantu			1		01/13/26 10:59		
Collected Date	1/6/26			1		01/13/26 10:59		
Collected Time	14:26			1		01/13/26 10:59		
pH	6.37	Std. Units		1		01/13/26 10:59		
Temperature	14.7	deg C		1		01/13/26 10:59		
Appearance	clear			1		01/13/26 10:59		
Specific Conductance	40	umhos/cm		1		01/13/26 10:59		
Oxygen, Dissolved	8.94	mg/L		1		01/13/26 10:59	7782-44-7	
REDOX	223	mV		1		01/13/26 10:59		
Turbidity	10	NTU		1		01/13/26 10:59		
Odor	No Odor			1		01/13/26 10:59		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 21:12	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:12	7440-38-2	
Barium	20.3	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:12	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:12	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:12	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:12	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:12	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:12	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:12	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:12	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:12	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:12	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:12	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:12	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:12	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/13/26 01:49	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 01:49	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 01:49	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 01:49	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 01:49	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 01:49	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 01:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 01:49	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 01:49	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 01:49	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 01:49	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 01:49	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-23	Lab ID: 92838345026	Collected: 01/06/26 14:26	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Chloroform	ND	ug/L	1.0	1		01/13/26 01:49	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 01:49	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 01:49	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 01:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 01:49	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 01:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 01:49	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 01:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 01:49	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 01:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 01:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:49	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 01:49	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 01:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 01:49	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 01:49	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 01:49	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 01:49	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 01:49	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 01:49	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 01:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 01:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 01:49	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 01:49	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 01:49	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 01:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 01:49	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 01:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 01:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 01:49	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 01:49	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 01:49	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 01:49	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/13/26 01:49	460-00-4	
1,2-Dichloroethane-d4 (S)	95	%	70-130	1		01/13/26 01:49	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		01/13/26 01:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-28 **Lab ID: 92838345027** Collected: 01/07/26 11:50 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 11:15		
Collected By	D Cantu			1		01/13/26 11:15		
Collected Date	1/7/26			1		01/13/26 11:15		
Collected Time	11:50			1		01/13/26 11:15		
pH	6.20	Std. Units		1		01/13/26 11:15		
Temperature	16.1	deg C		1		01/13/26 11:15		
Appearance	clear			1		01/13/26 11:15		
Specific Conductance	44	umhos/cm		1		01/13/26 11:15		
Oxygen, Dissolved	5.95	mg/L		1		01/13/26 11:15	7782-44-7	
REDOX	176	mV		1		01/13/26 11:15		
Turbidity	1	NTU		1		01/13/26 11:15		
Odor	No Odor			1		01/13/26 11:15		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/23/26 15:54	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:54	7440-38-2	
Barium	6.6	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:54	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 15:54	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 15:54	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:54	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:54	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:54	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 15:54	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:54	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:54	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:54	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 15:54	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/23/26 15:54	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/23/26 15:54	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/13/26 02:08	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 02:08	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 02:08	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 02:08	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 02:08	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 02:08	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 02:08	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 02:08	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 02:08	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 02:08	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 02:08	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 02:08	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-28	Lab ID: 92838345027	Collected: 01/07/26 11:50	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/13/26 02:08	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 02:08	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 02:08	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 02:08	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 02:08	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 02:08	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 02:08	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 02:08	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 02:08	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 02:08	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 02:08	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:08	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:08	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:08	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 02:08	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 02:08	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 02:08	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 02:08	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 02:08	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 02:08	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 02:08	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 02:08	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 02:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 02:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 02:08	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 02:08	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 02:08	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 02:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 02:08	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 02:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 02:08	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 02:08	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 02:08	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 02:08	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 02:08	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	97	%	70-130	1		01/13/26 02:08	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130	1		01/13/26 02:08	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		01/13/26 02:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-29 **Lab ID: 92838345028** Collected: 01/07/26 12:34 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 11:16		
Collected By	D Cantu			1		01/13/26 11:16		
Collected Date	1/7/26			1		01/13/26 11:16		
Collected Time	12:34			1		01/13/26 11:16		
pH	5.60	Std. Units		1		01/13/26 11:16		
Temperature	16.5	deg C		1		01/13/26 11:16		
Appearance	clear			1		01/13/26 11:16		
Specific Conductance	24	umhos/cm		1		01/13/26 11:16		
Oxygen, Dissolved	6.37	mg/L		1		01/13/26 11:16	7782-44-7	
REDOX	211	mV		1		01/13/26 11:16		
Turbidity	2	NTU		1		01/13/26 11:16		
Odor	No Odor			1		01/13/26 11:16		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/23/26 15:57	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:57	7440-38-2	
Barium	5.5	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:57	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 15:57	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 15:57	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:57	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:57	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:57	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 15:57	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:57	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:57	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:57	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 15:57	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/23/26 15:57	7440-62-2	
Zinc	44.8	ug/L	10.0	1	01/14/26 04:05	01/23/26 15:57	7440-66-6	

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/13/26 02:26	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 02:26	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 02:26	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 02:26	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 02:26	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 02:26	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 02:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 02:26	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 02:26	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 02:26	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 02:26	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 02:26	75-00-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-29	Lab ID: 92838345028	Collected: 01/07/26 12:34	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroform	ND	ug/L	1.0	1		01/13/26 02:26	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 02:26	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 02:26	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 02:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 02:26	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 02:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 02:26	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 02:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 02:26	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 02:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 02:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 02:26	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 02:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 02:26	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 02:26	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 02:26	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 02:26	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 02:26	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 02:26	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 02:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 02:26	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 02:26	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 02:26	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 02:26	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 02:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 02:26	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 02:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 02:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 02:26	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 02:26	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 02:26	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 02:26	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	99	%	70-130	1		01/13/26 02:26	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130	1		01/13/26 02:26	17060-07-0	
Toluene-d8 (S)	106	%	70-130	1		01/13/26 02:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-45	Lab ID: 92838345029	Collected: 01/08/26 15:10	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 11:17		
Collected By	D Cantu			1		01/13/26 11:17		
Collected Date	1/8/26			1		01/13/26 11:17		
Collected Time	15:10			1		01/13/26 11:17		
pH	7.94	Std. Units		1		01/13/26 11:17		
Temperature	16.0	deg C		1		01/13/26 11:17		
Appearance	clear			1		01/13/26 11:17		
Specific Conductance	188	umhos/cm		1		01/13/26 11:17		
Oxygen, Dissolved	3.73	mg/L		1		01/13/26 11:17	7782-44-7	
REDOX	91	mV		1		01/13/26 11:17		
Turbidity	2	NTU		1		01/13/26 11:17		
Odor	Slight Odor			1		01/13/26 11:17		

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010
Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 21:29	7440-36-0
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:29	7440-38-2
Barium	12.6	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:29	7440-39-3
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:29	7440-41-7
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:29	7440-43-9
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:29	7440-47-3
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:29	7440-48-4
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:29	7440-50-8
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:29	7439-92-1
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:29	7440-02-0
Selenium	7.5	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:29	7782-49-2
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:29	7440-22-4
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:29	7440-28-0
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:29	7440-62-2
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:29	7440-66-6

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/13/26 02:44	67-64-1
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 02:44	107-13-1
Benzene	ND	ug/L	1.0	1		01/13/26 02:44	71-43-2
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 02:44	74-97-5
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 02:44	75-27-4
Bromoform	ND	ug/L	1.0	1		01/13/26 02:44	75-25-2
Bromomethane	ND	ug/L	2.0	1		01/13/26 02:44	74-83-9
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 02:44	78-93-3
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 02:44	75-15-0
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 02:44	56-23-5
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 02:44	108-90-7

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-45	Lab ID: 92838345029	Collected: 01/08/26 15:10	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Chloroethane	ND	ug/L	1.0	1		01/13/26 02:44	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/13/26 02:44	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 02:44	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 02:44	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 02:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 02:44	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 02:44	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 02:44	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 02:44	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 02:44	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 02:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 02:44	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:44	75-35-4	v1
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 02:44	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 02:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 02:44	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 02:44	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 02:44	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 02:44	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 02:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 02:44	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 02:44	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 02:44	630-20-6	
1,1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 02:44	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 02:44	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 02:44	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 02:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 02:44	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 02:44	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 02:44	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 02:44	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 02:44	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 02:44	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 02:44	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	96	%	70-130	1		01/13/26 02:44	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130	1		01/13/26 02:44	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/13/26 02:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-46	Lab ID: 92838345030	Collected: 01/08/26 13:02	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 11:18		
Collected By	D Cantu			1		01/13/26 11:18		
Collected Date	1/8/26			1		01/13/26 11:18		
Collected Time	13:02			1		01/13/26 11:18		
pH	6.05	Std. Units		1		01/13/26 11:18		
Temperature	18.9	deg C		1		01/13/26 11:18		
Appearance	cloudy			1		01/13/26 11:18		
Specific Conductance	98	umhos/cm		1		01/13/26 11:18		
Oxygen, Dissolved	2.44	mg/L		1		01/13/26 11:18	7782-44-7	
REDOX	217	mV		1		01/13/26 11:18		
Turbidity	77	NTU		1		01/13/26 11:18		
Odor	No Odor			1		01/13/26 11:18		

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/13/26 03:03	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 03:03	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 03:03	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 03:03	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 03:03	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 03:03	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 03:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 03:03	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 03:03	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 03:03	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 03:03	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 03:03	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/13/26 03:03	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 03:03	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 03:03	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 03:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 03:03	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 03:03	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 03:03	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 03:03	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 03:03	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 03:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 03:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 03:03	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 03:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 03:03	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 03:03	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-46	Lab ID: 92838345030	Collected: 01/08/26 13:02	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
2-Hexanone	ND	ug/L	5.0	1		01/13/26 03:03	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 03:03	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 03:03	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 03:03	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 03:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 03:03	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 03:03	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 03:03	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 03:03	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 03:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 03:03	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 03:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 03:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 03:03	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 03:03	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 03:03	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 03:03	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	97	%	70-130	1		01/13/26 03:03	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130	1		01/13/26 03:03	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		01/13/26 03:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-46	Lab ID: 92838345031	Collected: 01/09/26 08:35	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 21:39	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:39	7440-38-2	
Barium	30.4	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:39	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:39	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:39	7440-43-9	
Chromium	6.4	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:39	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:39	7440-48-4	
Copper	5.5	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:39	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:39	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:39	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:39	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:39	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:39	7440-28-0	
Vanadium	13.2	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:39	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:39	7440-66-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-47	Lab ID: 92838345032	Collected: 01/08/26 12:18	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method:								
Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 11:21		
Collected By	D Cantu			1		01/13/26 11:21		
Collected Date	1/8/26			1		01/13/26 11:21		
Collected Time	12:18			1		01/13/26 11:21		
pH	7.35	Std. Units		1		01/13/26 11:21		
Temperature	17.0	deg C		1		01/13/26 11:21		
Appearance	cloudy			1		01/13/26 11:21		
Specific Conductance	211	umhos/cm		1		01/13/26 11:21		
Oxygen, Dissolved	2.11	mg/L		1		01/13/26 11:21	7782-44-7	
REDOX	74	mV		1		01/13/26 11:21		
Turbidity	183	NTU		1		01/13/26 11:21		
Odor	No Odor			1		01/13/26 11:21		
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D								
Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/13/26 03:21	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 03:21	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 03:21	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 03:21	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 03:21	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 03:21	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 03:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 03:21	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 03:21	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 03:21	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 03:21	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 03:21	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/13/26 03:21	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 03:21	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 03:21	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 03:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 03:21	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 03:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 03:21	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 03:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 03:21	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 03:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 03:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 03:21	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 03:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 03:21	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 03:21	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-47	Lab ID: 92838345032	Collected: 01/08/26 12:18	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
2-Hexanone	ND	ug/L	5.0	1		01/13/26 03:21	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 03:21	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 03:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 03:21	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 03:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 03:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 03:21	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 03:21	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 03:21	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 03:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 03:21	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 03:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 03:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 03:21	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 03:21	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 03:21	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 03:21	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/13/26 03:21	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130	1		01/13/26 03:21	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		01/13/26 03:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-47	Lab ID: 92838345033	Collected: 01/09/26 08:25	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 21:42	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:42	7440-38-2	
Barium	16.8	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:42	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:42	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:42	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:42	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:42	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:42	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:42	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:42	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:42	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:42	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:42	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:42	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:42	7440-66-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-48	Lab ID: 92838345034	Collected: 01/08/26 10:57	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method:								
Pace Analytical Services - Charlotte								
Performed by	EM			1		01/13/26 11:22		
	Services							
Collected By	D Cantu			1		01/13/26 11:22		
Collected Date	1/8/26			1		01/13/26 11:22		
Collected Time	10:57			1		01/13/26 11:22		
pH	5.97	Std. Units		1		01/13/26 11:22		
Temperature	16.2	deg C		1		01/13/26 11:22		
Appearance	cloudy			1		01/13/26 11:22		
Specific Conductance	67	umhos/cm		1		01/13/26 11:22		
Oxygen, Dissolved	2.50	mg/L		1		01/13/26 11:22	7782-44-7	
REDOX	238	mV		1		01/13/26 11:22		
Turbidity	369	NTU		1		01/13/26 11:22		
Odor	No Odor			1		01/13/26 11:22		
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D								
Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/13/26 03:39	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 03:39	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 03:39	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 03:39	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 03:39	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 03:39	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 03:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 03:39	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 03:39	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 03:39	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 03:39	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 03:39	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/13/26 03:39	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 03:39	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 03:39	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 03:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 03:39	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 03:39	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 03:39	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 03:39	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 03:39	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 03:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 03:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:39	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:39	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 03:39	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 03:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 03:39	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 03:39	100-41-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-48	Lab ID: 92838345034	Collected: 01/08/26 10:57	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
2-Hexanone	ND	ug/L	5.0	1		01/13/26 03:39	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 03:39	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 03:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 03:39	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 03:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 03:39	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 03:39	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 03:39	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 03:39	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 03:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 03:39	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 03:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 03:39	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 03:39	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 03:39	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 03:39	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 03:39	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	97	%	70-130	1		01/13/26 03:39	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130	1		01/13/26 03:39	17060-07-0	
Toluene-d8 (S)	102	%	70-130	1		01/13/26 03:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: **GWC-48** Lab ID: **92838345035** Collected: 01/09/26 08:16 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:38	01/23/26 16:35	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:35	7440-38-2	
Barium	44.2	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:35	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 16:35	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:38	01/23/26 16:35	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:35	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:35	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:35	7440-50-8	
Lead	1.9	ug/L	1.0	1	01/14/26 04:38	01/23/26 16:35	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:35	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:35	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:38	01/23/26 16:35	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:38	01/23/26 16:35	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:38	01/23/26 16:35	7440-62-2	
Zinc	12.9	ug/L	10.0	1	01/14/26 04:38	01/23/26 16:35	7440-66-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-49	Lab ID: 92838345036	Collected: 01/08/26 13:59	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 11:23		
Collected By	D Cantu			1		01/13/26 11:23		
Collected Date	1/8/26			1		01/13/26 11:23		
Collected Time	13:59			1		01/13/26 11:23		
pH	8.22	Std. Units		1		01/13/26 11:23		
Temperature	16.9	deg C		1		01/13/26 11:23		
Appearance	cloudy			1		01/13/26 11:23		
Specific Conductance	149	umhos/cm		1		01/13/26 11:23		
Oxygen, Dissolved	0.42	mg/L		1		01/13/26 11:23	7782-44-7	
REDOX	-150	mV		1		01/13/26 11:23		
Turbidity	87	NTU		1		01/13/26 11:23		
Odor	Strong Odor			1		01/13/26 11:23		
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/13/26 03:58	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 03:58	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 03:58	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 03:58	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 03:58	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 03:58	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 03:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 03:58	78-93-3	
Carbon disulfide	7.5	ug/L	2.0	1		01/13/26 03:58	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 03:58	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 03:58	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 03:58	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/13/26 03:58	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 03:58	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 03:58	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 03:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 03:58	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 03:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 03:58	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 03:58	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 03:58	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 03:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 03:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:58	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:58	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 03:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 03:58	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 03:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 03:58	10061-02-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-49	Lab ID: 92838345036	Collected: 01/08/26 13:59	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 03:58	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 03:58	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 03:58	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 03:58	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 03:58	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 03:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 03:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 03:58	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 03:58	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 03:58	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 03:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 03:58	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 03:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 03:58	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 03:58	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 03:58	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 03:58	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 03:58	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/13/26 03:58	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130	1		01/13/26 03:58	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/13/26 03:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: GWC-49	Lab ID: 92838345037	Collected: 01/09/26 08:46	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

6020 MET ICPMS

Analytical Method: EPA 6020 Preparation Method: EPA 3010

Pace Analytical Services - Ormond Beach

Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/22/26 21:44	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:44	7440-38-2	
Barium	21.0	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:44	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:44	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/22/26 21:44	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:44	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:44	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:44	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:44	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:44	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:44	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/22/26 21:44	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/22/26 21:44	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:44	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/22/26 21:44	7440-66-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: FIELD BLANK	Lab ID: 92838345038	Collected: 01/07/26 15:21	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6020 MET ICPMS								
Analytical Method: EPA 6020 Preparation Method: EPA 3010								
Pace Analytical Services - Ormond Beach								
Antimony	ND	ug/L	3.0	1	01/14/26 04:05	01/23/26 15:59	7440-36-0	
Arsenic	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:59	7440-38-2	
Barium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:59	7440-39-3	
Beryllium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 15:59	7440-41-7	
Cadmium	ND	ug/L	0.50	1	01/14/26 04:05	01/23/26 15:59	7440-43-9	
Chromium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:59	7440-47-3	
Cobalt	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:59	7440-48-4	
Copper	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:59	7440-50-8	
Lead	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 15:59	7439-92-1	
Nickel	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:59	7440-02-0	
Selenium	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:59	7782-49-2	
Silver	ND	ug/L	5.0	1	01/14/26 04:05	01/23/26 15:59	7440-22-4	
Thallium	ND	ug/L	1.0	1	01/14/26 04:05	01/23/26 15:59	7440-28-0	
Vanadium	ND	ug/L	10.0	1	01/14/26 04:05	01/23/26 15:59	7440-62-2	
Zinc	ND	ug/L	10.0	1	01/14/26 04:05	01/23/26 15:59	7440-66-6	
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D								
Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/12/26 19:42	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 19:42	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 19:42	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 19:42	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 19:42	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 19:42	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 19:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 19:42	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 19:42	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 19:42	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 19:42	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 19:42	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/12/26 19:42	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 19:42	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 19:42	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 19:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 19:42	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 19:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 19:42	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 19:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 19:42	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 19:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 19:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 19:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 19:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 19:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 19:42	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 19:42	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: FIELD BLANK	Lab ID: 92838345038	Collected: 01/07/26 15:21	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 19:42	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 19:42	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 19:42	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 19:42	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 19:42	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 19:42	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 19:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 19:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 19:42	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 19:42	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 19:42	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 19:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 19:42	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 19:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 19:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 19:42	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 19:42	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 19:42	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 19:42	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	97	%	70-130	1		01/12/26 19:42	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130	1		01/12/26 19:42	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/12/26 19:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: TRIP BLANK	Lab ID: 92838345039	Collected: 01/06/26 07:45	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Acetone	ND	ug/L	25.0	1		01/12/26 20:01	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 20:01	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 20:01	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 20:01	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 20:01	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 20:01	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 20:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 20:01	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 20:01	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 20:01	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 20:01	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 20:01	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/12/26 20:01	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 20:01	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 20:01	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 20:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 20:01	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 20:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 20:01	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 20:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 20:01	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 20:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 20:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:01	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 20:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 20:01	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 20:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 20:01	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 20:01	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 20:01	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 20:01	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 20:01	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 20:01	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 20:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 20:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 20:01	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 20:01	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 20:01	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 20:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 20:01	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 20:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 20:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 20:01	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 20:01	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 20:01	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: TRIP BLANK		Lab ID: 92838345039		Collected: 01/06/26 07:45	Received: 01/09/26 11:06	Matrix: Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 20:01	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	97	%	70-130	1		01/12/26 20:01	460-00-4	
1,2-Dichloroethane-d4 (S)	96	%	70-130	1		01/12/26 20:01	17060-07-0	
Toluene-d8 (S)	102	%	70-130	1		01/12/26 20:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: SWA-1	Lab ID: 92838345040	Collected: 01/08/26 15:45	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 11:26		
Collected By	D Cantu M Young			1		01/13/26 11:26		
Collected Date	1/8/26			1		01/13/26 11:26		
Collected Time	15:45			1		01/13/26 11:26		
pH	5.93	Std. Units		1		01/13/26 11:26		
Temperature	11.0	deg C		1		01/13/26 11:26		
Appearance	clear			1		01/13/26 11:26		
Odor	No Odor			1		01/13/26 11:26		
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/13/26 04:16	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 04:16	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 04:16	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 04:16	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 04:16	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 04:16	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 04:16	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 04:16	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 04:16	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 04:16	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 04:16	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 04:16	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/13/26 04:16	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 04:16	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 04:16	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 04:16	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 04:16	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 04:16	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 04:16	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 04:16	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 04:16	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 04:16	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 04:16	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 04:16	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 04:16	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 04:16	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 04:16	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 04:16	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 04:16	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 04:16	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 04:16	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 04:16	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 04:16	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: SWA-1	Lab ID: 92838345040	Collected: 01/08/26 15:45	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 04:16	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 04:16	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 04:16	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 04:16	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 04:16	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 04:16	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 04:16	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 04:16	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 04:16	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 04:16	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 04:16	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 04:16	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 04:16	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 04:16	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	99	%	70-130	1		01/13/26 04:16	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130	1		01/13/26 04:16	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/13/26 04:16	2037-26-5	
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2020 Pace Analytical Services - Asheville						
Total Dissolved Solids	34.0	mg/L	25.0	1		01/12/26 09:11		
9056 IC anions 28 Days		Analytical Method: EPA 9056A Pace Analytical Services - Asheville						
Chloride	2.2	mg/L	1.0	1		01/10/26 14:14	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: SWA-2 **Lab ID: 92838345041** Collected: 01/08/26 13:27 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 11:27		
Collected By	D Cantu M Young			1		01/13/26 11:27		
Collected Date	1/8/26			1		01/13/26 11:27		
Collected Time	13:27			1		01/13/26 11:27		
pH	6.25	Std. Units		1		01/13/26 11:27		
Temperature	13.3	deg C		1		01/13/26 11:27		
Appearance	clear			1		01/13/26 11:27		
Odor	No Odor			1		01/13/26 11:27		

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/13/26 04:35	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 04:35	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 04:35	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 04:35	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 04:35	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 04:35	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 04:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 04:35	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 04:35	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 04:35	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 04:35	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 04:35	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/13/26 04:35	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 04:35	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 04:35	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 04:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 04:35	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 04:35	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 04:35	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 04:35	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 04:35	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 04:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 04:35	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 04:35	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 04:35	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 04:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 04:35	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 04:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 04:35	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 04:35	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 04:35	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 04:35	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 04:35	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: SWA-2	Lab ID: 92838345041	Collected: 01/08/26 13:27	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 04:35	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 04:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 04:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 04:35	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 04:35	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 04:35	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 04:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 04:35	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 04:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 04:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 04:35	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 04:35	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 04:35	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 04:35	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	99	%	70-130	1		01/13/26 04:35	460-00-4	
1,2-Dichloroethane-d4 (S)	98	%	70-130	1		01/13/26 04:35	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		01/13/26 04:35	2037-26-5	
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2020 Pace Analytical Services - Asheville						
Total Dissolved Solids	27.0	mg/L	25.0	1		01/12/26 09:11		
9056 IC anions 28 Days		Analytical Method: EPA 9056A Pace Analytical Services - Asheville						
Chloride	1.4	mg/L	1.0	1		01/10/26 15:46	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: SWC-9	Lab ID: 92838345042	Collected: 01/07/26 10:25	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 11:27		
Collected By	D Cantu M Young			1		01/13/26 11:27		
Collected Date	1/7/26			1		01/13/26 11:27		
Collected Time	10:25			1		01/13/26 11:27		
pH	7.15	Std. Units		1		01/13/26 11:27		
Temperature	9.7	deg C		1		01/13/26 11:27		
Appearance	clear			1		01/13/26 11:27		
Odor	No Odor			1		01/13/26 11:27		
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/13/26 04:53	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 04:53	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 04:53	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 04:53	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 04:53	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 04:53	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 04:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 04:53	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 04:53	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 04:53	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 04:53	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 04:53	75-00-3	
Chloroform	ND	ug/L	1.0	1		01/13/26 04:53	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 04:53	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 04:53	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 04:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 04:53	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 04:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 04:53	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 04:53	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 04:53	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 04:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 04:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 04:53	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 04:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 04:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 04:53	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 04:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 04:53	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 04:53	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 04:53	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 04:53	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 04:53	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: SWC-9	Lab ID: 92838345042	Collected: 01/07/26 10:25	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 04:53	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 04:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 04:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 04:53	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 04:53	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 04:53	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 04:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 04:53	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 04:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 04:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 04:53	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 04:53	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 04:53	75-01-4	
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 04:53	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	99	%	70-130	1		01/13/26 04:53	460-00-4	
1,2-Dichloroethane-d4 (S)	100	%	70-130	1		01/13/26 04:53	17060-07-0	
Toluene-d8 (S)	105	%	70-130	1		01/13/26 04:53	2037-26-5	
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2020 Pace Analytical Services - Asheville						
Total Dissolved Solids	35.0	mg/L	25.0	1		01/10/26 18:01		
9056 IC anions 28 Days		Analytical Method: EPA 9056A Pace Analytical Services - Asheville						
Chloride	1.9	mg/L	1.0	1		01/10/26 16:02	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: UD-6 **Lab ID: 92838345043** Collected: 01/08/26 11:35 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 11:29		
Collected By	D Cantu M Young			1		01/13/26 11:29		
Collected Date	1/8/26			1		01/13/26 11:29		
Collected Time	11:35			1		01/13/26 11:29		
pH	5.66	Std. Units		1		01/13/26 11:29		
Temperature	27.8	deg C		1		01/13/26 11:29		
Appearance	clear			1		01/13/26 11:29		
Odor	No Odor			1		01/13/26 11:29		

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/13/26 01:27	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 01:27	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 01:27	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 01:27	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 01:27	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 01:27	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 01:27	74-83-9	v2
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 01:27	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 01:27	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 01:27	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 01:27	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 01:27	75-00-3	v2
Chloroform	ND	ug/L	1.0	1		01/13/26 01:27	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 01:27	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 01:27	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 01:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 01:27	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 01:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 01:27	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 01:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 01:27	110-57-6	IK
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 01:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 01:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 01:27	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 01:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 01:27	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 01:27	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 01:27	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 01:27	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 01:27	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: UD-6	Lab ID: 92838345043	Collected: 01/08/26 11:35	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 01:27	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 01:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 01:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 01:27	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 01:27	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 01:27	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 01:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 01:27	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 01:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 01:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 01:27	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 01:27	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 01:27	75-01-4	v2
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 01:27	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/13/26 01:27	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	70-130	1		01/13/26 01:27	17060-07-0	
Toluene-d8 (S)	98	%	70-130	1		01/13/26 01:27	2037-26-5	
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2020 Pace Analytical Services - Asheville						
Total Dissolved Solids	58.0	mg/L	25.0	1		01/12/26 09:11		
9056 IC anions 28 Days		Analytical Method: EPA 9056A Pace Analytical Services - Asheville						
Chloride	2.9	mg/L	1.0	1		01/10/26 16:17	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: UD-8	Lab ID: 92838345044	Collected: 01/08/26 12:00	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 11:30		
Collected By	D Cantu M Young			1		01/13/26 11:30		
Collected Date	1/8/26			1		01/13/26 11:30		
Collected Time	12:00			1		01/13/26 11:30		
pH	5.79	Std. Units		1		01/13/26 11:30		
Temperature	25.6	deg C		1		01/13/26 11:30		
Appearance	clear			1		01/13/26 11:30		
Odor	No Odor			1		01/13/26 11:30		
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D								
Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/13/26 01:45	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 01:45	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 01:45	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 01:45	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 01:45	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 01:45	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 01:45	74-83-9	v2
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 01:45	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 01:45	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 01:45	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 01:45	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 01:45	75-00-3	v2
Chloroform	ND	ug/L	1.0	1		01/13/26 01:45	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 01:45	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 01:45	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 01:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 01:45	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 01:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 01:45	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 01:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 01:45	110-57-6	IK
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 01:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 01:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:45	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 01:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 01:45	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 01:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 01:45	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 01:45	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 01:45	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 01:45	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 01:45	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: UD-8	Lab ID: 92838345044	Collected: 01/08/26 12:00	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill	Analytical Method: EPA 8260D Pace Analytical Services - Charlotte							
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 01:45	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 01:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 01:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 01:45	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 01:45	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 01:45	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 01:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 01:45	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 01:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 01:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 01:45	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 01:45	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 01:45	75-01-4	v2
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 01:45	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	100	%	70-130	1		01/13/26 01:45	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%	70-130	1		01/13/26 01:45	17060-07-0	
Toluene-d8 (S)	96	%	70-130	1		01/13/26 01:45	2037-26-5	
2540C Total Dissolved Solids	Analytical Method: SM 2540C-2020 Pace Analytical Services - Asheville							
Total Dissolved Solids	82.0	mg/L	25.0	1		01/12/26 09:12		
9056 IC anions 28 Days	Analytical Method: EPA 9056A Pace Analytical Services - Asheville							
Chloride	4.1	mg/L	1.0	1		01/10/26 16:33	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: UD-13 **Lab ID: 92838345045** Collected: 01/07/26 09:50 Received: 01/09/26 11:06 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Field Data

Analytical Method:
Pace Analytical Services - Charlotte

Performed by	EM Services			1		01/13/26 11:30		
Collected By	D Cantu M Young			1		01/13/26 11:30		
Collected Date	1/7/26			1		01/13/26 11:30		
Collected Time	09:50			1		01/13/26 11:30		
pH	6.27	Std. Units		1		01/13/26 11:30		
Temperature	20.4	deg C		1		01/13/26 11:30		
Appearance	clear			1		01/13/26 11:30		
Odor	Strong Odor			1		01/13/26 11:30		

8260D MSV Low Level Landfill

Analytical Method: EPA 8260D
Pace Analytical Services - Charlotte

Acetone	ND	ug/L	25.0	1		01/12/26 23:21	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/12/26 23:21	107-13-1	
Benzene	ND	ug/L	1.0	1		01/12/26 23:21	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/12/26 23:21	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/12/26 23:21	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/12/26 23:21	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/12/26 23:21	74-83-9	v2
2-Butanone (MEK)	ND	ug/L	5.0	1		01/12/26 23:21	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/12/26 23:21	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/12/26 23:21	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/12/26 23:21	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/12/26 23:21	75-00-3	v2
Chloroform	ND	ug/L	1.0	1		01/12/26 23:21	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/12/26 23:21	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/12/26 23:21	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/12/26 23:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/12/26 23:21	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/12/26 23:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:21	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/12/26 23:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/12/26 23:21	110-57-6	IK
1,1-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/12/26 23:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/12/26 23:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/12/26 23:21	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/12/26 23:21	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/12/26 23:21	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/12/26 23:21	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/12/26 23:21	74-88-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: UD-13	Lab ID: 92838345045	Collected: 01/07/26 09:50	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
Methylene Chloride	ND	ug/L	5.0	1		01/12/26 23:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/12/26 23:21	108-10-1	
Styrene	ND	ug/L	1.0	1		01/12/26 23:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/12/26 23:21	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/12/26 23:21	127-18-4	
Toluene	ND	ug/L	1.0	1		01/12/26 23:21	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/12/26 23:21	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/12/26 23:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/12/26 23:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/12/26 23:21	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/12/26 23:21	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/12/26 23:21	75-01-4	v2
Xylene (Total)	ND	ug/L	1.0	1		01/12/26 23:21	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	96	%	70-130	1		01/12/26 23:21	460-00-4	
1,2-Dichloroethane-d4 (S)	96	%	70-130	1		01/12/26 23:21	17060-07-0	
Toluene-d8 (S)	96	%	70-130	1		01/12/26 23:21	2037-26-5	
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2020 Pace Analytical Services - Asheville						
Total Dissolved Solids	68.0	mg/L	25.0	1		01/10/26 18:01		
9056 IC anions 28 Days		Analytical Method: EPA 9056A Pace Analytical Services - Asheville						
Chloride	8.0	mg/L	1.0	1		01/10/26 16:48	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: SWC-14	Lab ID: 92838345046	Collected: 01/08/26 15:30	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Field Data								
Analytical Method: Pace Analytical Services - Charlotte								
Performed by	EM Services			1		01/13/26 11:28		
Collected By	D Cantu M Young			1		01/13/26 11:28		
Collected Date	1/8/26			1		01/13/26 11:28		
Collected Time	15:30			1		01/13/26 11:28		
pH	6.33	Std. Units		1		01/13/26 11:28		
Temperature	13.8	deg C		1		01/13/26 11:28		
Appearance	clear			1		01/13/26 11:28		
Odor	No Odor			1		01/13/26 11:28		
8260D MSV Low Level Landfill								
Analytical Method: EPA 8260D Pace Analytical Services - Charlotte								
Acetone	ND	ug/L	25.0	1		01/13/26 02:03	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		01/13/26 02:03	107-13-1	
Benzene	ND	ug/L	1.0	1		01/13/26 02:03	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		01/13/26 02:03	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		01/13/26 02:03	75-27-4	
Bromoform	ND	ug/L	1.0	1		01/13/26 02:03	75-25-2	
Bromomethane	ND	ug/L	2.0	1		01/13/26 02:03	74-83-9	v2
2-Butanone (MEK)	ND	ug/L	5.0	1		01/13/26 02:03	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		01/13/26 02:03	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		01/13/26 02:03	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		01/13/26 02:03	108-90-7	
Chloroethane	ND	ug/L	1.0	1		01/13/26 02:03	75-00-3	v2
Chloroform	ND	ug/L	1.0	1		01/13/26 02:03	67-66-3	
Chloromethane	ND	ug/L	1.0	1		01/13/26 02:03	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.0	1		01/13/26 02:03	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		01/13/26 02:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		01/13/26 02:03	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		01/13/26 02:03	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 02:03	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		01/13/26 02:03	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		01/13/26 02:03	110-57-6	IK
1,1-Dichloroethane	ND	ug/L	1.0	1		01/13/26 02:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		01/13/26 02:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		01/13/26 02:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		01/13/26 02:03	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 02:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		01/13/26 02:03	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		01/13/26 02:03	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		01/13/26 02:03	591-78-6	
Iodomethane	ND	ug/L	20.0	1		01/13/26 02:03	74-88-4	
Methylene Chloride	ND	ug/L	5.0	1		01/13/26 02:03	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Sample: SWC-14	Lab ID: 92838345046	Collected: 01/08/26 15:30	Received: 01/09/26 11:06	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260D MSV Low Level Landfill		Analytical Method: EPA 8260D Pace Analytical Services - Charlotte						
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		01/13/26 02:03	108-10-1	
Styrene	ND	ug/L	1.0	1		01/13/26 02:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 02:03	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		01/13/26 02:03	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		01/13/26 02:03	127-18-4	
Toluene	ND	ug/L	1.0	1		01/13/26 02:03	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		01/13/26 02:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		01/13/26 02:03	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		01/13/26 02:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		01/13/26 02:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		01/13/26 02:03	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		01/13/26 02:03	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		01/13/26 02:03	75-01-4	v2
Xylene (Total)	ND	ug/L	1.0	1		01/13/26 02:03	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	98	%	70-130	1		01/13/26 02:03	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	70-130	1		01/13/26 02:03	17060-07-0	
Toluene-d8 (S)	94	%	70-130	1		01/13/26 02:03	2037-26-5	
2540C Total Dissolved Solids		Analytical Method: SM 2540C-2020 Pace Analytical Services - Asheville						
Total Dissolved Solids	37.0	mg/L	25.0	1		01/12/26 09:12		
9056 IC anions 28 Days		Analytical Method: EPA 9056A Pace Analytical Services - Asheville						
Chloride	2.0	mg/L	1.0	1		01/10/26 17:04	16887-00-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

QC Batch: 1158792 Analysis Method: EPA 6020
 QC Batch Method: EPA 3010 Analysis Description: 6020 MET
 Laboratory: Pace Analytical Services - Ormond Beach
 Associated Lab Samples: 92838345013, 92838345014, 92838345016, 92838345017, 92838345018, 92838345019, 92838345020, 92838345021, 92838345022, 92838345023, 92838345024, 92838345025, 92838345026, 92838345027, 92838345028, 92838345029, 92838345031, 92838345033, 92838345037, 92838345038

METHOD BLANK: 6348260 Matrix: Water
 Associated Lab Samples: 92838345013, 92838345014, 92838345016, 92838345017, 92838345018, 92838345019, 92838345020, 92838345021, 92838345022, 92838345023, 92838345024, 92838345025, 92838345026, 92838345027, 92838345028, 92838345029, 92838345031, 92838345033, 92838345037, 92838345038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Antimony	ug/L	ND	3.0	01/22/26 20:17	
Arsenic	ug/L	ND	5.0	01/22/26 20:17	
Barium	ug/L	ND	5.0	01/22/26 20:17	
Beryllium	ug/L	ND	0.50	01/22/26 20:17	
Cadmium	ug/L	ND	0.50	01/22/26 20:17	
Chromium	ug/L	ND	5.0	01/22/26 20:17	
Cobalt	ug/L	ND	5.0	01/22/26 20:17	
Copper	ug/L	ND	5.0	01/22/26 20:17	
Lead	ug/L	ND	1.0	01/22/26 20:17	
Nickel	ug/L	ND	5.0	01/22/26 20:17	
Selenium	ug/L	ND	5.0	01/22/26 20:17	
Silver	ug/L	ND	5.0	01/22/26 20:17	
Thallium	ug/L	ND	1.0	01/22/26 20:17	
Vanadium	ug/L	ND	10.0	01/22/26 20:17	
Zinc	ug/L	ND	10.0	01/22/26 20:17	

LABORATORY CONTROL SAMPLE: 6348261

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Antimony	ug/L	50	46.9	94	80-120	
Arsenic	ug/L	50	50.7	101	80-120	
Barium	ug/L	50	48.7	97	80-120	
Beryllium	ug/L	5	5.1	102	80-120	
Cadmium	ug/L	5	5.4	109	80-120	
Chromium	ug/L	50	51.2	102	80-120	
Cobalt	ug/L	50	50.8	102	80-120	
Copper	ug/L	50	48.6	97	80-120	
Lead	ug/L	50	54.1	108	80-120	
Nickel	ug/L	50	51.9	104	80-120	
Selenium	ug/L	50	53.4	107	80-120	
Silver	ug/L	5	5.4	108	80-120	
Thallium	ug/L	50	53.8	108	80-120	
Vanadium	ug/L	50	50.6	101	80-120	
Zinc	ug/L	250	245	98	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Parameter	Units	6348262		6348263		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
		92838345013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							
Antimony	ug/L	ND	50	50	46.4	45.7	93	91	75-125	2		
Arsenic	ug/L	ND	50	50	51.5	51.2	100	100	75-125	0		
Barium	ug/L	107	50	50	156	151	99	89	75-125	3		
Beryllium	ug/L	ND	5	5	5.2	5.1	98	95	75-125	3		
Cadmium	ug/L	0.71	5	5	5.3	5.2	92	89	75-125	2		
Chromium	ug/L	ND	50	50	49.7	49.8	98	98	75-125	0		
Cobalt	ug/L	58.5	50	50	104	103	92	89	75-125	1		
Copper	ug/L	ND	50	50	52.9	52.5	99	98	75-125	1		
Lead	ug/L	2.6	50	50	53.8	52.8	103	101	75-125	2		
Nickel	ug/L	5.4	50	50	55.3	55.3	100	100	75-125	0		
Selenium	ug/L	ND	50	50	52.3	51.7	97	96	75-125	1		
Silver	ug/L	ND	5	5	4.7J	4.6J	91	89	75-125	2		
Thallium	ug/L	ND	50	50	51.1	50.6	102	101	75-125	1		
Vanadium	ug/L	ND	50	50	49.5	49.5	99	99	75-125	0		
Zinc	ug/L	28.2	250	250	269	271	96	97	75-125	1		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

QC Batch: 1158795 Analysis Method: EPA 6020
 QC Batch Method: EPA 3010 Analysis Description: 6020 MET
 Laboratory: Pace Analytical Services - Ormond Beach
 Associated Lab Samples: 92838345001, 92838345002, 92838345003, 92838345005, 92838345006, 92838345007, 92838345008, 92838345009, 92838345010, 92838345011, 92838345012, 92838345035

METHOD BLANK: 6348277 Matrix: Water
 Associated Lab Samples: 92838345001, 92838345002, 92838345003, 92838345005, 92838345006, 92838345007, 92838345008, 92838345009, 92838345010, 92838345011, 92838345012, 92838345035

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Antimony	ug/L	ND	3.0	01/23/26 00:55	
Arsenic	ug/L	ND	5.0	01/23/26 00:55	
Barium	ug/L	ND	5.0	01/23/26 00:55	
Beryllium	ug/L	ND	0.50	01/23/26 00:55	
Cadmium	ug/L	ND	0.50	01/23/26 00:55	
Chromium	ug/L	ND	5.0	01/23/26 00:55	
Cobalt	ug/L	ND	5.0	01/23/26 00:55	
Copper	ug/L	ND	5.0	01/23/26 00:55	
Lead	ug/L	ND	1.0	01/23/26 00:55	
Nickel	ug/L	ND	5.0	01/23/26 00:55	
Selenium	ug/L	ND	5.0	01/23/26 00:55	
Silver	ug/L	ND	5.0	01/23/26 00:55	
Thallium	ug/L	ND	1.0	01/23/26 00:55	
Vanadium	ug/L	ND	10.0	01/23/26 00:55	
Zinc	ug/L	ND	10.0	01/23/26 00:55	

LABORATORY CONTROL SAMPLE: 6348278

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Antimony	ug/L	50	49.2	98	80-120	
Arsenic	ug/L	50	48.4	97	80-120	
Barium	ug/L	50	50.3	101	80-120	
Beryllium	ug/L	5	5.1	103	80-120	
Cadmium	ug/L	5	5.1	102	80-120	
Chromium	ug/L	50	51.7	103	80-120	
Cobalt	ug/L	50	52.0	104	80-120	
Copper	ug/L	50	49.6	99	80-120	
Lead	ug/L	50	54.4	109	80-120	
Nickel	ug/L	50	52.7	105	80-120	
Selenium	ug/L	50	50.1	100	80-120	
Silver	ug/L	5	5.1	103	80-120	
Thallium	ug/L	50	51.9	104	80-120	
Vanadium	ug/L	50	50.9	102	80-120	
Zinc	ug/L	250	253	101	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Parameter	Units	6348279		6348280		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
		92838345001 Result	MS Spike Conc.	MSD Spike Conc.								
Antimony	ug/L	ND	50	50	49.2	48.1	98	96	75-125	2		
Arsenic	ug/L	ND	50	50	48.2	47.5	96	95	75-125	1		
Barium	ug/L	16.3	50	50	67.6	65.8	103	99	75-125	3		
Beryllium	ug/L	ND	5	5	5.4	5.3	105	104	75-125	0		
Cadmium	ug/L	ND	5	5	5.1	5.0	102	100	75-125	2		
Chromium	ug/L	ND	50	50	53.2	52.6	106	104	75-125	1		
Cobalt	ug/L	ND	50	50	53.6	52.5	105	103	75-125	2		
Copper	ug/L	ND	50	50	50.7	49.9	101	99	75-125	2		
Lead	ug/L	ND	50	50	55.1	54.5	110	109	75-125	1		
Nickel	ug/L	ND	50	50	54.8	53.6	107	105	75-125	2		
Selenium	ug/L	ND	50	50	50.1	49.7	100	99	75-125	1		
Silver	ug/L	ND	5	5	5.2	5.1	103	102	75-125	2		
Thallium	ug/L	ND	50	50	52.6	51.5	105	103	75-125	2		
Vanadium	ug/L	ND	50	50	52.1	51.5	104	103	75-125	1		
Zinc	ug/L	ND	250	250	254	252	100	99	75-125	1		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

QC Batch: 984015 Analysis Method: EPA 8260D
QC Batch Method: EPA 8260D Analysis Description: 8260D MSV Low Level Landfill
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92838345001, 92838345002, 92838345003, 92838345004, 92838345006, 92838345007, 92838345008, 92838345009, 92838345011, 92838345014, 92838345015, 92838345017, 92838345018, 92838345021, 92838345022, 92838345023, 92838345024, 92838345025, 92838345038, 92838345039

METHOD BLANK: 5059018 Matrix: Water
Associated Lab Samples: 92838345001, 92838345002, 92838345003, 92838345004, 92838345006, 92838345007, 92838345008, 92838345009, 92838345011, 92838345014, 92838345015, 92838345017, 92838345018, 92838345021, 92838345022, 92838345023, 92838345024, 92838345025, 92838345038, 92838345039

Table with 6 columns: Parameter, Units, Blank Result, Reporting Limit, Analyzed, Qualifiers. Lists various chemical compounds and their detection results.

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

METHOD BLANK: 5059018

Matrix: Water

Associated Lab Samples: 92838345001, 92838345002, 92838345003, 92838345004, 92838345006, 92838345007, 92838345008, 92838345009, 92838345011, 92838345014, 92838345015, 92838345017, 92838345018, 92838345021, 92838345022, 92838345023, 92838345024, 92838345025, 92838345038, 92838345039

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tetrachloroethene	ug/L	ND	1.0	01/12/26 19:05	
Toluene	ug/L	ND	1.0	01/12/26 19:05	
trans-1,2-Dichloroethene	ug/L	ND	1.0	01/12/26 19:05	
trans-1,3-Dichloropropene	ug/L	ND	1.0	01/12/26 19:05	
trans-1,4-Dichloro-2-butene	ug/L	ND	1.0	01/12/26 19:05	
Trichloroethene	ug/L	ND	1.0	01/12/26 19:05	
Trichlorofluoromethane	ug/L	ND	1.0	01/12/26 19:05	
Vinyl acetate	ug/L	ND	2.0	01/12/26 19:05	
Vinyl chloride	ug/L	ND	1.0	01/12/26 19:05	
Xylene (Total)	ug/L	ND	1.0	01/12/26 19:05	
1,2-Dichloroethane-d4 (S)	%	98	70-130	01/12/26 19:05	
4-Bromofluorobenzene (S)	%	99	70-130	01/12/26 19:05	
Toluene-d8 (S)	%	103	70-130	01/12/26 19:05	

LABORATORY CONTROL SAMPLE: 5059019

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	19.9	99	70-130	
1,1,1-Trichloroethane	ug/L	20	20.3	102	70-130	
1,1,2,2-Tetrachloroethane	ug/L	20	19.7	98	70-130	
1,1,2-Trichloroethane	ug/L	20	19.3	96	70-130	
1,1-Dichloroethane	ug/L	20	20.0	100	70-130	
1,1-Dichloroethene	ug/L	20	22.4	112	69-131	
1,2,3-Trichloropropane	ug/L	20	19.3	96	70-130	
1,2-Dibromo-3-chloropropane	ug/L	20	20.9	104	70-130	
1,2-Dibromoethane (EDB)	ug/L	20	20.1	100	70-130	
1,2-Dichlorobenzene	ug/L	20	20.3	102	70-130	
1,2-Dichloroethane	ug/L	20	19.5	98	70-130	
1,2-Dichloropropane	ug/L	20	20.5	102	70-130	
1,4-Dichlorobenzene	ug/L	20	20.4	102	70-130	
2-Butanone (MEK)	ug/L	40	41.6	104	67-133	
2-Hexanone	ug/L	40	41.2	103	70-133	
4-Methyl-2-pentanone (MIBK)	ug/L	40	39.8	99	70-130	
Acetone	ug/L	40	43.3	108	67-130	
Acrylonitrile	ug/L	100	103	103	70-130	
Benzene	ug/L	20	19.8	99	70-130	
Bromochloromethane	ug/L	20	20.5	102	70-130	
Bromodichloromethane	ug/L	20	19.5	98	70-130	
Bromoform	ug/L	20	19.1	95	70-133	
Bromomethane	ug/L	20	20.9	104	41-148	
Carbon disulfide	ug/L	20	19.0	95	70-131	
Carbon tetrachloride	ug/L	20	19.8	99	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

LABORATORY CONTROL SAMPLE: 5059019

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chlorobenzene	ug/L	20	20.0	100	70-130	
Chloroethane	ug/L	20	16.5	82	41-157	
Chloroform	ug/L	20	20.0	100	70-130	
Chloromethane	ug/L	20	17.6	88	59-141	
cis-1,2-Dichloroethene	ug/L	20	19.7	98	70-130	
cis-1,3-Dichloropropene	ug/L	20	20.4	102	70-130	
Dibromochloromethane	ug/L	20	20.8	104	70-130	
Dibromomethane	ug/L	20	19.4	97	70-130	
Ethylbenzene	ug/L	20	19.2	96	70-130	
Iodomethane	ug/L	40	34.5	86	57-140	
Methylene Chloride	ug/L	20	20.0	100	62-130	
Styrene	ug/L	20	19.6	98	70-130	
Tetrachloroethene	ug/L	20	19.0	95	70-130	
Toluene	ug/L	20	19.0	95	70-130	
trans-1,2-Dichloroethene	ug/L	20	20.8	104	70-130	
trans-1,3-Dichloropropene	ug/L	20	19.2	96	70-130	
trans-1,4-Dichloro-2-butene	ug/L	20	18.1	91	57-149	
Trichloroethene	ug/L	20	20.3	101	70-130	
Trichlorofluoromethane	ug/L	20	19.1	95	57-130	
Vinyl acetate	ug/L	40	41.9	105	70-141	
Vinyl chloride	ug/L	20	16.9	84	66-140	
Xylene (Total)	ug/L	60	58.0	97	70-130	
1,2-Dichloroethane-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			98	70-130	
Toluene-d8 (S)	%			98	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 5059020 5059021

Parameter	92838345014		MS	MSD	5059021		MS	MSD	% Rec	MSD	% Rec	% Rec	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits					
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	23.6	23.4	118	117	70-146		1			
1,1,1-Trichloroethane	ug/L	ND	20	20	27.2	26.8	136	134	70-150		1			
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	23.2	22.7	116	114	66-144		2			
1,1,2-Trichloroethane	ug/L	ND	20	20	24.7	24.1	123	120	70-142		3			
1,1-Dichloroethane	ug/L	ND	20	20	27.0	26.8	135	134	68-150		1			
1,1-Dichloroethene	ug/L	ND	20	20	31.7	31.5	159	158	64-162		1 v1			
1,2,3-Trichloropropane	ug/L	ND	20	20	23.0	22.5	115	113	66-144		2			
1,2-Dibromo-3-chloropropane	ug/L	ND	20	20	25.3	23.8	126	119	62-146		6			
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	24.6	23.9	123	120	70-143		3			
1,2-Dichlorobenzene	ug/L	ND	20	20	23.9	24.4	119	122	70-142		2			
1,2-Dichloroethane	ug/L	ND	20	20	25.5	25.2	127	126	68-145		1			
1,2-Dichloropropane	ug/L	ND	20	20	26.6	26.4	133	132	70-144		0			
1,4-Dichlorobenzene	ug/L	ND	20	20	24.3	25.0	121	125	70-140		3			
2-Butanone (MEK)	ug/L	ND	40	40	54.0	52.4	135	131	57-156		3			
2-Hexanone	ug/L	ND	40	40	53.4	51.4	133	128	62-153		4			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Parameter	92838345014		MS		MSD		MS		MSD		% Rec	Limits	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec						
4-Methyl-2-pentanone (MIBK)	ug/L	ND	40	40	49.9	48.5	125	121	65-144	3				
Acetone	ug/L	ND	40	40	55.0	54.3	137	136	49-162	1				
Acrylonitrile	ug/L	ND	100	100	131	131	131	131	59-155	0				
Benzene	ug/L	ND	20	20	26.0	25.6	130	128	68-144	1				
Bromochloromethane	ug/L	ND	20	20	25.9	26.3	130	131	70-148	1				
Bromodichloromethane	ug/L	ND	20	20	25.1	25.4	126	127	70-141	1				
Bromoform	ug/L	ND	20	20	22.7	22.3	113	112	59-144	2				
Bromomethane	ug/L	ND	20	20	27.7	29.2	139	146	23-190	5				
Carbon disulfide	ug/L	ND	20	20	25.9	26.0	130	130	64-160	0				
Carbon tetrachloride	ug/L	ND	20	20	26.2	26.2	131	131	70-147	0				
Chlorobenzene	ug/L	ND	20	20	23.9	23.6	119	118	70-143	1				
Chloroethane	ug/L	ND	20	20	21.2	22.9	106	115	55-190	8				
Chloroform	ug/L	ND	20	20	26.1	25.9	131	129	67-148	1				
Chloromethane	ug/L	ND	20	20	24.6	24.3	123	122	38-180	1				
cis-1,2-Dichloroethene	ug/L	ND	20	20	27.3	26.8	136	134	67-151	2				
cis-1,3-Dichloropropene	ug/L	ND	20	20	25.8	25.7	129	129	70-142	0				
Dibromochloromethane	ug/L	ND	20	20	24.3	24.3	122	122	68-140	0				
Dibromomethane	ug/L	ND	20	20	24.2	24.2	121	121	70-142	0				
Ethylbenzene	ug/L	ND	20	20	23.4	23.4	117	117	70-145	0				
Iodomethane	ug/L	ND	40	40	46.0	47.7	115	119	37-160	4				
Methylene Chloride	ug/L	ND	20	20	27.7	27.5	138	138	54-149	1				
Styrene	ug/L	ND	20	20	23.1	23.1	115	115	70-147	0				
Tetrachloroethene	ug/L	ND	20	20	23.1	22.8	115	114	70-145	1				
Toluene	ug/L	ND	20	20	23.6	23.8	118	119	65-146	1				
trans-1,2-Dichloroethene	ug/L	ND	20	20	28.8	28.9	144	145	69-155	0				
trans-1,3-Dichloropropene	ug/L	ND	20	20	24.4	24.1	122	121	70-142	1				
trans-1,4-Dichloro-2-butene	ug/L	ND	20	20	13.0	12.7	65	63	39-149	2				
Trichloroethene	ug/L	ND	20	20	25.8	25.7	129	128	70-152	0				
Trichlorofluoromethane	ug/L	ND	20	20	25.6	25.5	128	127	60-158	1				
Vinyl acetate	ug/L	ND	40	40	53.2	51.9	133	130	56-157	2				
Vinyl chloride	ug/L	ND	20	20	24.0	24.0	120	120	51-178	0				
Xylene (Total)	ug/L	ND	60	60	70.7	70.5	118	117	70-146	0				
1,2-Dichloroethane-d4 (S)	%						103	99	70-130					
4-Bromofluorobenzene (S)	%						99	99	70-130					
Toluene-d8 (S)	%						100	100	70-130					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

QC Batch: 984016 Analysis Method: EPA 8260D
QC Batch Method: EPA 8260D Analysis Description: 8260D MSV Low Level Landfill
Laboratory: Pace Analytical Services - Charlotte
Associated Lab Samples: 92838345026, 92838345027, 92838345028, 92838345029, 92838345030, 92838345032, 92838345034, 92838345036, 92838345040, 92838345041, 92838345042

METHOD BLANK: 5059022 Matrix: Water
Associated Lab Samples: 92838345026, 92838345027, 92838345028, 92838345029, 92838345030, 92838345032, 92838345034, 92838345036, 92838345040, 92838345041, 92838345042

Table with 6 columns: Parameter, Units, Blank Result, Reporting Limit, Analyzed, Qualifiers. Lists various chemical compounds and their analysis results.

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

METHOD BLANK: 5059022

Matrix: Water

Associated Lab Samples: 92838345026, 92838345027, 92838345028, 92838345029, 92838345030, 92838345032, 92838345034, 92838345036, 92838345040, 92838345041, 92838345042

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
trans-1,2-Dichloroethene	ug/L	ND	1.0	01/12/26 19:24	
trans-1,3-Dichloropropene	ug/L	ND	1.0	01/12/26 19:24	
trans-1,4-Dichloro-2-butene	ug/L	ND	1.0	01/12/26 19:24	
Trichloroethene	ug/L	ND	1.0	01/12/26 19:24	
Trichlorofluoromethane	ug/L	ND	1.0	01/12/26 19:24	
Vinyl acetate	ug/L	ND	2.0	01/12/26 19:24	
Vinyl chloride	ug/L	ND	1.0	01/12/26 19:24	
Xylene (Total)	ug/L	ND	1.0	01/12/26 19:24	
1,2-Dichloroethane-d4 (S)	%	97	70-130	01/12/26 19:24	
4-Bromofluorobenzene (S)	%	96	70-130	01/12/26 19:24	
Toluene-d8 (S)	%	101	70-130	01/12/26 19:24	

LABORATORY CONTROL SAMPLE: 5059023

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	18.9	95	70-130	
1,1,1-Trichloroethane	ug/L	20	20.1	100	70-130	
1,1,2,2-Tetrachloroethane	ug/L	20	19.0	95	70-130	
1,1,2-Trichloroethane	ug/L	20	19.6	98	70-130	
1,1-Dichloroethane	ug/L	20	19.3	97	70-130	
1,1-Dichloroethene	ug/L	20	21.9	109	69-131	
1,2,3-Trichloropropane	ug/L	20	18.4	92	70-130	
1,2-Dibromo-3-chloropropane	ug/L	20	20.5	102	70-130	
1,2-Dibromoethane (EDB)	ug/L	20	19.9	99	70-130	
1,2-Dichlorobenzene	ug/L	20	19.5	97	70-130	
1,2-Dichloroethane	ug/L	20	19.6	98	70-130	
1,2-Dichloropropane	ug/L	20	20.1	100	70-130	
1,4-Dichlorobenzene	ug/L	20	19.6	98	70-130	
2-Butanone (MEK)	ug/L	40	39.9	100	67-133	
2-Hexanone	ug/L	40	41.7	104	70-133	
4-Methyl-2-pentanone (MIBK)	ug/L	40	39.3	98	70-130	
Acetone	ug/L	40	42.0	105	67-130	
Acrylonitrile	ug/L	100	101	101	70-130	
Benzene	ug/L	20	19.5	98	70-130	
Bromochloromethane	ug/L	20	20.4	102	70-130	
Bromodichloromethane	ug/L	20	18.9	94	70-130	
Bromoform	ug/L	20	18.4	92	70-133	
Bromomethane	ug/L	20	20.6	103	41-148	
Carbon disulfide	ug/L	20	18.6	93	70-131	
Carbon tetrachloride	ug/L	20	19.7	99	70-130	
Chlorobenzene	ug/L	20	19.2	96	70-130	
Chloroethane	ug/L	20	16.1	80	41-157	
Chloroform	ug/L	20	19.1	96	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

LABORATORY CONTROL SAMPLE: 5059023

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloromethane	ug/L	20	17.2	86	59-141	
cis-1,2-Dichloroethene	ug/L	20	19.4	97	70-130	
cis-1,3-Dichloropropene	ug/L	20	20.2	101	70-130	
Dibromochloromethane	ug/L	20	19.9	100	70-130	
Dibromomethane	ug/L	20	19.5	97	70-130	
Ethylbenzene	ug/L	20	18.5	93	70-130	
Iodomethane	ug/L	40	34.2	86	57-140	
Methylene Chloride	ug/L	20	19.7	98	62-130	
Styrene	ug/L	20	18.9	94	70-130	
Tetrachloroethene	ug/L	20	18.2	91	70-130	
Toluene	ug/L	20	18.7	93	70-130	
trans-1,2-Dichloroethene	ug/L	20	20.2	101	70-130	
trans-1,3-Dichloropropene	ug/L	20	19.2	96	70-130	
trans-1,4-Dichloro-2-butene	ug/L	20	18.5	92	57-149	
Trichloroethene	ug/L	20	19.8	99	70-130	
Trichlorofluoromethane	ug/L	20	18.5	92	57-130	
Vinyl acetate	ug/L	40	42.1	105	70-141	
Vinyl chloride	ug/L	20	16.6	83	66-140	
Xylene (Total)	ug/L	60	56.3	94	70-130	
1,2-Dichloroethane-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			98	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 5059024 5059025

Parameter	92838345029		MS	MSD	MS		MSD		% Rec Limits	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec			
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	21.3	22.9	107	114	70-146	7	
1,1,1-Trichloroethane	ug/L	ND	20	20	23.9	26.5	120	133	70-150	10	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	20.9	22.3	105	111	66-144	6	
1,1,2-Trichloroethane	ug/L	ND	20	20	21.7	23.4	109	117	70-142	7	
1,1-Dichloroethane	ug/L	ND	20	20	23.9	25.8	119	129	68-150	8	
1,1-Dichloroethene	ug/L	ND	20	20	27.9	29.8	139	149	64-162	7 v1	
1,2,3-Trichloropropane	ug/L	ND	20	20	20.1	21.8	101	109	66-144	8	
1,2-Dibromo-3-chloropropane	ug/L	ND	20	20	22.9	23.6	115	118	62-146	3	
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	22.0	23.8	110	119	70-143	8	
1,2-Dichlorobenzene	ug/L	ND	20	20	22.1	22.7	111	114	70-142	3	
1,2-Dichloroethane	ug/L	ND	20	20	22.4	24.2	112	121	68-145	7	
1,2-Dichloropropane	ug/L	ND	20	20	23.2	25.4	116	127	70-144	9	
1,4-Dichlorobenzene	ug/L	ND	20	20	22.6	23.0	113	115	70-140	2	
2-Butanone (MEK)	ug/L	ND	40	40	45.1	50.1	113	125	57-156	10	
2-Hexanone	ug/L	ND	40	40	47.2	49.5	118	124	62-153	5	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	40	40	44.0	46.5	110	116	65-144	5	
Acetone	ug/L	ND	40	40	46.7	50.6	117	127	49-162	8	
Acrylonitrile	ug/L	ND	100	100	115	127	115	127	59-155	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Parameter	92838345029		MS		MSD		MS		MSD		% Rec	Limits	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec						
Benzene	ug/L	ND	20	20	22.7	24.6	114	123	68-144	8				
Bromochloromethane	ug/L	ND	20	20	23.1	25.5	116	128	70-148	10				
Bromodichloromethane	ug/L	ND	20	20	22.0	24.5	110	123	70-141	11				
Bromoform	ug/L	ND	20	20	19.7	21.8	99	109	59-144	10				
Bromomethane	ug/L	ND	20	20	24.5	27.5	122	138	23-190	12				
Carbon disulfide	ug/L	ND	20	20	22.6	24.7	113	124	64-160	9				
Carbon tetrachloride	ug/L	ND	20	20	23.5	25.5	117	127	70-147	8				
Chlorobenzene	ug/L	ND	20	20	21.6	23.0	108	115	70-143	6				
Chloroethane	ug/L	ND	20	20	19.6	22.0	98	110	55-190	11				
Chloroform	ug/L	ND	20	20	23.0	24.8	115	124	67-148	8				
Chloromethane	ug/L	ND	20	20	21.3	23.0	106	115	38-180	8				
cis-1,2-Dichloroethene	ug/L	ND	20	20	24.0	25.7	120	129	67-151	7				
cis-1,3-Dichloropropene	ug/L	ND	20	20	22.6	24.6	113	123	70-142	8				
Dibromochloromethane	ug/L	ND	20	20	22.3	23.5	112	118	68-140	5				
Dibromomethane	ug/L	ND	20	20	21.9	23.0	109	115	70-142	5				
Ethylbenzene	ug/L	ND	20	20	21.2	22.6	106	113	70-145	6				
Iodomethane	ug/L	ND	40	40	39.3	44.4	98	111	37-160	12				
Methylene Chloride	ug/L	ND	20	20	24.3	26.4	121	132	54-149	8				
Styrene	ug/L	ND	20	20	20.8	22.2	104	111	70-147	6				
Tetrachloroethene	ug/L	ND	20	20	21.0	22.0	105	110	70-145	4				
Toluene	ug/L	ND	20	20	21.2	22.9	106	114	65-146	8				
trans-1,2-Dichloroethene	ug/L	ND	20	20	25.2	27.4	126	137	69-155	8				
trans-1,3-Dichloropropene	ug/L	ND	20	20	21.4	23.3	107	117	70-142	9				
trans-1,4-Dichloro-2-butene	ug/L	ND	20	20	9.3	8.6	47	43	39-149	8				
Trichloroethene	ug/L	ND	20	20	23.0	24.6	115	123	70-152	7				
Trichlorofluoromethane	ug/L	ND	20	20	22.6	24.4	113	122	60-158	8				
Vinyl acetate	ug/L	ND	40	40	45.3	50.1	113	125	56-157	10				
Vinyl chloride	ug/L	ND	20	20	20.6	22.7	103	114	51-178	10				
Xylene (Total)	ug/L	ND	60	60	63.8	67.8	106	113	70-146	6				
1,2-Dichloroethane-d4 (S)	%						102	101	70-130					
4-Bromofluorobenzene (S)	%						97	98	70-130					
Toluene-d8 (S)	%						97	99	70-130					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

QC Batch: 984020

Analysis Method: EPA 8260D

QC Batch Method: EPA 8260D

Analysis Description: 8260D MSV Low Level Landfill

Laboratory: Pace Analytical Services - Charlotte

Associated Lab Samples: 92838345010, 92838345012, 92838345013, 92838345019, 92838345020, 92838345043, 92838345044, 92838345045, 92838345046

METHOD BLANK: 5059054

Matrix: Water

Associated Lab Samples: 92838345010, 92838345012, 92838345013, 92838345019, 92838345020, 92838345043, 92838345044, 92838345045, 92838345046

Table with 6 columns: Parameter, Units, Blank Result, Reporting Limit, Analyzed, Qualifiers. Lists various chemical compounds and their detection results.

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

METHOD BLANK: 5059054

Matrix: Water

Associated Lab Samples: 92838345010, 92838345012, 92838345013, 92838345019, 92838345020, 92838345043, 92838345044, 92838345045, 92838345046

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
trans-1,2-Dichloroethene	ug/L	ND	1.0	01/12/26 19:45	
trans-1,3-Dichloropropene	ug/L	ND	1.0	01/12/26 19:45	
trans-1,4-Dichloro-2-butene	ug/L	ND	1.0	01/12/26 19:45	IK
Trichloroethene	ug/L	ND	1.0	01/12/26 19:45	
Trichlorofluoromethane	ug/L	ND	1.0	01/12/26 19:45	
Vinyl acetate	ug/L	ND	2.0	01/12/26 19:45	
Vinyl chloride	ug/L	ND	1.0	01/12/26 19:45	v2
Xylene (Total)	ug/L	ND	1.0	01/12/26 19:45	
1,2-Dichloroethane-d4 (S)	%	93	70-130	01/12/26 19:45	
4-Bromofluorobenzene (S)	%	97	70-130	01/12/26 19:45	
Toluene-d8 (S)	%	97	70-130	01/12/26 19:45	

LABORATORY CONTROL SAMPLE: 5059055

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	20.6	103	70-130	
1,1,1-Trichloroethane	ug/L	20	19.6	98	70-130	
1,1,2,2-Tetrachloroethane	ug/L	20	18.5	93	70-130	
1,1,2-Trichloroethane	ug/L	20	18.7	94	70-130	
1,1-Dichloroethane	ug/L	20	17.5	87	70-130	
1,1-Dichloroethene	ug/L	20	20.7	103	69-131	
1,2,3-Trichloropropane	ug/L	20	21.2	106	70-130	
1,2-Dibromo-3-chloropropane	ug/L	20	18.8	94	70-130	
1,2-Dibromoethane (EDB)	ug/L	20	19.4	97	70-130	
1,2-Dichlorobenzene	ug/L	20	20.9	104	70-130	
1,2-Dichloroethane	ug/L	20	18.6	93	70-130	
1,2-Dichloropropane	ug/L	20	18.9	94	70-130	
1,4-Dichlorobenzene	ug/L	20	20.6	103	70-130	
2-Butanone (MEK)	ug/L	40	34.2	85	67-133	
2-Hexanone	ug/L	40	36.5	91	70-133	
4-Methyl-2-pentanone (MIBK)	ug/L	40	37.6	94	70-130	
Acetone	ug/L	40	34.8	87	67-130	
Acrylonitrile	ug/L	100	90.9	91	70-130	
Benzene	ug/L	20	19.1	95	70-130	
Bromochloromethane	ug/L	20	19.0	95	70-130	
Bromodichloromethane	ug/L	20	19.7	98	70-130	
Bromoform	ug/L	20	19.7	99	70-133	
Bromomethane	ug/L	20	13.5	68	41-148	v3
Carbon disulfide	ug/L	20	16.3	82	70-131	
Carbon tetrachloride	ug/L	20	21.2	106	70-130	
Chlorobenzene	ug/L	20	20.4	102	70-130	
Chloroethane	ug/L	20	15.5	78	41-157	v3
Chloroform	ug/L	20	18.3	91	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

LABORATORY CONTROL SAMPLE: 5059055

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloromethane	ug/L	20	16.3	81	59-141	
cis-1,2-Dichloroethene	ug/L	20	18.4	92	70-130	
cis-1,3-Dichloropropene	ug/L	20	19.4	97	70-130	
Dibromochloromethane	ug/L	20	20.3	102	70-130	
Dibromomethane	ug/L	20	21.1	105	70-130	
Ethylbenzene	ug/L	20	19.2	96	70-130	
Iodomethane	ug/L	40	34.0	85	57-140	
Methylene Chloride	ug/L	20	18.7	93	62-130	
Styrene	ug/L	20	19.9	100	70-130	
Tetrachloroethene	ug/L	20	19.8	99	70-130	
Toluene	ug/L	20	19.1	95	70-130	
trans-1,2-Dichloroethene	ug/L	20	19.5	98	70-130	
trans-1,3-Dichloropropene	ug/L	20	18.3	92	70-130	
trans-1,4-Dichloro-2-butene	ug/L	20	18.4	92	57-149 IK	
Trichloroethene	ug/L	20	20.3	102	70-130	
Trichlorofluoromethane	ug/L	20	19.4	97	57-130	
Vinyl acetate	ug/L	40	36.5	91	70-141	
Vinyl chloride	ug/L	20	15.4	77	66-140 v3	
Xylene (Total)	ug/L	60	58.4	97	70-130	
1,2-Dichloroethane-d4 (S)	%			89	70-130	
4-Bromofluorobenzene (S)	%			97	70-130	
Toluene-d8 (S)	%			95	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 5059056 5059057

Parameter	92838266001		MS	MSD	MS		MSD		% Rec Limits	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec			
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	22.8	23.0	114	115	70-146	1	
1,1,1-Trichloroethane	ug/L	ND	20	20	25.7	24.9	128	124	70-150	3	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	22.1	21.9	111	109	66-144	1	
1,1,2-Trichloroethane	ug/L	ND	20	20	23.2	23.2	116	116	70-142	0	
1,1-Dichloroethane	ug/L	ND	20	20	25.4	24.5	127	123	68-150	3	
1,1-Dichloroethene	ug/L	ND	20	20	29.0	28.1	145	140	64-162	3 v1	
1,2,3-Trichloropropane	ug/L	ND	20	20	21.6	21.6	108	108	66-144	0	
1,2-Dibromo-3-chloropropane	ug/L	ND	20	20	22.7	23.2	114	116	62-146	2	
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	22.8	23.3	114	117	70-143	2	
1,2-Dichlorobenzene	ug/L	ND	20	20	22.1	22.1	111	111	70-142	0	
1,2-Dichloroethane	ug/L	ND	20	20	23.9	23.7	119	118	68-145	1	
1,2-Dichloropropane	ug/L	ND	20	20	24.8	24.7	124	123	70-144	0	
1,4-Dichlorobenzene	ug/L	ND	20	20	22.8	22.9	114	115	70-140	0	
2-Butanone (MEK)	ug/L	ND	40	40	46.0	47.8	115	119	57-156	4	
2-Hexanone	ug/L	ND	40	40	46.9	48.1	117	120	62-153	3	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	40	40	44.4	47.1	111	118	65-144	6	
Acetone	ug/L	ND	40	40	48.0	49.0	120	123	49-162	2	
Acrylonitrile	ug/L	ND	100	100	120	119	120	119	59-155	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Parameter	92838266001		MS		MSD		MS		MSD		% Rec	Limits	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec						
MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 5059056			5059057											
Benzene	ug/L	ND	20	20	24.0	24.3	120	122	68-144	1				
Bromochloromethane	ug/L	ND	20	20	24.7	24.8	123	124	70-148	0				
Bromodichloromethane	ug/L	ND	20	20	23.4	23.8	117	119	70-141	2				
Bromoform	ug/L	ND	20	20	21.2	21.9	106	109	59-144	3				
Bromomethane	ug/L	ND	20	20	23.1	24.4	115	122	23-190	6				
Carbon disulfide	ug/L	ND	20	20	23.8	23.2	119	116	64-160	3				
Carbon tetrachloride	ug/L	ND	20	20	25.0	24.5	125	123	70-147	2				
Chlorobenzene	ug/L	ND	20	20	22.9	23.0	115	115	70-143	0				
Chloroethane	ug/L	ND	20	20	21.5	21.0	108	105	55-190	2				
Chloroform	ug/L	ND	20	20	24.2	23.4	121	117	67-148	3				
Chloromethane	ug/L	ND	20	20	21.8	21.6	109	108	38-180	1				
cis-1,2-Dichloroethene	ug/L	ND	20	20	25.3	24.7	126	123	67-151	2				
cis-1,3-Dichloropropene	ug/L	ND	20	20	24.2	24.6	121	123	70-142	2				
Dibromochloromethane	ug/L	ND	20	20	23.7	23.9	118	120	68-140	1				
Dibromomethane	ug/L	ND	20	20	23.4	23.0	117	115	70-142	2				
Ethylbenzene	ug/L	ND	20	20	22.2	22.4	111	112	70-145	1				
Iodomethane	ug/L	ND	40	40	45.7	44.5	114	111	37-160	3				
Methylene Chloride	ug/L	ND	20	20	25.6	25.0	128	125	54-149	2				
Styrene	ug/L	ND	20	20	22.2	22.4	111	112	70-147	1				
Tetrachloroethene	ug/L	ND	20	20	22.3	22.3	111	111	70-145	0				
Toluene	ug/L	ND	20	20	22.7	22.7	114	114	65-146	0				
trans-1,2-Dichloroethene	ug/L	ND	20	20	26.9	26.3	135	132	69-155	2				
trans-1,3-Dichloropropene	ug/L	ND	20	20	23.0	23.3	115	117	70-142	1				
trans-1,4-Dichloro-2-butene	ug/L	ND	20	20	7.8	20.7	39	103	39-149	91	R1			
Trichloroethene	ug/L	ND	20	20	24.2	24.4	121	122	70-152	1				
Trichlorofluoromethane	ug/L	ND	20	20	23.9	23.5	119	118	60-158	2				
Vinyl acetate	ug/L	ND	40	40	47.7	49.5	119	124	56-157	4				
Vinyl chloride	ug/L	ND	20	20	22.1	21.3	111	107	51-178	4				
Xylene (Total)	ug/L	ND	60	60	66.8	67.5	111	112	70-146	1				
1,2-Dichloroethane-d4 (S)	%						102	101	70-130					
4-Bromofluorobenzene (S)	%						100	99	70-130					
Toluene-d8 (S)	%						100	100	70-130					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

QC Batch: 983910

Analysis Method: SM 2540C-2020

QC Batch Method: SM 2540C-2020

Analysis Description: 2540C Total Dissolved Solids

Laboratory: Pace Analytical Services - Asheville

Associated Lab Samples: 92838345042, 92838345045

METHOD BLANK: 5058777

Matrix: Water

Associated Lab Samples: 92838345042, 92838345045

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Dissolved Solids	mg/L	ND	25.0	01/10/26 17:58	

LABORATORY CONTROL SAMPLE: 5058778

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	250	254	102	90-110	

SAMPLE DUPLICATE: 5058779

Parameter	Units	92838266004 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	104	106	2	

SAMPLE DUPLICATE: 5058780

Parameter	Units	92838257002 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	3820	3850	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill
 Pace Project No.: 92838345

QC Batch: 984007 Analysis Method: SM 2540C-2020
 QC Batch Method: SM 2540C-2020 Analysis Description: 2540C Total Dissolved Solids
 Laboratory: Pace Analytical Services - Asheville
 Associated Lab Samples: 92838345040, 92838345041, 92838345043, 92838345044, 92838345046

METHOD BLANK: 5058994 Matrix: Water
 Associated Lab Samples: 92838345040, 92838345041, 92838345043, 92838345044, 92838345046

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Dissolved Solids	mg/L	ND	25.0	01/12/26 09:08	

LABORATORY CONTROL SAMPLE: 5058995

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	250	244	98	90-110	

SAMPLE DUPLICATE: 5058996

Parameter	Units	92838266010 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	229	277	19	

SAMPLE DUPLICATE: 5058997

Parameter	Units	92838338001 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	84.0	86.0	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

QC Batch:	983905	Analysis Method:	EPA 9056A
QC Batch Method:	EPA 9056A	Analysis Description:	9056 IC anions 28 Days
		Laboratory:	Pace Analytical Services - Asheville

Associated Lab Samples: 92838345040, 92838345041, 92838345042, 92838345043, 92838345044, 92838345045, 92838345046

METHOD BLANK: 5058757 Matrix: Water
 Associated Lab Samples: 92838345040, 92838345041, 92838345042, 92838345043, 92838345044, 92838345045, 92838345046

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chloride	mg/L	ND	1.0	01/10/26 13:43	

LABORATORY CONTROL SAMPLE: 5058758

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	50	53.4	107	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 5058759 5058760

Parameter	Units	5058759		5058760		MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result					
Chloride	mg/L	2.2	50	50	53.8	54.4	103	104	90-110	1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

IK The recalculated concentration of the calibration standard(s) did not meet method acceptance criteria; this result should be considered an estimated value.

R1 RPD value was outside control limits.

S0 Surrogate recovery outside laboratory control limits.

v1 The continuing calibration verification was above the method acceptance limit. Any detection for the analyte in the associated samples may have a high bias.

v2 The continuing calibration verification was below the method acceptance limit. The analyte was not detected in the associated samples and the sensitivity of the instrument was verified with a reporting limit check standard.

v3 The continuing calibration verification was below the method acceptance limit. Any detection for the analyte in the associated samples may have low bias.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GFL - Eagle Point Landfill
 Pace Project No.: 92838345

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92838345001	GWA-1				
92838345002	GWA-2				
92838345003	GWC-1				
92838345004	GWC-2				
92838345006	GWC-3				
92838345007	GWC-4				
92838345008	GWC-5				
92838345009	GWC-6				
92838345010	GWC-7				
92838345011	GWC-7A				
92838345012	GWC-8				
92838345013	GWC-9				
92838345014	GWC-10				
92838345015	GWC-11				
92838345017	GWC-12R				
92838345018	GWC-13R				
92838345019	GWC-14R				
92838345020	GWC-15				
92838345021	GWC-16				
92838345022	GWC-17				
92838345023	GWC-19				
92838345024	GWC-20				
92838345025	GWC-22				
92838345026	GWC-23				
92838345027	GWC-28				
92838345028	GWC-29				
92838345029	GWC-45				
92838345030	GWC-46				
92838345032	GWC-47				
92838345034	GWC-48				
92838345036	GWC-49				
92838345040	SWA-1				
92838345041	SWA-2				
92838345042	SWC-9				
92838345043	UD-6				
92838345044	UD-8				
92838345045	UD-13				
92838345046	SWC-14				
92838345001	GWA-1	EPA 3010	1158795	EPA 6020	1158845
92838345002	GWA-2	EPA 3010	1158795	EPA 6020	1158845
92838345003	GWC-1	EPA 3010	1158795	EPA 6020	1158845
92838345005	GWC-2	EPA 3010	1158795	EPA 6020	1158845
92838345006	GWC-3	EPA 3010	1158795	EPA 6020	1158845
92838345007	GWC-4	EPA 3010	1158795	EPA 6020	1158845
92838345008	GWC-5	EPA 3010	1158795	EPA 6020	1158845
92838345009	GWC-6	EPA 3010	1158795	EPA 6020	1158845
92838345010	GWC-7	EPA 3010	1158795	EPA 6020	1158845
92838345011	GWC-7A	EPA 3010	1158795	EPA 6020	1158845

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GFL - Eagle Point Landfill

Pace Project No.: 92838345

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92838345012	GWC-8	EPA 3010	1158795	EPA 6020	1158845
92838345013	GWC-9	EPA 3010	1158792	EPA 6020	1158824
92838345014	GWC-10	EPA 3010	1158792	EPA 6020	1158824
92838345016	GWC-11	EPA 3010	1158792	EPA 6020	1158824
92838345017	GWC-12R	EPA 3010	1158792	EPA 6020	1158824
92838345018	GWC-13R	EPA 3010	1158792	EPA 6020	1158824
92838345019	GWC-14R	EPA 3010	1158792	EPA 6020	1158824
92838345020	GWC-15	EPA 3010	1158792	EPA 6020	1158824
92838345021	GWC-16	EPA 3010	1158792	EPA 6020	1158824
92838345022	GWC-17	EPA 3010	1158792	EPA 6020	1158824
92838345023	GWC-19	EPA 3010	1158792	EPA 6020	1158824
92838345024	GWC-20	EPA 3010	1158792	EPA 6020	1158824
92838345025	GWC-22	EPA 3010	1158792	EPA 6020	1158824
92838345026	GWC-23	EPA 3010	1158792	EPA 6020	1158824
92838345027	GWC-28	EPA 3010	1158792	EPA 6020	1158824
92838345028	GWC-29	EPA 3010	1158792	EPA 6020	1158824
92838345029	GWC-45	EPA 3010	1158792	EPA 6020	1158824
92838345031	GWC-46	EPA 3010	1158792	EPA 6020	1158824
92838345033	GWC-47	EPA 3010	1158792	EPA 6020	1158824
92838345035	GWC-48	EPA 3010	1158795	EPA 6020	1158845
92838345037	GWC-49	EPA 3010	1158792	EPA 6020	1158824
92838345038	FIELD BLANK	EPA 3010	1158792	EPA 6020	1158824
92838345001	GWA-1	EPA 8260D	984015		
92838345002	GWA-2	EPA 8260D	984015		
92838345003	GWC-1	EPA 8260D	984015		
92838345004	GWC-2	EPA 8260D	984015		
92838345006	GWC-3	EPA 8260D	984015		
92838345007	GWC-4	EPA 8260D	984015		
92838345008	GWC-5	EPA 8260D	984015		
92838345009	GWC-6	EPA 8260D	984015		
92838345010	GWC-7	EPA 8260D	984020		
92838345011	GWC-7A	EPA 8260D	984015		
92838345012	GWC-8	EPA 8260D	984020		
92838345013	GWC-9	EPA 8260D	984020		
92838345014	GWC-10	EPA 8260D	984015		
92838345015	GWC-11	EPA 8260D	984015		
92838345017	GWC-12R	EPA 8260D	984015		
92838345018	GWC-13R	EPA 8260D	984015		
92838345019	GWC-14R	EPA 8260D	984020		
92838345020	GWC-15	EPA 8260D	984020		
92838345021	GWC-16	EPA 8260D	984015		
92838345022	GWC-17	EPA 8260D	984015		
92838345023	GWC-19	EPA 8260D	984015		
92838345024	GWC-20	EPA 8260D	984015		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GFL - Eagle Point Landfill
 Pace Project No.: 92838345

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92838345025	GWC-22	EPA 8260D	984015		
92838345026	GWC-23	EPA 8260D	984016		
92838345027	GWC-28	EPA 8260D	984016		
92838345028	GWC-29	EPA 8260D	984016		
92838345029	GWC-45	EPA 8260D	984016		
92838345030	GWC-46	EPA 8260D	984016		
92838345032	GWC-47	EPA 8260D	984016		
92838345034	GWC-48	EPA 8260D	984016		
92838345036	GWC-49	EPA 8260D	984016		
92838345038	FIELD BLANK	EPA 8260D	984015		
92838345039	TRIP BLANK	EPA 8260D	984015		
92838345040	SWA-1	EPA 8260D	984016		
92838345041	SWA-2	EPA 8260D	984016		
92838345042	SWC-9	EPA 8260D	984016		
92838345043	UD-6	EPA 8260D	984020		
92838345044	UD-8	EPA 8260D	984020		
92838345045	UD-13	EPA 8260D	984020		
92838345046	SWC-14	EPA 8260D	984020		
92838345040	SWA-1	SM 2540C-2020	984007		
92838345041	SWA-2	SM 2540C-2020	984007		
92838345042	SWC-9	SM 2540C-2020	983910		
92838345043	UD-6	SM 2540C-2020	984007		
92838345044	UD-8	SM 2540C-2020	984007		
92838345045	UD-13	SM 2540C-2020	983910		
92838345046	SWC-14	SM 2540C-2020	984007		
92838345040	SWA-1	EPA 9056A	983905		
92838345041	SWA-2	EPA 9056A	983905		
92838345042	SWC-9	EPA 9056A	983905		
92838345043	UD-6	EPA 9056A	983905		
92838345044	UD-8	EPA 9056A	983905		
92838345045	UD-13	EPA 9056A	983905		
92838345046	SWC-14	EPA 9056A	983905		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - AMV 4/20/11

MO# : 92838345



92838345

Company Name: **GFL Environmental** Contact/Report To: **Scott Mann**
 Street Address: **8880 Old Federal Road** Phone #: **404-655-2834**
Ball Ground, GA 30107 E-Mail: **scott.mann@gflenv.com**
 CC E-Mail: **scott.mann@gflenv.com**

Customer Project #: **GFL - Eagle Point Landfill** Invoice to: **Scott Mann**
 Project Name: **GFL - Eagle Point Landfill** Invoice Email: **scott.mann@gflenv.com**

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET County/State/origin of sample(s):
 Data Differentiable: [] Level II [] Level III [] Level IV
 [] EQUUS
 [] Other: _____

Matrix Codes (Insert in Matrix box below): Water (WT), Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SD), Sludge (SL), Cank (CX), Leachate (L), Resolid (RS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected		# Cont.	Residual Chlorine	
			Date	Time		Result	Units
GWA-1	GW	G	1/1/26	1122	4	-	-
GWA-2	GW	G	1/8/26	1636	4	-	-
GWC-1	GW	G	1/7/26	1223	4	-	-
GWC-2	GW	G	1/7/26	1256	3	-	-
GWC-2	GW	G	1/8/26	0855	1	-	-
GWC-3	GW	G	1/8/26	0942	4	-	-
GWC-4	GW	G	1/7/26	1344	4	-	-
GWC-5	GW	G	1/7/26	1421	4	-	-
GWC-6	GW	G	1/6/26	1052	4	-	-
GWC-7	GW	G	1/6/26	1208	4	-	-

Additional Instructions from Page #:
 Collected By: **Dr. Marty M. Young**
 Printed Name: _____
 Signature: _____

Specify Container Size **

6	3	3	2	6
---	---	---	---	---

Identify Container Preservative Type***

4	2	1	1	4
---	---	---	---	---

Analysis Requested

8260 App I VOC
 6020 App I Metals
 9056 Chloride
 2540C TDS
 8260 App I VOC

Customer Remarks / Special Conditions / Possible Hazards:	Thermometer ID	Correction Factor (CF)	Obs. Temp (CF)	Corrected Temp (CF)	Notice

Received By/Company (Signature): _____
 Received By/Company (Signature): _____
 Received By/Company (Signature): _____

Relinquished by/Company (Signature): _____
 Relinquished by/Company (Signature): _____
 Relinquished by/Company (Signature): _____

Lab Use Only
 17404
 Prelog / Reale Ord. ID:
 EZ 335716
 Sample Comment

Preservation non-conformance identified for sample.

Tracking Number:
 Delivered by: [] In-Person [] Courier
 [] FedEx [] UPS [] Other

Page: 1 of 5

CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

MO# : 92838345
PM : TMC Due Date : 01/23/26
CLIENT : GR-GFL Env

Company Name: **GFL Environmental** Contact/Report To: **Scott Mann**
 Street Address: **8880 Old Federal Road** Phone #: **404-655-2834**
Ball Ground, GA 30107 E-Mail: **scott.mann@gflenv.com**
 CC E-Mail: **scott.mann@gflenv.com**
 Customer Project #: **GFL - Eagle Point Landfill** Invoice to: **Scott Mann**
 Project Name: **GFL - Eagle Point Landfill** Invoice Email: **scott.mann@gflenv.com**

Site Collection Info/Facility ID (as applicable):
 Quote #: **Purchase Order # (if applicable):**
 Reputable Yes No

Time Zone Collected: AK PT MT CT ET
 Data Deliverables: Level II Level III Level IV
 Rush (Pre-approval required): Same Day 1 Day 2 Day 3 Day
 Date Results Requested: Other
 Field Filtered (if applicable): Yes No
 Analysis:

Matrix Codes (Insert in Matrix box below): Water (WT), Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (O), Wipe (WR), Tissue (TS), Biossey (B), Vapor (V), Surface Water (SW), Sediment (SD), Sludge (SL), Cask (CX), Leachate (L), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected		# Cont.	Residual Chlorine	
			Date	Time		Result	Units
GWC-7A	GW	G	1/6/26	1250	4	-	-
GWC-8	GW	G	1/7/26	1513	4	-	-
GWC-9	GW	G	1/6/26	1427	4	-	-
GWC-10	GW	G	1/6/26	1223	4	-	-
GWC-11	GW	G	1/7/26	1448	3	-	-
GWC-11	GW	G	1/8/26	0920	1	-	-
GWC-12R	GW	G	1/6/26	1532	4	-	-
GWC-13R	GW	G	1/7/26	1418	4	-	-
GWC-14R	GW	G	1/6/26	1308	4	-	-
GWC-15	GW	G	1/7/26	1334	4	-	-

Additional Instructions from Page #:
 Collected By: **O'Conor, Myoung**
 Printed Name: **O'Conor**
 Signature: *[Signature]*

Customer Remarks / Special Conditions / Possible Hazards:	Specify Container Size **					
	6	3	2	6		
8260 App I VOC						
6020 App I Metals						
9056 Chloride						
2540C TDS						
8260 App I VOC						

Identify Container Preservative Type ***
 Analysis Requested
 Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL, (7) 20mL, (8) 15mL, (9) 90mL, (10) Other
 Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHCO3, (8) Std. Thiosulfate, (9) Acetic Acid, (10) MeOH, (11) Other
 Proj. Mgr.: **Taylor Cannon**
 ActNum / Client ID:
 Table #: **17404**
 Profile / Template: **EZ 3335710**
 Lab Use Only: **Prelog / Bottle Ord. ID: EZ 3335710**
 Sample Comment: **Preservation non-conformance identified for sample.**

Relinquished By/Company (Signature): **EMS** Date/Time: **1-9-26 11:06**
 Relinquished By/Company (Signature): **[Signature]** Date/Time:
 Relinquished By/Company (Signature): **[Signature]** Date/Time:
 Relinquished By/Company (Signature): **[Signature]** Date/Time:

Received By/Company (Signature): **[Signature]** Date/Time: **1-9-26 11:06**
 Received By/Company (Signature): **[Signature]** Date/Time:
 Received By/Company (Signature): **[Signature]** Date/Time:
 Received By/Company (Signature): **[Signature]** Date/Time:
 Tracking Number:
 Delivered by: In Person Courier FedEx UPS Other
 Page: **2** of **5**

Company Name: **GFL Environmental** Contact/Report To: **Scott Mann**
 Street Address: **8880 Old Federal Road** Phone #: **404-655-2834**
Ball Ground, GA 30107 E-Mail: **scott.mann@gflenv.com**
 Customer Project #: **GFL - Eagle Point Landfill** Invoice to: **Scott Mann**
 Project Name: **GFL - Eagle Point Landfill** Invoice Email: **scott.mann@gflenv.com**

Time Zone Collected: AK PT MT CT ET
 Regulatory Program (DW, RCRA, etc.) as applicable: Releasable Yes No
 Date Deliverables: Level II Level III Level IV
 EQUIS
 Other: _____
 Rush (Pre-approval required): Same Day 1 Day 2 Day 3 Day
 Date Results Requested: _____
 Field Filtered (if applicable): Yes No
 Analysis: _____

Matrix Codes (insert in Matrix box below): Water (WT), Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (O), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SD), Sludge (S), Caustic (CA), Leachate (L), Biosolid (BS), Other (O)
 Customer Sample ID: _____
 Matrix*: _____
 Comp / Grab: _____
 Date: _____
 Collected Time: _____
 # Cont. Result Units: _____

Customer Sample ID	Matrix*	Comp / Grab	Date	Time	# Cont.	Result	Units
GWC-16	GW	G	1/17/26	1035	4	-	-
GWC-17	GW	G	1/18/26	1602	4	-	-
GWC-19	GW	G	1/17/26	1309	4	-	-
GWC-20	GW	G	1/6/26	1543	4	-	-
GWC-22	GW	G	1/6/26	1516	4	-	-
GWC-23	GW	G	1/6/26	1426	4	-	-
GWC-28	GW	G	1/17/26	1155	4	-	-
GWC-29	GW	G	1/17/26	1234	4	-	-
GWC-45	GW	G	1/18/26	1510	4	-	-
GWC-46	GW	G	1/18/26	1302	3	-	-

Additional Instructions from Pace*: _____
 Collected By: **Dawn Myoung**
 Printed Name: _____
 Signature: _____
 Received by/Company (Signature): _____
 Date/Time: **1-9-26**
 Received by/Company (Signature): _____
 Date/Time: _____
 Received by/Company (Signature): _____
 Date/Time: _____

LAB TEST ONLY - Chain of Custody
MO#: 92838345
PM: TMC Due Date: 01/23/26
CLIENT: GR-GFL Env

Specify Container Size**

6	3	3	2	6			
---	---	---	---	---	--	--	--

Identify Container Preservation Type***

4	2	1	1	4			
---	---	---	---	---	--	--	--

Analysis Requested

8260 App I VOC							
6020 App I Metals							
9056 Chloride							
2540C TDS							
8260 App I VOC							

Profil Mgr: **Taylor Cannon**
 ActNum / Client ID: _____
 Table #: _____
 Profile / Template: _____
 17404
 Lab Use Only
 Prelog / Bottle Ord. ID: **EZ 3335710**
 Sample Comment: _____

Customer Remarks / Special Conditions / Possible Hazards: _____
 Thermometer ID: _____
 Calibration Factor (%): _____
 Obs Temp (C): _____
 Preservation non-conformance identified for sample.
 Page: **3** of **5**

Company Name: GFL Environmental
 Street Address: 8880 Old Federal Road
 Ball Ground, GA 30107

Contact/Report To: Scott Mann
 Phone #: 404-655-2834
 E-Mail: scott.mann@gflenv.com
 CC E-Mail: scott.mann@gflenv.com

Customer Project #: GFL - Eagle Point Landfill
 Project Name: GFL - Eagle Point Landfill
 Site Collection Info/Facility ID (as applicable):

Invoice to: Scott Mann
 Invoice Email: scott.mann@gflenv.com
 Purchase Order # (if applicable):
 Quote #:

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
 Data Deliverables: [] Level II [] Level III [] Level IV [] EQUIS
 Rush (Pre-approval required): [] Same Day [] 1 Day [] 2 Day [] 3 Day
 Date Results Requested: [] Other: [] Other:

County/State origin of sample(s):
 Reputable [] Yes [] No
 DW PWSID # or WW Permit # as applicable:
 Field Filtered (if applicable): [] Yes [] No
 Analysis Requested:
 Specify Container Size **
 Identify Container Preservative Type***
 Analysis Requested

Matrix Codes (Insert in Matrix box below): Water (WT), Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Sediment (SS), Oil (O), Wipe (W), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SE), Sludge (SL), Cask (CL), Leachate (L), Secondary (S), Other (OT)

Profil. Mgr: Taylor Cannon
 Account / Client ID:
 Table #:
 Profile / Template:
 Lab Use Only
 Prelg / Bottle Ord ID:
 EZ 3335710
 Sample Comment

Customer Sample ID	Matrix *	Comp / Grab	Collected		# Cont.	Residual Chlorine		8260 App I VOC	6020 App I Metals	9056 Chloride	2540C TDS	8260 App I VOC	Thermometer ID	Ops Temp (°C)	Corrected Temp (°C)	1 On Ice
			Date	Time		Result	Units									
GWC-46	GW	G	1/9/26	0835	1	-	-	X								
GWC-47	GW	G	1/8/26	1218	3	-	-	X								
GWC-47	GW	G	1/9/26	0825	1	-	-	X								
GWC-48	GW	G	1/8/26	1057	3	-	-	X								
GWC-48	GW	G	1/9/26	0816	1	-	-	X								
GWC-49	GW	G	1/8/26	1359	3	-	-	X								
GWC-49	GW	G	1/9/26	0846	1	-	-	X								
Field Blank	W	G	1/7/26	1521	4	-	-	X								
TRIP Blank	W	G	1/6/26	0745	2	-	-	X								
SWA-1	SW	G	1/8/26	1545	5	-	-	X								

Additional Instructions from Pace: *
 Collected By: Deanna Myrning
 Printed Name: Deanna Myrning
 Signature: [Signature]

Received By: [Signature]
 Received By/Company: [Signature]
 Received By/Company: [Signature]
 Received By/Company: [Signature]

Date/Time: 1-9-26 11:05
 Date/Time: 1-7-26 11:05
 Date/Time: []
 Date/Time: []

Fracking Number: [] In-Person [] Courier
 Delivered by: [] FedEx [] UPS [] Other

Page: 4 of 5



Scan QR Code for instructions

LAB USE ONLY - Attn: Workorder/Login Label Here

Pace® Location Requested (City/State):
 9800 Kinsey Ave, Suite 100
 Huntersville, NC 28078

Company Name: GFL Environmental
Street Address: 8880 Old Federal Road
 Ball Ground, GA 30107

Contact/Report To: Scott Mann
Phone #: 404-655-2834
E-Mail: scott.mann@gflenv.com
Cc E-Mail:

Customer Project #:
Project Name: GFL - Eagle Point Landfill

Time Zone Collected: [] AK [] CT [] ET [] MT [] PT [] T [] V [] W [] Z [] Other

Data Deliverables:
 [] Level II [] Level III [] Level IV [] EQUIS [] Other

Rush (Pre-approval required):
 [] Same Day [] 1 Day [] 2 Day [] 3 Day
 Other

Date Results Requested:

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No

DW PWSID # or WW Permit # as applicable:

Field Filtered (if applicable): [] Yes [] No
 Analysis:

Matrix Codes (Insert in Matrix box below): Water (WT), Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biossay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (L), Biosolid (BS), Other (OT)

Customer Sample ID

Customer Sample ID	Matrix *	Comp / Grab	Collected		# Cont.	Residual Chlorine	
			Date	Time		Result	Units
SWA-2	SW	G	1/8/26	1327	5	-	-
SWC-9	SW	G	1/7/26	1025	5	-	-
UD-6	WT	G	1/8/26	1135	5	-	-
UD-8	WT	G	1/8/26	1200	5	-	-
UD-13	WT	G	1/7/26	0950	5	-	-
SWC-14	WT	G	1/8/26	1530	5	-	-

Additional Instructions from Pace®:
 Collected By: *Dennis Myer*
 Printed Name: *Dennis Myer*
 Signature: *Dennis Myer*

Relinquished by/Company (Signature): *[Signature]*
 Date/Time: 1-9-26 1106

Relinquished by/Company (Signature): *[Signature]*
 Date/Time: 1-9-26 1106

Relinquished by/Company (Signature): *[Signature]*
 Date/Time: 1-9-26 1106

Relinquished by/Company (Signature): *[Signature]*
 Date/Time: 1-9-26 1106

Specify Container Size **

6	3	2	6
---	---	---	---

Identify Container Preservative Type***

4	2	1	1	4
---	---	---	---	---

Analysis Requested

***** Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) Encore, (8) TerraCore, (9) 90mL, (10) Other**

***** Preservative Type: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) H2O2, (6) Ascorbic Acid, (7) H2SO4, (8) Sul. Thiosulfate, (9) Acetic Acid, (10) HNO3, (11) Other**

Lab Use Only	Proj. Mgr:	ActNum / Client ID:	Table #:	Profile / Template:	Prolog / Bottle Ord. ID:	Sample Comment
	17404	EZ 3335710				All Marks TW 1/12/26

Preservation non-conformance identified for sample

Customer Remarks / Special Conditions / Possible Hazards:

Thermometer ID: _____ **Obs. Temp. (°C):** _____ **Correc. Temp. (°C):** _____ **On Ice**

Coolers: _____ **Correction Factor (°C):** _____

Tracking Number: _____

Delivered By: _____ **Date/Time:** 1-9-26 1106

Received by/Company (Signature): *[Signature]*
 Date/Time: 1-9-26 1106

Received by/Company (Signature): *[Signature]*
 Date/Time: 1-9-26 1106

Received by/Company (Signature): *[Signature]*
 Date/Time: 1-9-26 1106

Received by/Company (Signature): *[Signature]*
 Date/Time: 1-9-26 1106



DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

Laboratory receiving samples:

Asheville Eden Greenwood Huntersville Raleigh Mechanicsville Atlanta Kernersville

Sample Condition Upon Receipt

Client Name:

GFL

Project #:

WO#: 92838345

Courier: Fed Ex UPS USPS Client Commercial Pace Other: _____

PM: TMC Due Date: 01/23/26
CLIENT: GA-GFL Env

Custody Seal Present? Yes No Seals Intact? Yes No N/A

Date/Initials Person Examining Contents: 1/19/26

Packing Material: Bubble Wrap Bubble Bags None Other

Biological Tissue Frozen? Yes No N/A

Thermometer: IR Gun ID: 230

Type of Ice: Wet Blue None

Cooler Temp: 3.3 Correction Factor: Add/Subtract (°C) 0.0

Temp should be above freezing to 6°C
 Samples out of temp criteria. Samples on ice, cooling process has begun

Cooler Temp Corrected (°C): 3.3

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)? Yes No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

			Comments/Discrepancy:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.	
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.	
Short Hold Time Analysis (<72 hr.)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	3.	
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.	
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.	
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	6.	Sample SWC-14 taken 1/18/26 @ 1530 present
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.	but not listed on CC
Dissolved analysis: Samples Field Filtered?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	8.	
Sample Labels Match COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	9.	
-Includes Date/Time/ID/Analysis Matrix:	GW/gw		
Headspace in VOA Vials (>5-6mm)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10.	
Trip Blank Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.	
Trip Blank Custody Seals Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		

COMMENTS/SAMPLE DISCREPANCY

Field Data Required? Yes No

Lot ID of split containers:

CLIENT NOTIFICATION/RESOLUTION

Person contacted: _____ Date/Time: _____

Project Manager SCURF Review: _____

Date: _____

Project Manager SRF Review: _____

Date: _____



Effective Date: 05/24/2024

WO#: 92838345

Project: PM: TMC Due Date: 01/23/26
CLIENT: GA-GFL Env

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

**Bottom half of box is to list number of bottles

***Check all unpreserved Nitrates for chlorine

Laboratory Receiving Location: Asheville [] Eden [] Greenwood [] Huntersville [] Raleigh [] Mechanicsville [] Atlanta [x] Kernersville []

Client: GFL Environmental Profile: EZ (Circle one) 3335710 Notes

Table with columns for Item#, CC, and various sample types (BP4U-125 mL Plastic Unpreserved, BP3U-250 mL Plastic Unpreserved, etc.). Includes handwritten 'SI' and 'CH' markings and a grid for recording data.

pH Adjustment Log for Preserved Samples

Table with 7 columns: Sample ID, Type of Preservative, pH upon receipt, Date preservation adjusted, Time preservation adjusted, Amount of Preservative added, Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.)



Effective Date: 05/24/2024

WO#: 92838345

Project #

PM: TMC

Due Date: 01/23/26

CLIENT: GA-GFL Env

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

**Bottom half of box is to list number of bottles

***Check all unpreserved Nitrates for chlorine

Laboratory Receiving Location: Asheville Eden Greenwood Huntersville Raleigh Mechanicsville Atlanta Kernersville

Client GA Environmental Profile/67 (Circle one) 3335710 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)	BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A - lab)	SP2T-250 mL Sterile Plastic (N/A - lab)	BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)		
CC						SI										CH													
1	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
2	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
3	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
4	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
5	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
6	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
7	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
8	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
9	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
10	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
11	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
12	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.



Effective Date: 05/24/2024

WO#: 92838345

Proc

PM: TMC

Due Date: 01/23/26

CLIENT: GA-GFL Env

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

**Bottom half of box is to list number of bottles

***Check all unpreserved Nitrates for chlorine

Laboratory Receiving Location: Asheville Eden Greenwood Huntersville Raleigh Mechanicsville Atlanta Kernersville

Client GFL Environmental Profile EZ (Circle one) 3335710 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)	BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGfU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A - lab)	SP2T-250 mL Sterile Plastic (N/A - lab)	BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	V5GU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)	
CC						SI										CH												
1																3												
2																3												
3																3												
4																3												
5																3												
6																3												
7																3												
8																												
9																3												
10																												
11																3												
12																												

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.



DC#_Title: ENV-FRM-HUN1-0083 v05_Sample Condition Upon Receipt

Effective Date: 05/24/2024

WO#: 92838345

Project:

PM: TMC

Due Date: 01/23/26

CLIENT: GA-GFL Env

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

**Bottom half of box is to list number of bottles

***Check all unpreserved Nitrates for chlorine

Laboratory Receiving Location: Asheville Eden Greenwood Huntersville Raleigh Mechanicsville Atlanta Kernersville

Client GFL Environmental Profile/E3 (Circle one) 3335710 Notes

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)	BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGfU-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A - lab)	SP2T-250 mL Sterile Plastic (N/A - lab)	BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG0U-100 mL Amber Unpreserved (N/A) (Cl-)	V5GU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)		
CC	AS	AS				SI										CH													
1	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
2	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	2	/	/	/	/	/	/	/	/	/	/	/	/	/
3	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
4	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
5	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
6	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
7	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
8	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
9	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	3	/	/	/	/	/	/	/	/	/	/	/	/	/
10	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
11	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
12	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental

Site Eagle Point Landfill

Well ID GWC-2

Date 1/7/2026

DTW¹ 38.60

DTB² 41.44

1 Well Volume (DTB - DTW) * 0.163 = 0.46

3 Well Volumes 1 WV * 3 = 1.39

Purge Method Disposable Teflon Bailer

Sample Method Disposable Teflon Bailer

Parameters Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1256	0.50	5.45	24	18.4	144	5.11	46

Metals sample collection if allowed to settle:

Date: 1/8/2026 Time: 0855 NTU: 26

Comments
Cloudy, no odor, purged dry

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Well ID	GWC-10
Date	1/6/2026
DTW ¹	30.43
DTB ²	36.55
1 Well Volume	(DTB - DTW) * 0.163 = 1.00
3 Well Volumes	1 WV * 3 = 2.99
Purge Method	Disposable Teflon Bailer
Sample Method	Disposable Teflon Bailer
Parameters	Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1211	1.00	5.40	297	18.9	3	0.93	58
1216	2.00	5.13	277	18.9	4	1.13	64
1219	2.50	5.14	275	18.9	4	0.96	64
1223	3.00	5.13	274	18.9	4	0.94	64

Metals sample collection if allowed to settle:

Date: _____ Time: _____ NTU: _____

Comments
Clear, slight odor

Field Tech: T. Wardell

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental

Site Eagle Point Landfill

Well ID GWC-11

Date 1/7/2026

DTW¹ 36.31

DTB² 41.17

1 Well Volume (DTB - DTW) * 0.163 = 0.79

3 Well Volumes 1 WV * 3 = 2.38

Purge Method Disposable Teflon Bailer

Sample Method Disposable Teflon Bailer

Parameters Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1448	1.00	5.10	419	19.6	> 1100	1.82	232
1216	2.00	5.13	277	18.9	4	1.13	64
1223	3.00	5.13	274	18.9	4	0.94	64

Metals sample collection if allowed to settle:

Date: 1/8/2026 Time: 0920 NTU: 17

Comments
Cloudy, no odor

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client: GFL Environmental
 Site: Eagle Point Landfill
 Well ID: GWC-15
 Date: 1/7/2026
 DTW¹: 43.05
 DTB²: 46.35
 1 Well Volume: (DTB - DTW) * 0.163 = 0.54
 3 Well Volumes: 1 WV * 3 = 1.61
 Purge Method: Disposable Teflon Bailer
 Sample Method: Disposable Teflon Bailer
 Parameters: Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1330	0.75	5.19	53	17.9	5	1.52	289
1334	1.25	5.10	52	18.2	2	1.34	278

Metals sample collection if allowed to settle:

Date: _____ Time: _____ NTU: _____

Comments
Clear, slight odor, purged dry

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
 Site Eagle Point Landfill
 Well ID GWC-16
 Date 1/7/2026
 DTW¹ 20.52
 DTB² 24.62
 Purge Method Peristaltic Pump
 Sample Method Peristaltic Pump (Reverse Flow for VOC's)
 Stabilization Yes
 Parameters Appendix I VOCs / Metals

Purge Start Time = 0946 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
0956	21.50	190	0.50	5.11	176	16.1	48	0.38	-1
0959	21.50	190	0.80	5.14	175	16.2	35	0.33	4
1002	21.50	190	1.00	5.14	175	16.2	33	0.28	6
1005	21.50	190	1.20	5.16	175	16.1	23	0.24	9
1008	21.50	190	1.40	5.16	174	16.1	22	0.21	12
1011	21.50	190	1.60	5.17	173	16.1	20	0.19	15
1014	21.50	190	1.80	5.17	173	16.2	16	0.17	18
1017	21.50	190	2.00	5.17	172	16.2	17	0.16	22
1020	21.50	190	2.20	5.18	172	16.2	13	0.16	24
1023	21.50	190	2.40	5.17	172	16.2	11	0.15	28
1026	21.50	190	2.60	5.17	171	16.3	11	0.16	31
1029	21.50	190	2.80	5.18	171	16.3	10	0.15	34
1032	21.50	190	3.00	5.17	171	16.3	10	0.14	38
1035	21.50	190	3.20	5.18	171	16.3	8	0.14	41

Comments
Clear, no odor

Field Tech: M. Young

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
Well ID	GWC-15
Date	1/7/2026
DTW ¹	52.51
DTB ²	55.18
1 Well Volume	$(DTB - DTW) * 0.163 = 0.44$
3 Well Volumes	$1 WV * 3 = 1.31$
Purge Method	Disposable Teflon Bailer
Sample Method	Disposable Teflon Bailer
Parameters	Appendix I VOCs / Metals

LEL/Vol = 0

Time	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1309	0.50	5.87	131	18.5	2	4.86	233

Metals sample collection if allowed to settle:

Date: _____ Time: _____ NTU: _____

Comments
Clear, no odor, purged dry

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing

² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client: GFL Environmental
 Site: Eagle Point Landfill
 Well ID: GWC-47
 Date: 1/8/2026
 DTW¹: 57.29
 DTB²: 82.72
 Purge Method: Non-Dedicated Bladder Pump
 Sample Method: Non-Dedicated Bladder Pump
 Stabilization: Yes
 Parameters: Appendix I VOCs / Metals

Purge Start Time = 1136 LEL/Vol = 0

Time	DTW ¹	Purge Rate (mL/min)	Actual Volume (gallons)	pH	SC (µS/cm)	T (°C)	Turbidity (NTU)	DO (mg/L)	ORP (mV)
1146	57.36	280	0.74	7.79	247	17.8	> 1100	2.18	190
1150	57.36	280	1.04	7.60	239	17.5	934	1.73	129
1154	57.37	280	1.34	7.53	231	17.6	555	1.86	97
1158	57.37	280	1.64	7.43	224	17.4	347	1.84	83
1202	57.37	280	1.94	7.41	219	17.3	333	1.95	77
1206	57.37	280	2.24	7.38	216	17.4	242	2.00	74
1210	57.37	280	2.54	7.37	214	17.5	191	2.09	73
1214	57.37	280	2.84	7.34	212	17.2	186	2.12	74
1218	57.37	280	3.14	7.35	211	17.0	183	2.11	74
0825	1/9/2026						17		

Comments
Cloudy, no odor, allowed to settle overnight

Field Tech: D. Cantu

¹ Depth to water as measured in feet from top of casing
² Depth to bottom of casing measured from top of casing

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client	GFL Environmental
Site	Eagle Point Landfill
ID	Field Blank
Date	1/7/2026
Time	1521
Parameters	Appendix I VOCs / Metals

Comments
DI Water from Eurofins - Atlanta stored at EM Services' office. Field Blank poured directly into bottles at GWC-8.

Field Tech: M. Young

EM Services

Environmental Monitoring Services, LLC

Field Data Sheet

Client GFL Environmental
Site Eagle Point Landfill
Sample Method Directly into bottles
Parameters Appendix I VOCs, Chloride, TDS

Surface Water ID	Date	Time	pH	T (°C)	Comments
SWA-1	1/8/2026	1545	5.93	11.0	Clear, no odor, good flow
SWA-2	1/8/2026	1327	6.25	13.3	Clear, no odor, good flow
SWC-9	1/7/2026	1025	7.15	9.7	Clear, no odor, good flow
SWC-14	1/8/2026	1530	6.33	13.8	Clear, no odor, good flow

Field Tech: D. Cantu. M. Young

***EM** Services*

Environmental Monitoring Services, LLC

Field Data Sheet


Client GFL Environmental
Site Eagle Point Landfill
Sample Method Directly into bottles
Parameters Appendix I VOCs, Chloride, TDS

Surface Water ID	Date	Time	pH	T (°C)	Comments
UD-6	1/8/2026	1135	5.66	27.8	Clear, no odor, good flow
UD-8	1/8/2026	1200	5.79	25.6	Clear, no odor, good flow
UD-13	1/7/2026	0950	6.27	20.4	Clear, strong odor, good flow


Field Tech: D. Cantu, M. Young

APPENDIX E
HYDROGRAPHS AND DROUGHT DATA

Time Series




Time Series




Constituent: Groundwater Elevation Analysis Run 2/24/2026 8:42 AM
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Groundwater Elevation Analysis Run 2/24/2026 8:43 AM
Eagle Point Client: GFL Data: Eagle Point

Time Series



Constituent: Groundwater Elevation Analysis Run 2/24/2026 8:44 AM
Eagle Point Client: GFL Data: Eagle Point

Time Series




Constituent: Groundwater Elevation Analysis Run 2/24/2026 8:49 AM

Eagle Point Client: GFL Data: Eagle Point

2000–Present

1895–Present

0–2025



Time Period (Years):

2020

to

2025

UPDATE GRAPH

RESET GRAPH

Show Category:


All



The U.S. Drought Monitor (2000–present) depicts the location and intensity of drought across the country. Every Thursday, authors from NOAA, USDA, and the National Drought Mitigation Center produce a new map based on their assessments of the best available data and input from local observers. The map uses five categories: Abnormally Dry (D0), showing areas that may be going into or are coming out of drought, and four levels of drought (D1–D4). [Learn more.](#)

Legend

U.S. Drought Monitor



LATEST AVAILABLE DATA: 2026-01-13

Help Improve This Site

MapDate	FIPS	County	State	None	D0	D1	D2	D3	D4	ValidStart	ValidEnd	Statistic Format ID
20260113	13117	Forsyth County	GA	0	100	87.64	0	0	0	1/13/2026	1/19/2026	1
20260106	13117	Forsyth County	GA	0	100	100	62.09	0	0	1/6/2026	1/12/2026	1
20251230	13117	Forsyth County	GA	0	100	100	0	0	0	12/30/2025	1/5/2026	1
20251223	13117	Forsyth County	GA	0	100	7.94	0	0	0	12/23/2025	12/29/2025	1
20251216	13117	Forsyth County	GA	0	100	7.94	0	0	0	12/16/2025	12/22/2025	1
20251209	13117	Forsyth County	GA	45.16	54.84	7.94	0	0	0	12/9/2025	12/15/2025	1
20251202	13117	Forsyth County	GA	45.16	54.84	7.94	0	0	0	12/2/2025	12/8/2025	1
20251125	13117	Forsyth County	GA	45.16	54.84	7.94	0	0	0	11/25/2025	12/1/2025	1
20251118	13117	Forsyth County	GA	45.16	54.84	7.94	0	0	0	11/18/2025	11/24/2025	1
20251111	13117	Forsyth County	GA	45.16	54.84	7.94	0	0	0	11/11/2025	11/17/2025	1
20251104	13117	Forsyth County	GA	45.52	54.48	7.94	0	0	0	11/4/2025	11/10/2025	1
20251028	13117	Forsyth County	GA	40.72	59.28	32.08	4.83	0	0	10/28/2025	11/3/2025	1
20251021	13117	Forsyth County	GA	0	100	56.93	4.83	0	0	10/21/2025	10/27/2025	1
20251014	13117	Forsyth County	GA	0	100	55.46	0	0	0	10/14/2025	10/20/2025	1
20251007	13117	Forsyth County	GA	0	100	54.06	0	0	0	10/7/2025	10/13/2025	1
20250930	13117	Forsyth County	GA	0	100	54.06	0	0	0	9/30/2025	10/6/2025	1
20250923	13117	Forsyth County	GA	0	100	54.06	0	0	0	9/23/2025	9/29/2025	1
20250916	13117	Forsyth County	GA	0	100	0	0	0	0	9/16/2025	9/22/2025	1
20250909	13117	Forsyth County	GA	62.49	37.51	0	0	0	0	9/9/2025	9/15/2025	1
20250902	13117	Forsyth County	GA	98.48	1.52	0	0	0	0	9/2/2025	9/8/2025	1
20250826	13117	Forsyth County	GA	99.93	0.07	0	0	0	0	8/26/2025	9/1/2025	1
20250819	13117	Forsyth County	GA	99.11	0.89	0	0	0	0	8/19/2025	8/25/2025	1
20250812	13117	Forsyth County	GA	98.82	1.18	0	0	0	0	8/12/2025	8/18/2025	1
20250805	13117	Forsyth County	GA	98.82	1.18	0	0	0	0	8/5/2025	8/11/2025	1
20250729	13117	Forsyth County	GA	98.93	1.07	0	0	0	0	7/29/2025	8/4/2025	1
20250722	13117	Forsyth County	GA	98.93	1.07	0	0	0	0	7/22/2025	7/28/2025	1
20250715	13117	Forsyth County	GA	98.93	1.07	0	0	0	0	7/15/2025	7/21/2025	1
20250708	13117	Forsyth County	GA	100	0	0	0	0	0	7/8/2025	7/14/2025	1
20250701	13117	Forsyth County	GA	100	0	0	0	0	0	7/1/2025	7/7/2025	1
20250624	13117	Forsyth County	GA	100	0	0	0	0	0	6/24/2025	6/30/2025	1
20250617	13117	Forsyth County	GA	100	0	0	0	0	0	6/17/2025	6/23/2025	1
20250610	13117	Forsyth County	GA	100	0	0	0	0	0	6/10/2025	6/16/2025	1
20250603	13117	Forsyth County	GA	100	0	0	0	0	0	6/3/2025	6/9/2025	1
20250527	13117	Forsyth County	GA	100	0	0	0	0	0	5/27/2025	6/2/2025	1
20250520	13117	Forsyth County	GA	100	0	0	0	0	0	5/20/2025	5/26/2025	1
20250513	13117	Forsyth County	GA	100	0	0	0	0	0	5/13/2025	5/19/2025	1
20250506	13117	Forsyth County	GA	100	0	0	0	0	0	5/6/2025	5/12/2025	1
20250429	13117	Forsyth County	GA	71.6	28.4	0	0	0	0	4/29/2025	5/5/2025	1
20250422	13117	Forsyth County	GA	6.57	93.43	0	0	0	0	4/22/2025	4/28/2025	1
20250415	13117	Forsyth County	GA	100	0	0	0	0	0	4/15/2025	4/21/2025	1
20250408	13117	Forsyth County	GA	100	0	0	0	0	0	4/8/2025	4/14/2025	1
20250401	13117	Forsyth County	GA	67.31	32.69	0	0	0	0	4/1/2025	4/7/2025	1
20250325	13117	Forsyth County	GA	2.38	97.62	0	0	0	0	3/25/2025	3/31/2025	1
20250318	13117	Forsyth County	GA	2.38	97.62	0	0	0	0	3/18/2025	3/24/2025	1
20250311	13117	Forsyth County	GA	100	0	0	0	0	0	3/11/2025	3/17/2025	1
20250304	13117	Forsyth County	GA	100	0	0	0	0	0	3/4/2025	3/10/2025	1
20250225	13117	Forsyth County	GA	100	0	0	0	0	0	2/25/2025	3/3/2025	1
20250218	13117	Forsyth County	GA	86.62	13.38	0	0	0	0	2/18/2025	2/24/2025	1
20250211	13117	Forsyth County	GA	0	100	11.27	0	0	0	2/11/2025	2/17/2025	1
20250204	13117	Forsyth County	GA	0	100	0	0	0	0	2/4/2025	2/10/2025	1
20250128	13117	Forsyth County	GA	100	0	0	0	0	0	1/28/2025	2/3/2025	1
20250121	13117	Forsyth County	GA	100	0	0	0	0	0	1/21/2025	1/27/2025	1
20250114	13117	Forsyth County	GA	100	0	0	0	0	0	1/14/2025	1/20/2025	1
20250107	13117	Forsyth County	GA	100	0	0	0	0	0	1/7/2025	1/13/2025	1
20241231	13117	Forsyth County	GA	100	0	0	0	0	0	12/31/2024	1/6/2025	1
20241224	13117	Forsyth County	GA	27.53	72.47	0	0	0	0	12/24/2024	12/30/2024	1
20241217	13117	Forsyth County	GA	27.53	72.47	0	0	0	0	12/17/2024	12/23/2024	1

20241210	13117	Forsyth County	GA	8.25	91.75	73.1	0	0	0	12/10/2024	12/16/2024	1
20241203	13117	Forsyth County	GA	0	100	91.54	0	0	0	12/3/2024	12/9/2024	1
20241126	13117	Forsyth County	GA	0	100	89.36	0	0	0	11/26/2024	12/2/2024	1
20241119	13117	Forsyth County	GA	0	100	100	0	0	0	11/19/2024	11/25/2024	1
20241112	13117	Forsyth County	GA	0	100	100	0	0	0	11/12/2024	11/18/2024	1
20241105	13117	Forsyth County	GA	0	100	0	0	0	0	11/5/2024	11/11/2024	1
20241029	13117	Forsyth County	GA	0	100	0	0	0	0	10/29/2024	11/4/2024	1
20241022	13117	Forsyth County	GA	100	0	0	0	0	0	10/22/2024	10/28/2024	1
20241015	13117	Forsyth County	GA	100	0	0	0	0	0	10/15/2024	10/21/2024	1
20241008	13117	Forsyth County	GA	100	0	0	0	0	0	10/8/2024	10/14/2024	1
20241001	13117	Forsyth County	GA	100	0	0	0	0	0	10/1/2024	10/7/2024	1
20240924	13117	Forsyth County	GA	0	100	100	100	0	0	9/24/2024	9/30/2024	1
20240917	13117	Forsyth County	GA	0	100	100	0	0	0	9/17/2024	9/23/2024	1
20240910	13117	Forsyth County	GA	0	100	100	0	0	0	9/10/2024	9/16/2024	1
20240903	13117	Forsyth County	GA	0	100	0	0	0	0	9/3/2024	9/9/2024	1
20240827	13117	Forsyth County	GA	0	100	0	0	0	0	8/27/2024	9/2/2024	1
20240820	13117	Forsyth County	GA	6.72	93.28	0	0	0	0	8/20/2024	8/26/2024	1
20240813	13117	Forsyth County	GA	6.72	93.28	0	0	0	0	8/13/2024	8/19/2024	1
20240806	13117	Forsyth County	GA	7.74	92.26	0	0	0	0	8/6/2024	8/12/2024	1
20240730	13117	Forsyth County	GA	0	100	86.13	0	0	0	7/30/2024	8/5/2024	1
20240723	13117	Forsyth County	GA	0	100	100	49.17	0	0	7/23/2024	7/29/2024	1
20240716	13117	Forsyth County	GA	0	100	100	0	0	0	7/16/2024	7/22/2024	1
20240709	13117	Forsyth County	GA	0	100	100	0	0	0	7/9/2024	7/15/2024	1
20240702	13117	Forsyth County	GA	0	100	100	0	0	0	7/2/2024	7/8/2024	1
20240625	13117	Forsyth County	GA	0	100	0	0	0	0	6/25/2024	7/1/2024	1
20240618	13117	Forsyth County	GA	2.92	97.08	0	0	0	0	6/18/2024	6/24/2024	1
20240611	13117	Forsyth County	GA	98.38	1.62	0	0	0	0	6/11/2024	6/17/2024	1
20240604	13117	Forsyth County	GA	99.77	0.23	0	0	0	0	6/4/2024	6/10/2024	1
20240528	13117	Forsyth County	GA	100	0	0	0	0	0	5/28/2024	6/3/2024	1
20240521	13117	Forsyth County	GA	100	0	0	0	0	0	5/21/2024	5/27/2024	1
20240514	13117	Forsyth County	GA	100	0	0	0	0	0	5/14/2024	5/20/2024	1
20240507	13117	Forsyth County	GA	100	0	0	0	0	0	5/7/2024	5/13/2024	1
20240430	13117	Forsyth County	GA	100	0	0	0	0	0	4/30/2024	5/6/2024	1
20240423	13117	Forsyth County	GA	100	0	0	0	0	0	4/23/2024	4/29/2024	1
20240416	13117	Forsyth County	GA	100	0	0	0	0	0	4/16/2024	4/22/2024	1
20240409	13117	Forsyth County	GA	100	0	0	0	0	0	4/9/2024	4/15/2024	1
20240402	13117	Forsyth County	GA	100	0	0	0	0	0	4/2/2024	4/8/2024	1
20240326	13117	Forsyth County	GA	100	0	0	0	0	0	3/26/2024	4/1/2024	1
20240319	13117	Forsyth County	GA	100	0	0	0	0	0	3/19/2024	3/25/2024	1
20240312	13117	Forsyth County	GA	100	0	0	0	0	0	3/12/2024	3/18/2024	1
20240305	13117	Forsyth County	GA	100	0	0	0	0	0	3/5/2024	3/11/2024	1
20240227	13117	Forsyth County	GA	100	0	0	0	0	0	2/27/2024	3/4/2024	1
20240220	13117	Forsyth County	GA	100	0	0	0	0	0	2/20/2024	2/26/2024	1
20240213	13117	Forsyth County	GA	100	0	0	0	0	0	2/13/2024	2/19/2024	1
20240206	13117	Forsyth County	GA	100	0	0	0	0	0	2/6/2024	2/12/2024	1
20240130	13117	Forsyth County	GA	100	0	0	0	0	0	1/30/2024	2/5/2024	1
20240123	13117	Forsyth County	GA	0	100	0	0	0	0	1/23/2024	1/29/2024	1
20240116	13117	Forsyth County	GA	0	100	0	0	0	0	1/16/2024	1/22/2024	1
20240109	13117	Forsyth County	GA	0	100	100	0	0	0	1/9/2024	1/15/2024	1
20240102	13117	Forsyth County	GA	0	100	100	0	0	0	1/2/2024	1/8/2024	1
20231226	13117	Forsyth County	GA	0	100	100	0	0	0	12/26/2023	1/1/2024	1
20231219	13117	Forsyth County	GA	0	100	100	0	0	0	12/19/2023	12/25/2023	1
20231212	13117	Forsyth County	GA	0	100	100	0	0	0	12/12/2023	12/18/2023	1
20231205	13117	Forsyth County	GA	0	100	100	100	0.04	0	12/5/2023	12/11/2023	1
20231128	13117	Forsyth County	GA	0	100	100	100	0.02	0	11/28/2023	12/4/2023	1
20231121	13117	Forsyth County	GA	0	100	100	100	0	0	11/21/2023	11/27/2023	1
20231114	13117	Forsyth County	GA	0	100	100	14.83	0	0	11/14/2023	11/20/2023	1
20231107	13117	Forsyth County	GA	0	100	100	0	0	0	11/7/2023	11/13/2023	1
20231031	13117	Forsyth County	GA	0	100	70.17	0	0	0	10/31/2023	11/6/2023	1

20231024	13117	Forsyth County	GA	0	100	1.08	0	0	0	10/24/2023	10/30/2023	1
20231017	13117	Forsyth County	GA	6.64	93.36	0	0	0	0	10/17/2023	10/23/2023	1
20231010	13117	Forsyth County	GA	16.53	83.47	0	0	0	0	10/10/2023	10/16/2023	1
20231003	13117	Forsyth County	GA	65.79	34.21	0	0	0	0	10/3/2023	10/9/2023	1
20230926	13117	Forsyth County	GA	100	0	0	0	0	0	9/26/2023	10/2/2023	1
20230919	13117	Forsyth County	GA	100	0	0	0	0	0	9/19/2023	9/25/2023	1
20230912	13117	Forsyth County	GA	100	0	0	0	0	0	9/12/2023	9/18/2023	1
20230905	13117	Forsyth County	GA	100	0	0	0	0	0	9/5/2023	9/11/2023	1
20230829	13117	Forsyth County	GA	100	0	0	0	0	0	8/29/2023	9/4/2023	1
20230822	13117	Forsyth County	GA	100	0	0	0	0	0	8/22/2023	8/28/2023	1
20230815	13117	Forsyth County	GA	100	0	0	0	0	0	8/15/2023	8/21/2023	1
20230808	13117	Forsyth County	GA	100	0	0	0	0	0	8/8/2023	8/14/2023	1
20230801	13117	Forsyth County	GA	100	0	0	0	0	0	8/1/2023	8/7/2023	1
20230725	13117	Forsyth County	GA	100	0	0	0	0	0	7/25/2023	7/31/2023	1
20230718	13117	Forsyth County	GA	100	0	0	0	0	0	7/18/2023	7/24/2023	1
20230711	13117	Forsyth County	GA	100	0	0	0	0	0	7/11/2023	7/17/2023	1
20230704	13117	Forsyth County	GA	100	0	0	0	0	0	7/4/2023	7/10/2023	1
20230627	13117	Forsyth County	GA	100	0	0	0	0	0	6/27/2023	7/3/2023	1
20230620	13117	Forsyth County	GA	100	0	0	0	0	0	6/20/2023	6/26/2023	1
20230613	13117	Forsyth County	GA	100	0	0	0	0	0	6/13/2023	6/19/2023	1
20230606	13117	Forsyth County	GA	100	0	0	0	0	0	6/6/2023	6/12/2023	1
20230530	13117	Forsyth County	GA	100	0	0	0	0	0	5/30/2023	6/5/2023	1
20230523	13117	Forsyth County	GA	100	0	0	0	0	0	5/23/2023	5/29/2023	1
20230516	13117	Forsyth County	GA	100	0	0	0	0	0	5/16/2023	5/22/2023	1
20230509	13117	Forsyth County	GA	100	0	0	0	0	0	5/9/2023	5/15/2023	1
20230502	13117	Forsyth County	GA	100	0	0	0	0	0	5/2/2023	5/8/2023	1
20230425	13117	Forsyth County	GA	100	0	0	0	0	0	4/25/2023	5/1/2023	1
20230418	13117	Forsyth County	GA	100	0	0	0	0	0	4/18/2023	4/24/2023	1
20230411	13117	Forsyth County	GA	100	0	0	0	0	0	4/11/2023	4/17/2023	1
20230404	13117	Forsyth County	GA	100	0	0	0	0	0	4/4/2023	4/10/2023	1
20230328	13117	Forsyth County	GA	100	0	0	0	0	0	3/28/2023	4/3/2023	1
20230321	13117	Forsyth County	GA	100	0	0	0	0	0	3/21/2023	3/27/2023	1
20230314	13117	Forsyth County	GA	100	0	0	0	0	0	3/14/2023	3/20/2023	1
20230307	13117	Forsyth County	GA	100	0	0	0	0	0	3/7/2023	3/13/2023	1
20230228	13117	Forsyth County	GA	100	0	0	0	0	0	2/28/2023	3/6/2023	1
20230221	13117	Forsyth County	GA	100	0	0	0	0	0	2/21/2023	2/27/2023	1
20230214	13117	Forsyth County	GA	100	0	0	0	0	0	2/14/2023	2/20/2023	1
20230207	13117	Forsyth County	GA	100	0	0	0	0	0	2/7/2023	2/13/2023	1
20230131	13117	Forsyth County	GA	100	0	0	0	0	0	1/31/2023	2/6/2023	1
20230124	13117	Forsyth County	GA	100	0	0	0	0	0	1/24/2023	1/30/2023	1
20230117	13117	Forsyth County	GA	100	0	0	0	0	0	1/17/2023	1/23/2023	1
20230110	13117	Forsyth County	GA	100	0	0	0	0	0	1/10/2023	1/16/2023	1
20230103	13117	Forsyth County	GA	100	0	0	0	0	0	1/3/2023	1/9/2023	1
20221227	13117	Forsyth County	GA	100	0	0	0	0	0	12/27/2022	1/2/2023	1
20221220	13117	Forsyth County	GA	100	0	0	0	0	0	12/20/2022	12/26/2022	1
20221213	13117	Forsyth County	GA	0	100	0	0	0	0	12/13/2022	12/19/2022	1
20221206	13117	Forsyth County	GA	0	100	100	0	0	0	12/6/2022	12/12/2022	1
20221129	13117	Forsyth County	GA	0	100	100	100	0	0	11/29/2022	12/5/2022	1
20221122	13117	Forsyth County	GA	0	100	100	100	0	0	11/22/2022	11/28/2022	1
20221115	13117	Forsyth County	GA	0	100	100	100	0	0	11/15/2022	11/21/2022	1
20221108	13117	Forsyth County	GA	0	100	100	100	0	0	11/8/2022	11/14/2022	1
20221101	13117	Forsyth County	GA	0	100	100	100	0	0	11/1/2022	11/7/2022	1
20221025	13117	Forsyth County	GA	0	100	100	100	0	0	10/25/2022	10/31/2022	1
20221018	13117	Forsyth County	GA	0	100	100	0	0	0	10/18/2022	10/24/2022	1
20221011	13117	Forsyth County	GA	0	100	100	0	0	0	10/11/2022	10/17/2022	1
20221004	13117	Forsyth County	GA	0	100	0	0	0	0	10/4/2022	10/10/2022	1
20220927	13117	Forsyth County	GA	2.63	97.37	0	0	0	0	9/27/2022	10/3/2022	1
20220920	13117	Forsyth County	GA	100	0	0	0	0	0	9/20/2022	9/26/2022	1
20220913	13117	Forsyth County	GA	100	0	0	0	0	0	9/13/2022	9/19/2022	1

20220906	13117	Forsyth County	GA	100	0	0	0	0	0	9/6/2022	9/12/2022	1
20220830	13117	Forsyth County	GA	100	0	0	0	0	0	8/30/2022	9/5/2022	1
20220823	13117	Forsyth County	GA	100	0	0	0	0	0	8/23/2022	8/29/2022	1
20220816	13117	Forsyth County	GA	100	0	0	0	0	0	8/16/2022	8/22/2022	1
20220809	13117	Forsyth County	GA	96.11	3.89	0	0	0	0	8/9/2022	8/15/2022	1
20220802	13117	Forsyth County	GA	100	0	0	0	0	0	8/2/2022	8/8/2022	1
20220726	13117	Forsyth County	GA	100	0	0	0	0	0	7/26/2022	8/1/2022	1
20220719	13117	Forsyth County	GA	26.99	73.01	0	0	0	0	7/19/2022	7/25/2022	1
20220712	13117	Forsyth County	GA	0	100	0	0	0	0	7/12/2022	7/18/2022	1
20220705	13117	Forsyth County	GA	0	100	100	0	0	0	7/5/2022	7/11/2022	1
20220628	13117	Forsyth County	GA	0	100	100	0	0	0	6/28/2022	7/4/2022	1
20220621	13117	Forsyth County	GA	0	100	0	0	0	0	6/21/2022	6/27/2022	1
20220614	13117	Forsyth County	GA	100	0	0	0	0	0	6/14/2022	6/20/2022	1
20220607	13117	Forsyth County	GA	100	0	0	0	0	0	6/7/2022	6/13/2022	1
20220531	13117	Forsyth County	GA	100	0	0	0	0	0	5/31/2022	6/6/2022	1
20220524	13117	Forsyth County	GA	0	100	0	0	0	0	5/24/2022	5/30/2022	1
20220517	13117	Forsyth County	GA	0	100	0	0	0	0	5/17/2022	5/23/2022	1
20220510	13117	Forsyth County	GA	100	0	0	0	0	0	5/10/2022	5/16/2022	1
20220503	13117	Forsyth County	GA	100	0	0	0	0	0	5/3/2022	5/9/2022	1
20220426	13117	Forsyth County	GA	100	0	0	0	0	0	4/26/2022	5/2/2022	1
20220419	13117	Forsyth County	GA	100	0	0	0	0	0	4/19/2022	4/25/2022	1
20220412	13117	Forsyth County	GA	100	0	0	0	0	0	4/12/2022	4/18/2022	1
20220405	13117	Forsyth County	GA	100	0	0	0	0	0	4/5/2022	4/11/2022	1
20220329	13117	Forsyth County	GA	100	0	0	0	0	0	3/29/2022	4/4/2022	1
20220322	13117	Forsyth County	GA	100	0	0	0	0	0	3/22/2022	3/28/2022	1
20220315	13117	Forsyth County	GA	100	0	0	0	0	0	3/15/2022	3/21/2022	1
20220308	13117	Forsyth County	GA	100	0	0	0	0	0	3/8/2022	3/14/2022	1
20220301	13117	Forsyth County	GA	100	0	0	0	0	0	3/1/2022	3/7/2022	1
20220222	13117	Forsyth County	GA	100	0	0	0	0	0	2/22/2022	2/28/2022	1
20220215	13117	Forsyth County	GA	100	0	0	0	0	0	2/15/2022	2/21/2022	1
20220208	13117	Forsyth County	GA	100	0	0	0	0	0	2/8/2022	2/14/2022	1
20220201	13117	Forsyth County	GA	100	0	0	0	0	0	2/1/2022	2/7/2022	1
20220125	13117	Forsyth County	GA	100	0	0	0	0	0	1/25/2022	1/31/2022	1
20220118	13117	Forsyth County	GA	100	0	0	0	0	0	1/18/2022	1/24/2022	1
20220111	13117	Forsyth County	GA	100	0	0	0	0	0	1/11/2022	1/17/2022	1
20220104	13117	Forsyth County	GA	100	0	0	0	0	0	1/4/2022	1/10/2022	1
20211228	13117	Forsyth County	GA	0	100	0	0	0	0	12/28/2021	1/3/2022	1
20211221	13117	Forsyth County	GA	0	100	0	0	0	0	12/21/2021	12/27/2021	1
20211214	13117	Forsyth County	GA	0	100	0	0	0	0	12/14/2021	12/20/2021	1
20211207	13117	Forsyth County	GA	0	100	0	0	0	0	12/7/2021	12/13/2021	1
20211130	13117	Forsyth County	GA	3.68	96.32	0	0	0	0	11/30/2021	12/6/2021	1
20211123	13117	Forsyth County	GA	100	0	0	0	0	0	11/23/2021	11/29/2021	1
20211116	13117	Forsyth County	GA	100	0	0	0	0	0	11/16/2021	11/22/2021	1
20211109	13117	Forsyth County	GA	100	0	0	0	0	0	11/9/2021	11/15/2021	1
20211102	13117	Forsyth County	GA	100	0	0	0	0	0	11/2/2021	11/8/2021	1
20211026	13117	Forsyth County	GA	100	0	0	0	0	0	10/26/2021	11/1/2021	1
20211019	13117	Forsyth County	GA	100	0	0	0	0	0	10/19/2021	10/25/2021	1
20211012	13117	Forsyth County	GA	100	0	0	0	0	0	10/12/2021	10/18/2021	1
20211005	13117	Forsyth County	GA	100	0	0	0	0	0	10/5/2021	10/11/2021	1
20210928	13117	Forsyth County	GA	100	0	0	0	0	0	9/28/2021	10/4/2021	1
20210921	13117	Forsyth County	GA	100	0	0	0	0	0	9/21/2021	9/27/2021	1
20210914	13117	Forsyth County	GA	100	0	0	0	0	0	9/14/2021	9/20/2021	1
20210907	13117	Forsyth County	GA	100	0	0	0	0	0	9/7/2021	9/13/2021	1
20210831	13117	Forsyth County	GA	100	0	0	0	0	0	8/31/2021	9/6/2021	1
20210824	13117	Forsyth County	GA	100	0	0	0	0	0	8/24/2021	8/30/2021	1
20210817	13117	Forsyth County	GA	100	0	0	0	0	0	8/17/2021	8/23/2021	1
20210810	13117	Forsyth County	GA	100	0	0	0	0	0	8/10/2021	8/16/2021	1
20210803	13117	Forsyth County	GA	100	0	0	0	0	0	8/3/2021	8/9/2021	1
20210727	13117	Forsyth County	GA	100	0	0	0	0	0	7/27/2021	8/2/2021	1

20210720	13117	Forsyth County	GA	100	0	0	0	0	0	7/20/2021	7/26/2021	1
20210713	13117	Forsyth County	GA	100	0	0	0	0	0	7/13/2021	7/19/2021	1
20210706	13117	Forsyth County	GA	100	0	0	0	0	0	7/6/2021	7/12/2021	1
20210629	13117	Forsyth County	GA	100	0	0	0	0	0	6/29/2021	7/5/2021	1
20210622	13117	Forsyth County	GA	100	0	0	0	0	0	6/22/2021	6/28/2021	1
20210615	13117	Forsyth County	GA	100	0	0	0	0	0	6/15/2021	6/21/2021	1
20210608	13117	Forsyth County	GA	100	0	0	0	0	0	6/8/2021	6/14/2021	1
20210601	13117	Forsyth County	GA	100	0	0	0	0	0	6/1/2021	6/7/2021	1
20210525	13117	Forsyth County	GA	100	0	0	0	0	0	5/25/2021	5/31/2021	1
20210518	13117	Forsyth County	GA	100	0	0	0	0	0	5/18/2021	5/24/2021	1
20210511	13117	Forsyth County	GA	100	0	0	0	0	0	5/11/2021	5/17/2021	1
20210504	13117	Forsyth County	GA	100	0	0	0	0	0	5/4/2021	5/10/2021	1
20210427	13117	Forsyth County	GA	100	0	0	0	0	0	4/27/2021	5/3/2021	1
20210420	13117	Forsyth County	GA	19.31	80.69	0	0	0	0	4/20/2021	4/26/2021	1
20210413	13117	Forsyth County	GA	100	0	0	0	0	0	4/13/2021	4/19/2021	1
20210406	13117	Forsyth County	GA	100	0	0	0	0	0	4/6/2021	4/12/2021	1
20210330	13117	Forsyth County	GA	100	0	0	0	0	0	3/30/2021	4/5/2021	1
20210323	13117	Forsyth County	GA	0	100	0	0	0	0	3/23/2021	3/29/2021	1
20210316	13117	Forsyth County	GA	0	100	0	0	0	0	3/16/2021	3/22/2021	1
20210309	13117	Forsyth County	GA	0	100	0	0	0	0	3/9/2021	3/15/2021	1
20210302	13117	Forsyth County	GA	100	0	0	0	0	0	3/2/2021	3/8/2021	1
20210223	13117	Forsyth County	GA	100	0	0	0	0	0	2/23/2021	3/1/2021	1
20210216	13117	Forsyth County	GA	100	0	0	0	0	0	2/16/2021	2/22/2021	1
20210209	13117	Forsyth County	GA	100	0	0	0	0	0	2/9/2021	2/15/2021	1
20210202	13117	Forsyth County	GA	100	0	0	0	0	0	2/2/2021	2/8/2021	1
20210126	13117	Forsyth County	GA	100	0	0	0	0	0	1/26/2021	2/1/2021	1
20210119	13117	Forsyth County	GA	100	0	0	0	0	0	1/19/2021	1/25/2021	1
20210112	13117	Forsyth County	GA	100	0	0	0	0	0	1/12/2021	1/18/2021	1
20210105	13117	Forsyth County	GA	100	0	0	0	0	0	1/5/2021	1/11/2021	1
20201229	13117	Forsyth County	GA	100	0	0	0	0	0	12/29/2020	1/4/2021	1
20201222	13117	Forsyth County	GA	100	0	0	0	0	0	12/22/2020	12/28/2020	1
20201215	13117	Forsyth County	GA	100	0	0	0	0	0	12/15/2020	12/21/2020	1
20201208	13117	Forsyth County	GA	100	0	0	0	0	0	12/8/2020	12/14/2020	1
20201201	13117	Forsyth County	GA	100	0	0	0	0	0	12/1/2020	12/7/2020	1
20201124	13117	Forsyth County	GA	100	0	0	0	0	0	11/24/2020	11/30/2020	1
20201117	13117	Forsyth County	GA	100	0	0	0	0	0	11/17/2020	11/23/2020	1
20201110	13117	Forsyth County	GA	100	0	0	0	0	0	11/10/2020	11/16/2020	1
20201103	13117	Forsyth County	GA	100	0	0	0	0	0	11/3/2020	11/9/2020	1
20201027	13117	Forsyth County	GA	100	0	0	0	0	0	10/27/2020	11/2/2020	1
20201020	13117	Forsyth County	GA	100	0	0	0	0	0	10/20/2020	10/26/2020	1
20201013	13117	Forsyth County	GA	100	0	0	0	0	0	10/13/2020	10/19/2020	1
20201006	13117	Forsyth County	GA	100	0	0	0	0	0	10/6/2020	10/12/2020	1
20200929	13117	Forsyth County	GA	100	0	0	0	0	0	9/29/2020	10/5/2020	1
20200922	13117	Forsyth County	GA	100	0	0	0	0	0	9/22/2020	9/28/2020	1
20200915	13117	Forsyth County	GA	100	0	0	0	0	0	9/15/2020	9/21/2020	1
20200908	13117	Forsyth County	GA	100	0	0	0	0	0	9/8/2020	9/14/2020	1
20200901	13117	Forsyth County	GA	100	0	0	0	0	0	9/1/2020	9/7/2020	1
20200825	13117	Forsyth County	GA	100	0	0	0	0	0	8/25/2020	8/31/2020	1
20200818	13117	Forsyth County	GA	100	0	0	0	0	0	8/18/2020	8/24/2020	1
20200811	13117	Forsyth County	GA	100	0	0	0	0	0	8/11/2020	8/17/2020	1
20200804	13117	Forsyth County	GA	100	0	0	0	0	0	8/4/2020	8/10/2020	1
20200728	13117	Forsyth County	GA	7.83	92.17	0	0	0	0	7/28/2020	8/3/2020	1
20200721	13117	Forsyth County	GA	100	0	0	0	0	0	7/21/2020	7/27/2020	1
20200714	13117	Forsyth County	GA	100	0	0	0	0	0	7/14/2020	7/20/2020	1
20200707	13117	Forsyth County	GA	100	0	0	0	0	0	7/7/2020	7/13/2020	1
20200630	13117	Forsyth County	GA	100	0	0	0	0	0	6/30/2020	7/6/2020	1
20200623	13117	Forsyth County	GA	100	0	0	0	0	0	6/23/2020	6/29/2020	1
20200616	13117	Forsyth County	GA	100	0	0	0	0	0	6/16/2020	6/22/2020	1
20200609	13117	Forsyth County	GA	100	0	0	0	0	0	6/9/2020	6/15/2020	1

20200602	13117	Forsyth County	GA	100	0	0	0	0	0	6/2/2020	6/8/2020	1
20200526	13117	Forsyth County	GA	100	0	0	0	0	0	5/26/2020	6/1/2020	1
20200519	13117	Forsyth County	GA	100	0	0	0	0	0	5/19/2020	5/25/2020	1
20200512	13117	Forsyth County	GA	100	0	0	0	0	0	5/12/2020	5/18/2020	1
20200505	13117	Forsyth County	GA	100	0	0	0	0	0	5/5/2020	5/11/2020	1
20200428	13117	Forsyth County	GA	100	0	0	0	0	0	4/28/2020	5/4/2020	1
20200421	13117	Forsyth County	GA	100	0	0	0	0	0	4/21/2020	4/27/2020	1
20200414	13117	Forsyth County	GA	100	0	0	0	0	0	4/14/2020	4/20/2020	1
20200407	13117	Forsyth County	GA	100	0	0	0	0	0	4/7/2020	4/13/2020	1
20200331	13117	Forsyth County	GA	100	0	0	0	0	0	3/31/2020	4/6/2020	1
20200324	13117	Forsyth County	GA	100	0	0	0	0	0	3/24/2020	3/30/2020	1
20200317	13117	Forsyth County	GA	100	0	0	0	0	0	3/17/2020	3/23/2020	1
20200310	13117	Forsyth County	GA	100	0	0	0	0	0	3/10/2020	3/16/2020	1
20200303	13117	Forsyth County	GA	100	0	0	0	0	0	3/3/2020	3/9/2020	1
20200225	13117	Forsyth County	GA	100	0	0	0	0	0	2/25/2020	3/2/2020	1
20200218	13117	Forsyth County	GA	100	0	0	0	0	0	2/18/2020	2/24/2020	1
20200211	13117	Forsyth County	GA	100	0	0	0	0	0	2/11/2020	2/17/2020	1
20200204	13117	Forsyth County	GA	100	0	0	0	0	0	2/4/2020	2/10/2020	1
20200128	13117	Forsyth County	GA	100	0	0	0	0	0	1/28/2020	2/3/2020	1
20200121	13117	Forsyth County	GA	100	0	0	0	0	0	1/21/2020	1/27/2020	1
20200114	13117	Forsyth County	GA	100	0	0	0	0	0	1/14/2020	1/20/2020	1
20200107	13117	Forsyth County	GA	100	0	0	0	0	0	1/7/2020	1/13/2020	1
20191231	13117	Forsyth County	GA	100	0	0	0	0	0	12/31/2019	1/6/2020	1
20191224	13117	Forsyth County	GA	100	0	0	0	0	0	12/24/2019	12/30/2019	1
20191217	13117	Forsyth County	GA	0	100	0	0	0	0	12/17/2019	12/23/2019	1
20191210	13117	Forsyth County	GA	0	100	76.81	0	0	0	12/10/2019	12/16/2019	1
20191203	13117	Forsyth County	GA	0	100	76.81	0	0	0	12/3/2019	12/9/2019	1
20191126	13117	Forsyth County	GA	0	100	78.12	0	0	0	11/26/2019	12/2/2019	1
20191119	13117	Forsyth County	GA	0	100	93.93	0	0	0	11/19/2019	11/25/2019	1
20191112	13117	Forsyth County	GA	0	100	93.93	0.12	0	0	11/12/2019	11/18/2019	1
20191105	13117	Forsyth County	GA	0	100	100	85.93	0	0	11/5/2019	11/11/2019	1
20191029	13117	Forsyth County	GA	0	100	100	100	75.7	0	10/29/2019	11/4/2019	1
20191022	13117	Forsyth County	GA	0	100	100	100	92.84	0	10/22/2019	10/28/2019	1
20191015	13117	Forsyth County	GA	0	100	100	100	97.23	0	10/15/2019	10/21/2019	1
20191008	13117	Forsyth County	GA	0	100	100	100	94.04	0	10/8/2019	10/14/2019	1
20191001	13117	Forsyth County	GA	0	100	100	100	94.04	0	10/1/2019	10/7/2019	1
20190924	13117	Forsyth County	GA	0	100	100	100	0	0	9/24/2019	9/30/2019	1
20190917	13117	Forsyth County	GA	0	100	100	0	0	0	9/17/2019	9/23/2019	1
20190910	13117	Forsyth County	GA	0	100	0	0	0	0	9/10/2019	9/16/2019	1
20190903	13117	Forsyth County	GA	100	0	0	0	0	0	9/3/2019	9/9/2019	1
20190827	13117	Forsyth County	GA	100	0	0	0	0	0	8/27/2019	9/2/2019	1
20190820	13117	Forsyth County	GA	100	0	0	0	0	0	8/20/2019	8/26/2019	1
20190813	13117	Forsyth County	GA	100	0	0	0	0	0	8/13/2019	8/19/2019	1
20190806	13117	Forsyth County	GA	100	0	0	0	0	0	8/6/2019	8/12/2019	1
20190730	13117	Forsyth County	GA	100	0	0	0	0	0	7/30/2019	8/5/2019	1
20190723	13117	Forsyth County	GA	100	0	0	0	0	0	7/23/2019	7/29/2019	1
20190716	13117	Forsyth County	GA	100	0	0	0	0	0	7/16/2019	7/22/2019	1
20190709	13117	Forsyth County	GA	100	0	0	0	0	0	7/9/2019	7/15/2019	1
20190702	13117	Forsyth County	GA	100	0	0	0	0	0	7/2/2019	7/8/2019	1
20190625	13117	Forsyth County	GA	100	0	0	0	0	0	6/25/2019	7/1/2019	1
20190618	13117	Forsyth County	GA	100	0	0	0	0	0	6/18/2019	6/24/2019	1
20190611	13117	Forsyth County	GA	100	0	0	0	0	0	6/11/2019	6/17/2019	1
20190604	13117	Forsyth County	GA	0	100	0	0	0	0	6/4/2019	6/10/2019	1
20190528	13117	Forsyth County	GA	0	100	0	0	0	0	5/28/2019	6/3/2019	1
20190521	13117	Forsyth County	GA	100	0	0	0	0	0	5/21/2019	5/27/2019	1
20190514	13117	Forsyth County	GA	100	0	0	0	0	0	5/14/2019	5/20/2019	1
20190507	13117	Forsyth County	GA	100	0	0	0	0	0	5/7/2019	5/13/2019	1
20190430	13117	Forsyth County	GA	100	0	0	0	0	0	4/30/2019	5/6/2019	1
20190423	13117	Forsyth County	GA	100	0	0	0	0	0	4/23/2019	4/29/2019	1

20190416	13117	Forsyth County	GA	100	0	0	0	0	0	4/16/2019	4/22/2019	1
20190409	13117	Forsyth County	GA	100	0	0	0	0	0	4/9/2019	4/15/2019	1
20190402	13117	Forsyth County	GA	100	0	0	0	0	0	4/2/2019	4/8/2019	1
20190326	13117	Forsyth County	GA	100	0	0	0	0	0	3/26/2019	4/1/2019	1
20190319	13117	Forsyth County	GA	100	0	0	0	0	0	3/19/2019	3/25/2019	1
20190312	13117	Forsyth County	GA	100	0	0	0	0	0	3/12/2019	3/18/2019	1
20190305	13117	Forsyth County	GA	100	0	0	0	0	0	3/5/2019	3/11/2019	1
20190226	13117	Forsyth County	GA	100	0	0	0	0	0	2/26/2019	3/4/2019	1
20190219	13117	Forsyth County	GA	100	0	0	0	0	0	2/19/2019	2/25/2019	1
20190212	13117	Forsyth County	GA	100	0	0	0	0	0	2/12/2019	2/18/2019	1
20190205	13117	Forsyth County	GA	100	0	0	0	0	0	2/5/2019	2/11/2019	1
20190129	13117	Forsyth County	GA	100	0	0	0	0	0	1/29/2019	2/4/2019	1
20190122	13117	Forsyth County	GA	100	0	0	0	0	0	1/22/2019	1/28/2019	1
20190115	13117	Forsyth County	GA	100	0	0	0	0	0	1/15/2019	1/21/2019	1
20190108	13117	Forsyth County	GA	100	0	0	0	0	0	1/8/2019	1/14/2019	1
20190101	13117	Forsyth County	GA	100	0	0	0	0	0	1/1/2019	1/7/2019	1
20181225	13117	Forsyth County	GA	100	0	0	0	0	0	12/25/2018	12/31/2018	1
20181218	13117	Forsyth County	GA	100	0	0	0	0	0	12/18/2018	12/24/2018	1
20181211	13117	Forsyth County	GA	100	0	0	0	0	0	12/11/2018	12/17/2018	1
20181204	13117	Forsyth County	GA	100	0	0	0	0	0	12/4/2018	12/10/2018	1
20181127	13117	Forsyth County	GA	100	0	0	0	0	0	11/27/2018	12/3/2018	1
20181120	13117	Forsyth County	GA	100	0	0	0	0	0	11/20/2018	11/26/2018	1
20181113	13117	Forsyth County	GA	100	0	0	0	0	0	11/13/2018	11/19/2018	1
20181106	13117	Forsyth County	GA	50.05	49.95	0	0	0	0	11/6/2018	11/12/2018	1
20181030	13117	Forsyth County	GA	100	0	0	0	0	0	10/30/2018	11/5/2018	1
20181023	13117	Forsyth County	GA	0.21	99.79	0	0	0	0	10/23/2018	10/29/2018	1
20181016	13117	Forsyth County	GA	0.21	99.79	0	0	0	0	10/16/2018	10/22/2018	1
20181009	13117	Forsyth County	GA	0	100	0	0	0	0	10/9/2018	10/15/2018	1
20181002	13117	Forsyth County	GA	0	100	0	0	0	0	10/2/2018	10/8/2018	1
20180925	13117	Forsyth County	GA	100	0	0	0	0	0	9/25/2018	10/1/2018	1
20180918	13117	Forsyth County	GA	100	0	0	0	0	0	9/18/2018	9/24/2018	1
20180911	13117	Forsyth County	GA	100	0	0	0	0	0	9/11/2018	9/17/2018	1
20180904	13117	Forsyth County	GA	100	0	0	0	0	0	9/4/2018	9/10/2018	1
20180828	13117	Forsyth County	GA	100	0	0	0	0	0	8/28/2018	9/3/2018	1
20180821	13117	Forsyth County	GA	100	0	0	0	0	0	8/21/2018	8/27/2018	1
20180814	13117	Forsyth County	GA	100	0	0	0	0	0	8/14/2018	8/20/2018	1
20180807	13117	Forsyth County	GA	100	0	0	0	0	0	8/7/2018	8/13/2018	1
20180731	13117	Forsyth County	GA	100	0	0	0	0	0	7/31/2018	8/6/2018	1
20180724	13117	Forsyth County	GA	100	0	0	0	0	0	7/24/2018	7/30/2018	1
20180717	13117	Forsyth County	GA	100	0	0	0	0	0	7/17/2018	7/23/2018	1
20180710	13117	Forsyth County	GA	100	0	0	0	0	0	7/10/2018	7/16/2018	1
20180703	13117	Forsyth County	GA	100	0	0	0	0	0	7/3/2018	7/9/2018	1
20180626	13117	Forsyth County	GA	100	0	0	0	0	0	6/26/2018	7/2/2018	1
20180619	13117	Forsyth County	GA	100	0	0	0	0	0	6/19/2018	6/25/2018	1
20180612	13117	Forsyth County	GA	100	0	0	0	0	0	6/12/2018	6/18/2018	1
20180605	13117	Forsyth County	GA	100	0	0	0	0	0	6/5/2018	6/11/2018	1
20180529	13117	Forsyth County	GA	100	0	0	0	0	0	5/29/2018	6/4/2018	1
20180522	13117	Forsyth County	GA	100	0	0	0	0	0	5/22/2018	5/28/2018	1
20180515	13117	Forsyth County	GA	100	0	0	0	0	0	5/15/2018	5/21/2018	1
20180508	13117	Forsyth County	GA	100	0	0	0	0	0	5/8/2018	5/14/2018	1
20180501	13117	Forsyth County	GA	100	0	0	0	0	0	5/1/2018	5/7/2018	1
20180424	13117	Forsyth County	GA	100	0	0	0	0	0	4/24/2018	4/30/2018	1
20180417	13117	Forsyth County	GA	100	0	0	0	0	0	4/17/2018	4/23/2018	1
20180410	13117	Forsyth County	GA	100	0	0	0	0	0	4/10/2018	4/16/2018	1
20180403	13117	Forsyth County	GA	100	0	0	0	0	0	4/3/2018	4/9/2018	1
20180327	13117	Forsyth County	GA	100	0	0	0	0	0	3/27/2018	4/2/2018	1
20180320	13117	Forsyth County	GA	100	0	0	0	0	0	3/20/2018	3/26/2018	1
20180313	13117	Forsyth County	GA	100	0	0	0	0	0	3/13/2018	3/19/2018	1
20180306	13117	Forsyth County	GA	100	0	0	0	0	0	3/6/2018	3/12/2018	1

20180227	13117	Forsyth County	GA	100	0	0	0	0	0	2/27/2018	3/5/2018	1
20180220	13117	Forsyth County	GA	100	0	0	0	0	0	2/20/2018	2/26/2018	1
20180213	13117	Forsyth County	GA	0	100	0	0	0	0	2/13/2018	2/19/2018	1
20180206	13117	Forsyth County	GA	0	100	100	0	0	0	2/6/2018	2/12/2018	1
20180130	13117	Forsyth County	GA	0	100	100	0	0	0	1/30/2018	2/5/2018	1
20180123	13117	Forsyth County	GA	0	100	86.18	0	0	0	1/23/2018	1/29/2018	1
20180116	13117	Forsyth County	GA	0	100	0	0	0	0	1/16/2018	1/22/2018	1
20180109	13117	Forsyth County	GA	0	100	0	0	0	0	1/9/2018	1/15/2018	1
20180102	13117	Forsyth County	GA	0	100	0	0	0	0	1/2/2018	1/8/2018	1
20171226	13117	Forsyth County	GA	13.07	86.93	0	0	0	0	12/26/2017	1/1/2018	1
20171219	13117	Forsyth County	GA	2.53	97.47	0	0	0	0	12/19/2017	12/25/2017	1
20171212	13117	Forsyth County	GA	2.53	97.47	0	0	0	0	12/12/2017	12/18/2017	1
20171205	13117	Forsyth County	GA	2.53	97.47	0	0	0	0	12/5/2017	12/11/2017	1
20171128	13117	Forsyth County	GA	2.53	97.47	0	0	0	0	11/28/2017	12/4/2017	1
20171121	13117	Forsyth County	GA	2.53	97.47	0	0	0	0	11/21/2017	11/27/2017	1
20171114	13117	Forsyth County	GA	100	0	0	0	0	0	11/14/2017	11/20/2017	1
20171107	13117	Forsyth County	GA	100	0	0	0	0	0	11/7/2017	11/13/2017	1
20171031	13117	Forsyth County	GA	100	0	0	0	0	0	10/31/2017	11/6/2017	1
20171024	13117	Forsyth County	GA	100	0	0	0	0	0	10/24/2017	10/30/2017	1
20171017	13117	Forsyth County	GA	100	0	0	0	0	0	10/17/2017	10/23/2017	1
20171010	13117	Forsyth County	GA	100	0	0	0	0	0	10/10/2017	10/16/2017	1
20171003	13117	Forsyth County	GA	100	0	0	0	0	0	10/3/2017	10/9/2017	1
20170926	13117	Forsyth County	GA	100	0	0	0	0	0	9/26/2017	10/2/2017	1
20170919	13117	Forsyth County	GA	100	0	0	0	0	0	9/19/2017	9/25/2017	1
20170912	13117	Forsyth County	GA	100	0	0	0	0	0	9/12/2017	9/18/2017	1
20170905	13117	Forsyth County	GA	100	0	0	0	0	0	9/5/2017	9/11/2017	1
20170829	13117	Forsyth County	GA	100	0	0	0	0	0	8/29/2017	9/4/2017	1
20170822	13117	Forsyth County	GA	100	0	0	0	0	0	8/22/2017	8/28/2017	1
20170815	13117	Forsyth County	GA	100	0	0	0	0	0	8/15/2017	8/21/2017	1
20170808	13117	Forsyth County	GA	100	0	0	0	0	0	8/8/2017	8/14/2017	1
20170801	13117	Forsyth County	GA	100	0	0	0	0	0	8/1/2017	8/7/2017	1
20170725	13117	Forsyth County	GA	100	0	0	0	0	0	7/25/2017	7/31/2017	1
20170718	13117	Forsyth County	GA	100	0	0	0	0	0	7/18/2017	7/24/2017	1
20170711	13117	Forsyth County	GA	100	0	0	0	0	0	7/11/2017	7/17/2017	1
20170704	13117	Forsyth County	GA	100	0	0	0	0	0	7/4/2017	7/10/2017	1
20170627	13117	Forsyth County	GA	100	0	0	0	0	0	6/27/2017	7/3/2017	1
20170620	13117	Forsyth County	GA	100	0	0	0	0	0	6/20/2017	6/26/2017	1
20170613	13117	Forsyth County	GA	100	0	0	0	0	0	6/13/2017	6/19/2017	1
20170606	13117	Forsyth County	GA	100	0	0	0	0	0	6/6/2017	6/12/2017	1
20170530	13117	Forsyth County	GA	99.99	0.01	0	0	0	0	5/30/2017	6/5/2017	1
20170523	13117	Forsyth County	GA	0	100	0	0	0	0	5/23/2017	5/29/2017	1
20170516	13117	Forsyth County	GA	0	100	46.88	0	0	0	5/16/2017	5/22/2017	1
20170509	13117	Forsyth County	GA	0	100	46.88	0	0	0	5/9/2017	5/15/2017	1
20170502	13117	Forsyth County	GA	0	100	46.88	0	0	0	5/2/2017	5/8/2017	1
20170425	13117	Forsyth County	GA	0	100	100	0	0	0	4/25/2017	5/1/2017	1
20170418	13117	Forsyth County	GA	0	100	100	0	0	0	4/18/2017	4/24/2017	1
20170411	13117	Forsyth County	GA	0	100	100	0	0	0	4/11/2017	4/17/2017	1
20170404	13117	Forsyth County	GA	0	100	100	100	0	0	4/4/2017	4/10/2017	1
20170328	13117	Forsyth County	GA	0	100	100	100	0	0	3/28/2017	4/3/2017	1
20170321	13117	Forsyth County	GA	0	100	100	100	0	0	3/21/2017	3/27/2017	1
20170314	13117	Forsyth County	GA	0	100	100	100	0	0	3/14/2017	3/20/2017	1
20170307	13117	Forsyth County	GA	0	100	100	100	0	0	3/7/2017	3/13/2017	1
20170228	13117	Forsyth County	GA	0	100	100	100	0	0	2/28/2017	3/6/2017	1
20170221	13117	Forsyth County	GA	0	100	100	100	0	0	2/21/2017	2/27/2017	1
20170214	13117	Forsyth County	GA	0	100	100	100	0	0	2/14/2017	2/20/2017	1
20170207	13117	Forsyth County	GA	0	100	100	100	0	0	2/7/2017	2/13/2017	1
20170131	13117	Forsyth County	GA	0	100	100	100	0	0	1/31/2017	2/6/2017	1
20170124	13117	Forsyth County	GA	0	100	100	100	0	0	1/24/2017	1/30/2017	1
20170117	13117	Forsyth County	GA	0	100	100	100	100	0	1/17/2017	1/23/2017	1

20170110	13117	Forsyth County	GA	0	100	100	100	100	0	1/10/2017	1/16/2017	1
20170103	13117	Forsyth County	GA	0	100	100	100	100	0	1/3/2017	1/9/2017	1
20161227	13117	Forsyth County	GA	0	100	100	100	100	14.49	12/27/2016	1/2/2017	1
20161220	13117	Forsyth County	GA	0	100	100	100	100	14.49	12/20/2016	12/26/2016	1
20161213	13117	Forsyth County	GA	0	100	100	100	100	14.49	12/13/2016	12/19/2016	1
20161206	13117	Forsyth County	GA	0	100	100	100	100	14.49	12/6/2016	12/12/2016	1
20161129	13117	Forsyth County	GA	0	100	100	100	100	4.04	11/29/2016	12/5/2016	1
20161122	13117	Forsyth County	GA	0	100	100	100	100	4.04	11/22/2016	11/28/2016	1
20161115	13117	Forsyth County	GA	0	100	100	100	100	4.04	11/15/2016	11/21/2016	1
20161108	13117	Forsyth County	GA	0	100	100	100	100	4.04	11/8/2016	11/14/2016	1
20161101	13117	Forsyth County	GA	0	100	100	100	100	0	11/1/2016	11/7/2016	1
20161025	13117	Forsyth County	GA	0	100	100	100	17.63	0	10/25/2016	10/31/2016	1
20161018	13117	Forsyth County	GA	0	100	100	100	17.63	0	10/18/2016	10/24/2016	1
20161011	13117	Forsyth County	GA	0	100	100	100	0	0	10/11/2016	10/17/2016	1
20161004	13117	Forsyth County	GA	0	100	100	100	0	0	10/4/2016	10/10/2016	1
20160927	13117	Forsyth County	GA	0	100	100	100	0	0	9/27/2016	10/3/2016	1
20160920	13117	Forsyth County	GA	0	100	100	100	0	0	9/20/2016	9/26/2016	1
20160913	13117	Forsyth County	GA	0	100	100	100	0	0	9/13/2016	9/19/2016	1
20160906	13117	Forsyth County	GA	0	100	100	100	0	0	9/6/2016	9/12/2016	1
20160830	13117	Forsyth County	GA	0	100	100	100	0	0	8/30/2016	9/5/2016	1
20160823	13117	Forsyth County	GA	0	100	100	100	0	0	8/23/2016	8/29/2016	1
20160816	13117	Forsyth County	GA	0	100	100	100	9.32	0	8/16/2016	8/22/2016	1
20160809	13117	Forsyth County	GA	0	100	100	100	9.32	0	8/9/2016	8/15/2016	1
20160802	13117	Forsyth County	GA	0	100	100	100	10.29	0	8/2/2016	8/8/2016	1
20160726	13117	Forsyth County	GA	0	100	100	100	10.29	0	7/26/2016	8/1/2016	1
20160719	13117	Forsyth County	GA	0	100	100	100	10.29	0	7/19/2016	7/25/2016	1
20160712	13117	Forsyth County	GA	0	100	100	100	0	0	7/12/2016	7/18/2016	1
20160705	13117	Forsyth County	GA	0	100	100	100	0	0	7/5/2016	7/11/2016	1
20160628	13117	Forsyth County	GA	0	100	100	100	0	0	6/28/2016	7/4/2016	1
20160621	13117	Forsyth County	GA	0	100	100	39.87	0	0	6/21/2016	6/27/2016	1
20160614	13117	Forsyth County	GA	0	100	100	0.37	0	0	6/14/2016	6/20/2016	1
20160607	13117	Forsyth County	GA	0	100	100	0	0	0	6/7/2016	6/13/2016	1
20160531	13117	Forsyth County	GA	0	100	100	0	0	0	5/31/2016	6/6/2016	1
20160524	13117	Forsyth County	GA	0	100	100	0	0	0	5/24/2016	5/30/2016	1
20160517	13117	Forsyth County	GA	0	100	100	0	0	0	5/17/2016	5/23/2016	1
20160510	13117	Forsyth County	GA	0	100	100	0	0	0	5/10/2016	5/16/2016	1
20160503	13117	Forsyth County	GA	0	100	83.76	0	0	0	5/3/2016	5/9/2016	1
20160426	13117	Forsyth County	GA	0	100	83.76	0	0	0	4/26/2016	5/2/2016	1
20160419	13117	Forsyth County	GA	0	100	0	0	0	0	4/19/2016	4/25/2016	1
20160412	13117	Forsyth County	GA	0	100	0	0	0	0	4/12/2016	4/18/2016	1
20160405	13117	Forsyth County	GA	0	100	0	0	0	0	4/5/2016	4/11/2016	1
20160329	13117	Forsyth County	GA	99.87	0.13	0	0	0	0	3/29/2016	4/4/2016	1
20160322	13117	Forsyth County	GA	100	0	0	0	0	0	3/22/2016	3/28/2016	1
20160315	13117	Forsyth County	GA	100	0	0	0	0	0	3/15/2016	3/21/2016	1
20160308	13117	Forsyth County	GA	100	0	0	0	0	0	3/8/2016	3/14/2016	1
20160301	13117	Forsyth County	GA	100	0	0	0	0	0	3/1/2016	3/7/2016	1
20160223	13117	Forsyth County	GA	100	0	0	0	0	0	2/23/2016	2/29/2016	1
20160216	13117	Forsyth County	GA	100	0	0	0	0	0	2/16/2016	2/22/2016	1
20160209	13117	Forsyth County	GA	100	0	0	0	0	0	2/9/2016	2/15/2016	1
20160202	13117	Forsyth County	GA	100	0	0	0	0	0	2/2/2016	2/8/2016	1
20160126	13117	Forsyth County	GA	100	0	0	0	0	0	1/26/2016	2/1/2016	1
20160119	13117	Forsyth County	GA	100	0	0	0	0	0	1/19/2016	1/25/2016	1
20160112	13117	Forsyth County	GA	100	0	0	0	0	0	1/12/2016	1/18/2016	1
20160105	13117	Forsyth County	GA	100	0	0	0	0	0	1/5/2016	1/11/2016	1
20151229	13117	Forsyth County	GA	100	0	0	0	0	0	12/29/2015	1/4/2016	1
20151222	13117	Forsyth County	GA	100	0	0	0	0	0	12/22/2015	12/28/2015	1
20151215	13117	Forsyth County	GA	100	0	0	0	0	0	12/15/2015	12/21/2015	1
20151208	13117	Forsyth County	GA	100	0	0	0	0	0	12/8/2015	12/14/2015	1
20151201	13117	Forsyth County	GA	100	0	0	0	0	0	12/1/2015	12/7/2015	1

20151124	13117	Forsyth County	GA	100	0	0	0	0	0	11/24/2015	11/30/2015	1
20151117	13117	Forsyth County	GA	100	0	0	0	0	0	11/17/2015	11/23/2015	1
20151110	13117	Forsyth County	GA	100	0	0	0	0	0	11/10/2015	11/16/2015	1
20151103	13117	Forsyth County	GA	100	0	0	0	0	0	11/3/2015	11/9/2015	1
20151027	13117	Forsyth County	GA	100	0	0	0	0	0	10/27/2015	11/2/2015	1
20151020	13117	Forsyth County	GA	100	0	0	0	0	0	10/20/2015	10/26/2015	1
20151013	13117	Forsyth County	GA	100	0	0	0	0	0	10/13/2015	10/19/2015	1
20151006	13117	Forsyth County	GA	100	0	0	0	0	0	10/6/2015	10/12/2015	1
20150929	13117	Forsyth County	GA	100	0	0	0	0	0	9/29/2015	10/5/2015	1
20150922	13117	Forsyth County	GA	100	0	0	0	0	0	9/22/2015	9/28/2015	1
20150915	13117	Forsyth County	GA	100	0	0	0	0	0	9/15/2015	9/21/2015	1
20150908	13117	Forsyth County	GA	100	0	0	0	0	0	9/8/2015	9/14/2015	1
20150901	13117	Forsyth County	GA	100	0	0	0	0	0	9/1/2015	9/7/2015	1
20150825	13117	Forsyth County	GA	100	0	0	0	0	0	8/25/2015	8/31/2015	1
20150818	13117	Forsyth County	GA	100	0	0	0	0	0	8/18/2015	8/24/2015	1
20150811	13117	Forsyth County	GA	100	0	0	0	0	0	8/11/2015	8/17/2015	1
20150804	13117	Forsyth County	GA	100	0	0	0	0	0	8/4/2015	8/10/2015	1
20150728	13117	Forsyth County	GA	100	0	0	0	0	0	7/28/2015	8/3/2015	1
20150721	13117	Forsyth County	GA	100	0	0	0	0	0	7/21/2015	7/27/2015	1
20150714	13117	Forsyth County	GA	100	0	0	0	0	0	7/14/2015	7/20/2015	1
20150707	13117	Forsyth County	GA	100	0	0	0	0	0	7/7/2015	7/13/2015	1
20150630	13117	Forsyth County	GA	100	0	0	0	0	0	6/30/2015	7/6/2015	1
20150623	13117	Forsyth County	GA	100	0	0	0	0	0	6/23/2015	6/29/2015	1
20150616	13117	Forsyth County	GA	100	0	0	0	0	0	6/16/2015	6/22/2015	1
20150609	13117	Forsyth County	GA	100	0	0	0	0	0	6/9/2015	6/15/2015	1
20150602	13117	Forsyth County	GA	100	0	0	0	0	0	6/2/2015	6/8/2015	1
20150526	13117	Forsyth County	GA	0	100	0	0	0	0	5/26/2015	6/1/2015	1
20150519	13117	Forsyth County	GA	0	100	0	0	0	0	5/19/2015	5/25/2015	1
20150512	13117	Forsyth County	GA	0	100	0	0	0	0	5/12/2015	5/18/2015	1
20150505	13117	Forsyth County	GA	0	100	0	0	0	0	5/5/2015	5/11/2015	1
20150428	13117	Forsyth County	GA	0	100	0	0	0	0	4/28/2015	5/4/2015	1
20150421	13117	Forsyth County	GA	0	100	0	0	0	0	4/21/2015	4/27/2015	1
20150414	13117	Forsyth County	GA	0	100	0	0	0	0	4/14/2015	4/20/2015	1
20150407	13117	Forsyth County	GA	0	100	0	0	0	0	4/7/2015	4/13/2015	1
20150331	13117	Forsyth County	GA	0	100	0	0	0	0	3/31/2015	4/6/2015	1
20150324	13117	Forsyth County	GA	100	0	0	0	0	0	3/24/2015	3/30/2015	1
20150317	13117	Forsyth County	GA	100	0	0	0	0	0	3/17/2015	3/23/2015	1
20150310	13117	Forsyth County	GA	100	0	0	0	0	0	3/10/2015	3/16/2015	1
20150303	13117	Forsyth County	GA	100	0	0	0	0	0	3/3/2015	3/9/2015	1
20150224	13117	Forsyth County	GA	100	0	0	0	0	0	2/24/2015	3/2/2015	1
20150217	13117	Forsyth County	GA	100	0	0	0	0	0	2/17/2015	2/23/2015	1
20150210	13117	Forsyth County	GA	100	0	0	0	0	0	2/10/2015	2/16/2015	1
20150203	13117	Forsyth County	GA	100	0	0	0	0	0	2/3/2015	2/9/2015	1
20150127	13117	Forsyth County	GA	100	0	0	0	0	0	1/27/2015	2/2/2015	1
20150120	13117	Forsyth County	GA	100	0	0	0	0	0	1/20/2015	1/26/2015	1
20150113	13117	Forsyth County	GA	100	0	0	0	0	0	1/13/2015	1/19/2015	1
20150106	13117	Forsyth County	GA	100	0	0	0	0	0	1/6/2015	1/12/2015	1
20141230	13117	Forsyth County	GA	100	0	0	0	0	0	12/30/2014	1/5/2015	1
20141223	13117	Forsyth County	GA	99.79	0.21	0	0	0	0	12/23/2014	12/29/2014	1
20141216	13117	Forsyth County	GA	100	0	0	0	0	0	12/16/2014	12/22/2014	1
20141209	13117	Forsyth County	GA	100	0	0	0	0	0	12/9/2014	12/15/2014	1
20141202	13117	Forsyth County	GA	100	0	0	0	0	0	12/2/2014	12/8/2014	1
20141125	13117	Forsyth County	GA	100	0	0	0	0	0	11/25/2014	12/1/2014	1
20141118	13117	Forsyth County	GA	100	0	0	0	0	0	11/18/2014	11/24/2014	1
20141111	13117	Forsyth County	GA	0	100	0	0	0	0	11/11/2014	11/17/2014	1
20141104	13117	Forsyth County	GA	0	100	0	0	0	0	11/4/2014	11/10/2014	1
20141028	13117	Forsyth County	GA	0	100	0	0	0	0	10/28/2014	11/3/2014	1
20141021	13117	Forsyth County	GA	0	100	0	0	0	0	10/21/2014	10/27/2014	1
20141014	13117	Forsyth County	GA	0	100	0	0	0	0	10/14/2014	10/20/2014	1

20141007	13117	Forsyth County	GA	0	100	0	0	0	0	10/7/2014	10/13/2014	1
20140930	13117	Forsyth County	GA	0	100	0	0	0	0	9/30/2014	10/6/2014	1
20140923	13117	Forsyth County	GA	99.98	0.02	0	0	0	0	9/23/2014	9/29/2014	1
20140916	13117	Forsyth County	GA	99.98	0.02	0	0	0	0	9/16/2014	9/22/2014	1
20140909	13117	Forsyth County	GA	99.98	0.02	0	0	0	0	9/9/2014	9/15/2014	1
20140902	13117	Forsyth County	GA	40.5	59.5	0	0	0	0	9/2/2014	9/8/2014	1
20140826	13117	Forsyth County	GA	70.02	29.98	0	0	0	0	8/26/2014	9/1/2014	1
20140819	13117	Forsyth County	GA	70.02	29.98	0	0	0	0	8/19/2014	8/25/2014	1
20140812	13117	Forsyth County	GA	100	0	0	0	0	0	8/12/2014	8/18/2014	1
20140805	13117	Forsyth County	GA	100	0	0	0	0	0	8/5/2014	8/11/2014	1
20140729	13117	Forsyth County	GA	100	0	0	0	0	0	7/29/2014	8/4/2014	1
20140722	13117	Forsyth County	GA	100	0	0	0	0	0	7/22/2014	7/28/2014	1
20140715	13117	Forsyth County	GA	72.38	27.62	0	0	0	0	7/15/2014	7/21/2014	1
20140708	13117	Forsyth County	GA	98.51	1.49	0	0	0	0	7/8/2014	7/14/2014	1
20140701	13117	Forsyth County	GA	100	0	0	0	0	0	7/1/2014	7/7/2014	1
20140624	13117	Forsyth County	GA	100	0	0	0	0	0	6/24/2014	6/30/2014	1
20140617	13117	Forsyth County	GA	100	0	0	0	0	0	6/17/2014	6/23/2014	1
20140610	13117	Forsyth County	GA	100	0	0	0	0	0	6/10/2014	6/16/2014	1
20140603	13117	Forsyth County	GA	100	0	0	0	0	0	6/3/2014	6/9/2014	1
20140527	13117	Forsyth County	GA	100	0	0	0	0	0	5/27/2014	6/2/2014	1
20140520	13117	Forsyth County	GA	100	0	0	0	0	0	5/20/2014	5/26/2014	1
20140513	13117	Forsyth County	GA	100	0	0	0	0	0	5/13/2014	5/19/2014	1
20140506	13117	Forsyth County	GA	100	0	0	0	0	0	5/6/2014	5/12/2014	1
20140429	13117	Forsyth County	GA	100	0	0	0	0	0	4/29/2014	5/5/2014	1
20140422	13117	Forsyth County	GA	100	0	0	0	0	0	4/22/2014	4/28/2014	1
20140415	13117	Forsyth County	GA	100	0	0	0	0	0	4/15/2014	4/21/2014	1
20140408	13117	Forsyth County	GA	100	0	0	0	0	0	4/8/2014	4/14/2014	1
20140401	13117	Forsyth County	GA	2.47	97.53	0	0	0	0	4/1/2014	4/7/2014	1
20140325	13117	Forsyth County	GA	100	0	0	0	0	0	3/25/2014	3/31/2014	1
20140318	13117	Forsyth County	GA	100	0	0	0	0	0	3/18/2014	3/24/2014	1
20140311	13117	Forsyth County	GA	100	0	0	0	0	0	3/11/2014	3/17/2014	1
20140304	13117	Forsyth County	GA	100	0	0	0	0	0	3/4/2014	3/10/2014	1
20140225	13117	Forsyth County	GA	100	0	0	0	0	0	2/25/2014	3/3/2014	1
20140218	13117	Forsyth County	GA	100	0	0	0	0	0	2/18/2014	2/24/2014	1
20140211	13117	Forsyth County	GA	100	0	0	0	0	0	2/11/2014	2/17/2014	1
20140204	13117	Forsyth County	GA	100	0	0	0	0	0	2/4/2014	2/10/2014	1
20140128	13117	Forsyth County	GA	100	0	0	0	0	0	1/28/2014	2/3/2014	1
20140121	13117	Forsyth County	GA	100	0	0	0	0	0	1/21/2014	1/27/2014	1
20140114	13117	Forsyth County	GA	100	0	0	0	0	0	1/14/2014	1/20/2014	1
20140107	13117	Forsyth County	GA	100	0	0	0	0	0	1/7/2014	1/13/2014	1
20131231	13117	Forsyth County	GA	100	0	0	0	0	0	12/31/2013	1/6/2014	1
20131224	13117	Forsyth County	GA	100	0	0	0	0	0	12/24/2013	12/30/2013	1
20131217	13117	Forsyth County	GA	100	0	0	0	0	0	12/17/2013	12/23/2013	1
20131210	13117	Forsyth County	GA	100	0	0	0	0	0	12/10/2013	12/16/2013	1
20131203	13117	Forsyth County	GA	100	0	0	0	0	0	12/3/2013	12/9/2013	1
20131126	13117	Forsyth County	GA	100	0	0	0	0	0	11/26/2013	12/2/2013	1
20131119	13117	Forsyth County	GA	100	0	0	0	0	0	11/19/2013	11/25/2013	1
20131112	13117	Forsyth County	GA	100	0	0	0	0	0	11/12/2013	11/18/2013	1
20131105	13117	Forsyth County	GA	100	0	0	0	0	0	11/5/2013	11/11/2013	1
20131029	13117	Forsyth County	GA	100	0	0	0	0	0	10/29/2013	11/4/2013	1
20131022	13117	Forsyth County	GA	100	0	0	0	0	0	10/22/2013	10/28/2013	1
20131015	13117	Forsyth County	GA	100	0	0	0	0	0	10/15/2013	10/21/2013	1
20131008	13117	Forsyth County	GA	100	0	0	0	0	0	10/8/2013	10/14/2013	1
20131001	13117	Forsyth County	GA	100	0	0	0	0	0	10/1/2013	10/7/2013	1
20130924	13117	Forsyth County	GA	100	0	0	0	0	0	9/24/2013	9/30/2013	1
20130917	13117	Forsyth County	GA	100	0	0	0	0	0	9/17/2013	9/23/2013	1
20130910	13117	Forsyth County	GA	100	0	0	0	0	0	9/10/2013	9/16/2013	1
20130903	13117	Forsyth County	GA	100	0	0	0	0	0	9/3/2013	9/9/2013	1
20130827	13117	Forsyth County	GA	100	0	0	0	0	0	8/27/2013	9/2/2013	1

20130820	13117	Forsyth County	GA	100	0	0	0	0	0	8/20/2013	8/26/2013	1
20130813	13117	Forsyth County	GA	100	0	0	0	0	0	8/13/2013	8/19/2013	1
20130806	13117	Forsyth County	GA	100	0	0	0	0	0	8/6/2013	8/12/2013	1
20130730	13117	Forsyth County	GA	100	0	0	0	0	0	7/30/2013	8/5/2013	1
20130723	13117	Forsyth County	GA	100	0	0	0	0	0	7/23/2013	7/29/2013	1
20130716	13117	Forsyth County	GA	100	0	0	0	0	0	7/16/2013	7/22/2013	1
20130709	13117	Forsyth County	GA	100	0	0	0	0	0	7/9/2013	7/15/2013	1
20130702	13117	Forsyth County	GA	100	0	0	0	0	0	7/2/2013	7/8/2013	1
20130625	13117	Forsyth County	GA	100	0	0	0	0	0	6/25/2013	7/1/2013	1
20130618	13117	Forsyth County	GA	100	0	0	0	0	0	6/18/2013	6/24/2013	1
20130611	13117	Forsyth County	GA	100	0	0	0	0	0	6/11/2013	6/17/2013	1
20130604	13117	Forsyth County	GA	100	0	0	0	0	0	6/4/2013	6/10/2013	1
20130528	13117	Forsyth County	GA	100	0	0	0	0	0	5/28/2013	6/3/2013	1
20130521	13117	Forsyth County	GA	100	0	0	0	0	0	5/21/2013	5/27/2013	1
20130514	13117	Forsyth County	GA	100	0	0	0	0	0	5/14/2013	5/20/2013	1
20130507	13117	Forsyth County	GA	100	0	0	0	0	0	5/7/2013	5/13/2013	1
20130430	13117	Forsyth County	GA	100	0	0	0	0	0	4/30/2013	5/6/2013	1
20130423	13117	Forsyth County	GA	100	0	0	0	0	0	4/23/2013	4/29/2013	1
20130416	13117	Forsyth County	GA	100	0	0	0	0	0	4/16/2013	4/22/2013	1
20130409	13117	Forsyth County	GA	100	0	0	0	0	0	4/9/2013	4/15/2013	1
20130402	13117	Forsyth County	GA	100	0	0	0	0	0	4/2/2013	4/8/2013	1
20130326	13117	Forsyth County	GA	100	0	0	0	0	0	3/26/2013	4/1/2013	1
20130319	13117	Forsyth County	GA	100	0	0	0	0	0	3/19/2013	3/25/2013	1
20130312	13117	Forsyth County	GA	100	0	0	0	0	0	3/12/2013	3/18/2013	1
20130305	13117	Forsyth County	GA	100	0	0	0	0	0	3/5/2013	3/11/2013	1
20130226	13117	Forsyth County	GA	100	0	0	0	0	0	2/26/2013	3/4/2013	1
20130219	13117	Forsyth County	GA	58.85	41.15	0	0	0	0	2/19/2013	2/25/2013	1
20130212	13117	Forsyth County	GA	58.85	41.15	0	0	0	0	2/12/2013	2/18/2013	1
20130205	13117	Forsyth County	GA	44.95	55.05	2.03	0	0	0	2/5/2013	2/11/2013	1
20130129	13117	Forsyth County	GA	0	100	53.45	1.97	0	0	1/29/2013	2/4/2013	1
20130122	13117	Forsyth County	GA	0	100	87.7	1.97	0	0	1/22/2013	1/28/2013	1
20130115	13117	Forsyth County	GA	0	100	100	45.65	0	0	1/15/2013	1/21/2013	1
20130108	13117	Forsyth County	GA	0	100	100	54.24	0	0	1/8/2013	1/14/2013	1
20130101	13117	Forsyth County	GA	0	100	100	56.8	0.12	0	1/1/2013	1/7/2013	1
20121225	13117	Forsyth County	GA	0	100	100	56.8	0.12	0	12/25/2012	12/31/2012	1
20121218	13117	Forsyth County	GA	0	100	100	60.31	1.05	0	12/18/2012	12/24/2012	1
20121211	13117	Forsyth County	GA	0	100	100	60.31	1.05	0	12/11/2012	12/17/2012	1
20121204	13117	Forsyth County	GA	0	100	100	60.31	1.05	0	12/4/2012	12/10/2012	1
20121127	13117	Forsyth County	GA	0	100	81.38	60.31	1.29	0	11/27/2012	12/3/2012	1
20121120	13117	Forsyth County	GA	0	100	69.79	26.34	0	0	11/20/2012	11/26/2012	1
20121113	13117	Forsyth County	GA	0	100	40.44	5.87	0	0	11/13/2012	11/19/2012	1
20121106	13117	Forsyth County	GA	0	100	30.4	0	0	0	11/6/2012	11/12/2012	1
20121030	13117	Forsyth County	GA	15.52	84.48	30.4	0	0	0	10/30/2012	11/5/2012	1
20121023	13117	Forsyth County	GA	15.52	84.48	30.26	0	0	0	10/23/2012	10/29/2012	1
20121016	13117	Forsyth County	GA	15.53	84.47	13.86	0	0	0	10/16/2012	10/22/2012	1
20121009	13117	Forsyth County	GA	15.93	84.07	13.86	0	0	0	10/9/2012	10/15/2012	1
20121002	13117	Forsyth County	GA	0	100	59.76	0	0	0	10/2/2012	10/8/2012	1
20120925	13117	Forsyth County	GA	0	100	100	56.37	0	0	9/25/2012	10/1/2012	1
20120918	13117	Forsyth County	GA	0	100	100	56.37	0	0	9/18/2012	9/24/2012	1
20120911	13117	Forsyth County	GA	0	100	100	56.37	0	0	9/11/2012	9/17/2012	1
20120904	13117	Forsyth County	GA	0	100	100	56.37	0	0	9/4/2012	9/10/2012	1
20120828	13117	Forsyth County	GA	0	100	100	56.37	0	0	8/28/2012	9/3/2012	1
20120821	13117	Forsyth County	GA	0	100	100	56.37	0	0	8/21/2012	8/27/2012	1
20120814	13117	Forsyth County	GA	0	100	100	56.37	0	0	8/14/2012	8/20/2012	1
20120807	13117	Forsyth County	GA	0	100	100	56.37	0	0	8/7/2012	8/13/2012	1
20120731	13117	Forsyth County	GA	0	100	100	77.09	0	0	7/31/2012	8/6/2012	1
20120724	13117	Forsyth County	GA	0	100	100	77.09	0	0	7/24/2012	7/30/2012	1
20120717	13117	Forsyth County	GA	0	100	100	75.05	0	0	7/17/2012	7/23/2012	1
20120710	13117	Forsyth County	GA	0	100	100	75.05	0	0	7/10/2012	7/16/2012	1

20120703	13117	Forsyth County	GA	0	100	100	75.05	0	0	7/3/2012	7/9/2012	1
20120626	13117	Forsyth County	GA	0	100	75.86	1.45	0	0	6/26/2012	7/2/2012	1
20120619	13117	Forsyth County	GA	20.64	79.36	1.52	0	0	0	6/19/2012	6/25/2012	1
20120612	13117	Forsyth County	GA	20.64	79.36	1.52	0	0	0	6/12/2012	6/18/2012	1
20120605	13117	Forsyth County	GA	20.64	79.36	1.52	0	0	0	6/5/2012	6/11/2012	1
20120529	13117	Forsyth County	GA	2.38	97.62	10.21	0	0	0	5/29/2012	6/4/2012	1
20120522	13117	Forsyth County	GA	2.38	97.62	10.21	0	0	0	5/22/2012	5/28/2012	1
20120515	13117	Forsyth County	GA	2.38	97.62	10.21	0	0	0	5/15/2012	5/21/2012	1
20120508	13117	Forsyth County	GA	0	100	61.33	0.01	0	0	5/8/2012	5/14/2012	1
20120501	13117	Forsyth County	GA	0	100	61.33	0.01	0	0	5/1/2012	5/7/2012	1
20120424	13117	Forsyth County	GA	0	100	0.01	0	0	0	4/24/2012	4/30/2012	1
20120417	13117	Forsyth County	GA	0	100	0.01	0	0	0	4/17/2012	4/23/2012	1
20120410	13117	Forsyth County	GA	0	100	0.01	0	0	0	4/10/2012	4/16/2012	1
20120403	13117	Forsyth County	GA	2.32	97.68	0.01	0	0	0	4/3/2012	4/9/2012	1
20120327	13117	Forsyth County	GA	2.32	97.68	0.01	0	0	0	3/27/2012	4/2/2012	1
20120320	13117	Forsyth County	GA	2.32	97.68	0.01	0	0	0	3/20/2012	3/26/2012	1
20120313	13117	Forsyth County	GA	78.18	21.82	0.01	0	0	0	3/13/2012	3/19/2012	1
20120306	13117	Forsyth County	GA	78.18	21.82	0.01	0	0	0	3/6/2012	3/12/2012	1
20120228	13117	Forsyth County	GA	78.18	21.82	0.01	0	0	0	2/28/2012	3/5/2012	1
20120221	13117	Forsyth County	GA	75.25	24.75	0.01	0	0	0	2/21/2012	2/27/2012	1
20120214	13117	Forsyth County	GA	79.13	20.87	0.01	0	0	0	2/14/2012	2/20/2012	1
20120207	13117	Forsyth County	GA	79.13	20.87	0.01	0	0	0	2/7/2012	2/13/2012	1
20120131	13117	Forsyth County	GA	79.13	20.87	0.01	0	0	0	1/31/2012	2/6/2012	1
20120124	13117	Forsyth County	GA	79.13	20.87	0.01	0	0	0	1/24/2012	1/30/2012	1
20120117	13117	Forsyth County	GA	16.79	83.21	9.27	0	0	0	1/17/2012	1/23/2012	1
20120110	13117	Forsyth County	GA	16.79	83.21	9.27	0	0	0	1/10/2012	1/16/2012	1
20120103	13117	Forsyth County	GA	16.79	83.21	9.27	0	0	0	1/3/2012	1/9/2012	1
20111227	13117	Forsyth County	GA	16.79	83.21	9.27	0	0	0	12/27/2011	1/2/2012	1
20111220	13117	Forsyth County	GA	16.79	83.21	9.27	0	0	0	12/20/2011	12/26/2011	1
20111213	13117	Forsyth County	GA	16.79	83.21	9.27	0	0	0	12/13/2011	12/19/2011	1
20111206	13117	Forsyth County	GA	0	100	83.21	8.21	0	0	12/6/2011	12/12/2011	1
20111129	13117	Forsyth County	GA	0	100	83.21	8.21	0	0	11/29/2011	12/5/2011	1
20111122	13117	Forsyth County	GA	0	100	100	79.69	0	0	11/22/2011	11/28/2011	1
20111115	13117	Forsyth County	GA	0	100	100	79.69	0	0	11/15/2011	11/21/2011	1
20111108	13117	Forsyth County	GA	0	100	100	75.41	0	0	11/8/2011	11/14/2011	1
20111101	13117	Forsyth County	GA	0	100	100	75.41	0	0	11/1/2011	11/7/2011	1
20111025	13117	Forsyth County	GA	0	100	100	75.41	0	0	10/25/2011	10/31/2011	1
20111018	13117	Forsyth County	GA	0	100	100	75.41	2.42	0	10/18/2011	10/24/2011	1
20111011	13117	Forsyth County	GA	0	100	100	75.41	2.42	0	10/11/2011	10/17/2011	1
20111004	13117	Forsyth County	GA	0	100	100	75.41	0	0	10/4/2011	10/10/2011	1
20110927	13117	Forsyth County	GA	0	100	100	0	0	0	9/27/2011	10/3/2011	1
20110920	13117	Forsyth County	GA	0	100	100	0	0	0	9/20/2011	9/26/2011	1
20110913	13117	Forsyth County	GA	0	100	100	0	0	0	9/13/2011	9/19/2011	1
20110906	13117	Forsyth County	GA	0	100	100	0	0	0	9/6/2011	9/12/2011	1
20110830	13117	Forsyth County	GA	0	100	100	0	0	0	8/30/2011	9/5/2011	1
20110823	13117	Forsyth County	GA	0	100	0	0	0	0	8/23/2011	8/29/2011	1
20110816	13117	Forsyth County	GA	0	100	0	0	0	0	8/16/2011	8/22/2011	1
20110809	13117	Forsyth County	GA	0	100	0	0	0	0	8/9/2011	8/15/2011	1
20110802	13117	Forsyth County	GA	0	100	0	0	0	0	8/2/2011	8/8/2011	1
20110726	13117	Forsyth County	GA	0	100	0	0	0	0	7/26/2011	8/1/2011	1
20110719	13117	Forsyth County	GA	0	100	0	0	0	0	7/19/2011	7/25/2011	1
20110712	13117	Forsyth County	GA	0	100	0	0	0	0	7/12/2011	7/18/2011	1
20110705	13117	Forsyth County	GA	0	100	0	0	0	0	7/5/2011	7/11/2011	1
20110628	13117	Forsyth County	GA	0	100	0	0	0	0	6/28/2011	7/4/2011	1
20110621	13117	Forsyth County	GA	0	100	0	0	0	0	6/21/2011	6/27/2011	1
20110614	13117	Forsyth County	GA	0	100	0	0	0	0	6/14/2011	6/20/2011	1
20110607	13117	Forsyth County	GA	0	100	0	0	0	0	6/7/2011	6/13/2011	1
20110531	13117	Forsyth County	GA	0	100	0	0	0	0	5/31/2011	6/6/2011	1
20110524	13117	Forsyth County	GA	0	100	0	0	0	0	5/24/2011	5/30/2011	1

20110517	13117	Forsyth County	GA	66.97	33.03	0	0	0	0	5/17/2011	5/23/2011	1
20110510	13117	Forsyth County	GA	100	0	0	0	0	0	5/10/2011	5/16/2011	1
20110503	13117	Forsyth County	GA	100	0	0	0	0	0	5/3/2011	5/9/2011	1
20110426	13117	Forsyth County	GA	100	0	0	0	0	0	4/26/2011	5/2/2011	1
20110419	13117	Forsyth County	GA	100	0	0	0	0	0	4/19/2011	4/25/2011	1
20110412	13117	Forsyth County	GA	100	0	0	0	0	0	4/12/2011	4/18/2011	1
20110405	13117	Forsyth County	GA	100	0	0	0	0	0	4/5/2011	4/11/2011	1
20110329	13117	Forsyth County	GA	100	0	0	0	0	0	3/29/2011	4/4/2011	1
20110322	13117	Forsyth County	GA	38.49	61.51	0	0	0	0	3/22/2011	3/28/2011	1
20110315	13117	Forsyth County	GA	38.49	61.51	0	0	0	0	3/15/2011	3/21/2011	1
20110308	13117	Forsyth County	GA	0	100	59.25	0	0	0	3/8/2011	3/14/2011	1
20110301	13117	Forsyth County	GA	0	100	59.25	0	0	0	3/1/2011	3/7/2011	1
20110222	13117	Forsyth County	GA	0	100	59.25	0	0	0	2/22/2011	2/28/2011	1
20110215	13117	Forsyth County	GA	0	100	59.25	0	0	0	2/15/2011	2/21/2011	1
20110208	13117	Forsyth County	GA	0	100	59.25	0	0	0	2/8/2011	2/14/2011	1
20110201	13117	Forsyth County	GA	0	100	59.25	0	0	0	2/1/2011	2/7/2011	1
20110125	13117	Forsyth County	GA	0	100	59.25	0	0	0	1/25/2011	1/31/2011	1
20110118	13117	Forsyth County	GA	0	100	59.25	0	0	0	1/18/2011	1/24/2011	1
20110111	13117	Forsyth County	GA	0	100	62.2	0	0	0	1/11/2011	1/17/2011	1
20110104	13117	Forsyth County	GA	0	100	62.2	0	0	0	1/4/2011	1/10/2011	1
20101228	13117	Forsyth County	GA	0	100	61.28	0	0	0	12/28/2010	1/3/2011	1
20101221	13117	Forsyth County	GA	0	100	61.28	0	0	0	12/21/2010	12/27/2010	1
20101214	13117	Forsyth County	GA	0	100	61.28	0	0	0	12/14/2010	12/20/2010	1
20101207	13117	Forsyth County	GA	0	100	99.55	0	0	0	12/7/2010	12/13/2010	1
20101130	13117	Forsyth County	GA	0	100	99.55	0	0	0	11/30/2010	12/6/2010	1
20101123	13117	Forsyth County	GA	0	100	99.55	0	0	0	11/23/2010	11/29/2010	1
20101116	13117	Forsyth County	GA	0.35	99.65	0	0	0	0	11/16/2010	11/22/2010	1
20101109	13117	Forsyth County	GA	0.35	99.65	0	0	0	0	11/9/2010	11/15/2010	1
20101102	13117	Forsyth County	GA	0.35	99.65	0	0	0	0	11/2/2010	11/8/2010	1
20101026	13117	Forsyth County	GA	0	100	0	0	0	0	10/26/2010	11/1/2010	1
20101019	13117	Forsyth County	GA	0	100	0	0	0	0	10/19/2010	10/25/2010	1
20101012	13117	Forsyth County	GA	0	100	0	0	0	0	10/12/2010	10/18/2010	1
20101005	13117	Forsyth County	GA	0	100	0	0	0	0	10/5/2010	10/11/2010	1
20100928	13117	Forsyth County	GA	0	100	0	0	0	0	9/28/2010	10/4/2010	1
20100921	13117	Forsyth County	GA	0	100	0	0	0	0	9/21/2010	9/27/2010	1
20100914	13117	Forsyth County	GA	0	100	0	0	0	0	9/14/2010	9/20/2010	1
20100907	13117	Forsyth County	GA	100	0	0	0	0	0	9/7/2010	9/13/2010	1
20100831	13117	Forsyth County	GA	100	0	0	0	0	0	8/31/2010	9/6/2010	1
20100824	13117	Forsyth County	GA	100	0	0	0	0	0	8/24/2010	8/30/2010	1
20100817	13117	Forsyth County	GA	3.97	96.03	0	0	0	0	8/17/2010	8/23/2010	1
20100810	13117	Forsyth County	GA	22.37	77.63	0	0	0	0	8/10/2010	8/16/2010	1
20100803	13117	Forsyth County	GA	22.37	77.63	0	0	0	0	8/3/2010	8/9/2010	1
20100727	13117	Forsyth County	GA	22.37	77.63	0	0	0	0	7/27/2010	8/2/2010	1
20100720	13117	Forsyth County	GA	1.23	98.77	0	0	0	0	7/20/2010	7/26/2010	1
20100713	13117	Forsyth County	GA	100	0	0	0	0	0	7/13/2010	7/19/2010	1
20100706	13117	Forsyth County	GA	100	0	0	0	0	0	7/6/2010	7/12/2010	1
20100629	13117	Forsyth County	GA	100	0	0	0	0	0	6/29/2010	7/5/2010	1
20100622	13117	Forsyth County	GA	100	0	0	0	0	0	6/22/2010	6/28/2010	1
20100615	13117	Forsyth County	GA	100	0	0	0	0	0	6/15/2010	6/21/2010	1
20100608	13117	Forsyth County	GA	100	0	0	0	0	0	6/8/2010	6/14/2010	1
20100601	13117	Forsyth County	GA	100	0	0	0	0	0	6/1/2010	6/7/2010	1
20100525	13117	Forsyth County	GA	100	0	0	0	0	0	5/25/2010	5/31/2010	1
20100518	13117	Forsyth County	GA	100	0	0	0	0	0	5/18/2010	5/24/2010	1
20100511	13117	Forsyth County	GA	100	0	0	0	0	0	5/11/2010	5/17/2010	1
20100504	13117	Forsyth County	GA	100	0	0	0	0	0	5/4/2010	5/10/2010	1
20100427	13117	Forsyth County	GA	100	0	0	0	0	0	4/27/2010	5/3/2010	1
20100420	13117	Forsyth County	GA	100	0	0	0	0	0	4/20/2010	4/26/2010	1
20100413	13117	Forsyth County	GA	100	0	0	0	0	0	4/13/2010	4/19/2010	1
20100406	13117	Forsyth County	GA	100	0	0	0	0	0	4/6/2010	4/12/2010	1

20100330	13117	Forsyth County	GA	100	0	0	0	0	0	3/30/2010	4/5/2010	1
20100323	13117	Forsyth County	GA	100	0	0	0	0	0	3/23/2010	3/29/2010	1
20100316	13117	Forsyth County	GA	100	0	0	0	0	0	3/16/2010	3/22/2010	1
20100309	13117	Forsyth County	GA	100	0	0	0	0	0	3/9/2010	3/15/2010	1
20100302	13117	Forsyth County	GA	100	0	0	0	0	0	3/2/2010	3/8/2010	1
20100223	13117	Forsyth County	GA	100	0	0	0	0	0	2/23/2010	3/1/2010	1
20100216	13117	Forsyth County	GA	100	0	0	0	0	0	2/16/2010	2/22/2010	1
20100209	13117	Forsyth County	GA	100	0	0	0	0	0	2/9/2010	2/15/2010	1
20100202	13117	Forsyth County	GA	100	0	0	0	0	0	2/2/2010	2/8/2010	1
20100126	13117	Forsyth County	GA	100	0	0	0	0	0	1/26/2010	2/1/2010	1
20100119	13117	Forsyth County	GA	100	0	0	0	0	0	1/19/2010	1/25/2010	1
20100112	13117	Forsyth County	GA	100	0	0	0	0	0	1/12/2010	1/18/2010	1
20100105	13117	Forsyth County	GA	100	0	0	0	0	0	1/5/2010	1/11/2010	1
20091229	13117	Forsyth County	GA	100	0	0	0	0	0	12/29/2009	1/4/2010	1
20091222	13117	Forsyth County	GA	100	0	0	0	0	0	12/22/2009	12/28/2009	1
20091215	13117	Forsyth County	GA	100	0	0	0	0	0	12/15/2009	12/21/2009	1
20091208	13117	Forsyth County	GA	100	0	0	0	0	0	12/8/2009	12/14/2009	1
20091201	13117	Forsyth County	GA	100	0	0	0	0	0	12/1/2009	12/7/2009	1
20091124	13117	Forsyth County	GA	100	0	0	0	0	0	11/24/2009	11/30/2009	1
20091117	13117	Forsyth County	GA	100	0	0	0	0	0	11/17/2009	11/23/2009	1
20091110	13117	Forsyth County	GA	100	0	0	0	0	0	11/10/2009	11/16/2009	1
20091103	13117	Forsyth County	GA	100	0	0	0	0	0	11/3/2009	11/9/2009	1
20091027	13117	Forsyth County	GA	100	0	0	0	0	0	10/27/2009	11/2/2009	1
20091020	13117	Forsyth County	GA	100	0	0	0	0	0	10/20/2009	10/26/2009	1
20091013	13117	Forsyth County	GA	100	0	0	0	0	0	10/13/2009	10/19/2009	1
20091006	13117	Forsyth County	GA	100	0	0	0	0	0	10/6/2009	10/12/2009	1
20090929	13117	Forsyth County	GA	100	0	0	0	0	0	9/29/2009	10/5/2009	1
20090922	13117	Forsyth County	GA	100	0	0	0	0	0	9/22/2009	9/28/2009	1
20090915	13117	Forsyth County	GA	100	0	0	0	0	0	9/15/2009	9/21/2009	1
20090908	13117	Forsyth County	GA	100	0	0	0	0	0	9/8/2009	9/14/2009	1
20090901	13117	Forsyth County	GA	100	0	0	0	0	0	9/1/2009	9/7/2009	1
20090825	13117	Forsyth County	GA	100	0	0	0	0	0	8/25/2009	8/31/2009	1
20090818	13117	Forsyth County	GA	0	100	0	0	0	0	8/18/2009	8/24/2009	1
20090811	13117	Forsyth County	GA	0	100	0	0	0	0	8/11/2009	8/17/2009	1
20090804	13117	Forsyth County	GA	0	100	0	0	0	0	8/4/2009	8/10/2009	1
20090728	13117	Forsyth County	GA	0	100	0	0	0	0	7/28/2009	8/3/2009	1
20090721	13117	Forsyth County	GA	0	100	0	0	0	0	7/21/2009	7/27/2009	1
20090714	13117	Forsyth County	GA	0	100	0	0	0	0	7/14/2009	7/20/2009	1
20090707	13117	Forsyth County	GA	0	100	0	0	0	0	7/7/2009	7/13/2009	1
20090630	13117	Forsyth County	GA	100	0	0	0	0	0	6/30/2009	7/6/2009	1
20090623	13117	Forsyth County	GA	100	0	0	0	0	0	6/23/2009	6/29/2009	1
20090616	13117	Forsyth County	GA	100	0	0	0	0	0	6/16/2009	6/22/2009	1
20090609	13117	Forsyth County	GA	100	0	0	0	0	0	6/9/2009	6/15/2009	1
20090602	13117	Forsyth County	GA	93.21	6.79	0	0	0	0	6/2/2009	6/8/2009	1
20090526	13117	Forsyth County	GA	91.56	8.44	0	0	0	0	5/26/2009	6/1/2009	1
20090519	13117	Forsyth County	GA	100	0	0	0	0	0	5/19/2009	5/25/2009	1
20090512	13117	Forsyth County	GA	100	0	0	0	0	0	5/12/2009	5/18/2009	1
20090505	13117	Forsyth County	GA	99.81	0.19	0	0	0	0	5/5/2009	5/11/2009	1
20090428	13117	Forsyth County	GA	99.81	0.19	0	0	0	0	4/28/2009	5/4/2009	1
20090421	13117	Forsyth County	GA	99.81	0.19	0	0	0	0	4/21/2009	4/27/2009	1
20090414	13117	Forsyth County	GA	99.81	0.19	0	0	0	0	4/14/2009	4/20/2009	1
20090407	13117	Forsyth County	GA	99.81	0.19	0	0	0	0	4/7/2009	4/13/2009	1
20090331	13117	Forsyth County	GA	0	100	0	0	0	0	3/31/2009	4/6/2009	1
20090324	13117	Forsyth County	GA	0	100	56.67	16.61	0	0	3/24/2009	3/30/2009	1
20090317	13117	Forsyth County	GA	0	100	56.67	16.61	0	0	3/17/2009	3/23/2009	1
20090310	13117	Forsyth County	GA	0	100	56.67	16.61	0	0	3/10/2009	3/16/2009	1
20090303	13117	Forsyth County	GA	0	100	56.67	16.61	0	0	3/3/2009	3/9/2009	1
20090224	13117	Forsyth County	GA	0	100	100	42.54	0	0	2/24/2009	3/2/2009	1
20090217	13117	Forsyth County	GA	0	100	100	42.54	0	0	2/17/2009	2/23/2009	1

20090210	13117	Forsyth County	GA	0	100	100	37.38	0	0	2/10/2009	2/16/2009	1
20090203	13117	Forsyth County	GA	0	100	100	37.38	0	0	2/3/2009	2/9/2009	1
20090127	13117	Forsyth County	GA	0	100	100	37.38	0	0	1/27/2009	2/2/2009	1
20090120	13117	Forsyth County	GA	0	100	100	37.38	0	0	1/20/2009	1/26/2009	1
20090113	13117	Forsyth County	GA	0	100	100	37.38	0	0	1/13/2009	1/19/2009	1
20090106	13117	Forsyth County	GA	0	100	100	100	39.25	0	1/6/2009	1/12/2009	1
20081230	13117	Forsyth County	GA	0	100	100	100	39.25	0	12/30/2008	1/5/2009	1
20081223	13117	Forsyth County	GA	0	100	100	100	39.25	0	12/23/2008	12/29/2008	1
20081216	13117	Forsyth County	GA	0	100	100	100	89.95	0	12/16/2008	12/22/2008	1
20081209	13117	Forsyth County	GA	0	100	100	100	100	87.74	12/9/2008	12/15/2008	1
20081202	13117	Forsyth County	GA	0	100	100	100	100	87.74	12/2/2008	12/8/2008	1
20081125	13117	Forsyth County	GA	0	100	100	100	100	87.74	11/25/2008	12/1/2008	1
20081118	13117	Forsyth County	GA	0	100	100	100	100	87.74	11/18/2008	11/24/2008	1
20081111	13117	Forsyth County	GA	0	100	100	100	100	87.74	11/11/2008	11/17/2008	1
20081104	13117	Forsyth County	GA	0	100	100	100	100	0	11/4/2008	11/10/2008	1
20081028	13117	Forsyth County	GA	0	100	100	100	100	0	10/28/2008	11/3/2008	1
20081021	13117	Forsyth County	GA	0	100	100	100	100	0	10/21/2008	10/27/2008	1
20081014	13117	Forsyth County	GA	0	100	100	100	100	0	10/14/2008	10/20/2008	1
20081007	13117	Forsyth County	GA	0	100	100	100	100	0	10/7/2008	10/13/2008	1
20080930	13117	Forsyth County	GA	0	100	100	100	100	0	9/30/2008	10/6/2008	1
20080923	13117	Forsyth County	GA	0	100	100	100	43.56	0	9/23/2008	9/29/2008	1
20080916	13117	Forsyth County	GA	0	100	100	100	43.56	0	9/16/2008	9/22/2008	1
20080909	13117	Forsyth County	GA	0	100	100	100	43.56	0	9/9/2008	9/15/2008	1
20080902	13117	Forsyth County	GA	0	100	100	100	43.56	0	9/2/2008	9/8/2008	1
20080826	13117	Forsyth County	GA	0	100	100	100	43.56	0	8/26/2008	9/1/2008	1
20080819	13117	Forsyth County	GA	0	100	100	100	100	43.03	8/19/2008	8/25/2008	1
20080812	13117	Forsyth County	GA	0	100	100	100	100	0	8/12/2008	8/18/2008	1
20080805	13117	Forsyth County	GA	0	100	100	100	100	0	8/5/2008	8/11/2008	1
20080729	13117	Forsyth County	GA	0	100	100	100	100	0	7/29/2008	8/4/2008	1
20080722	13117	Forsyth County	GA	0	100	100	100	100	0	7/22/2008	7/28/2008	1
20080715	13117	Forsyth County	GA	0	100	100	100	100	0	7/15/2008	7/21/2008	1
20080708	13117	Forsyth County	GA	0	100	100	100	100	0	7/8/2008	7/14/2008	1
20080701	13117	Forsyth County	GA	0	100	100	100	100	0	7/1/2008	7/7/2008	1
20080624	13117	Forsyth County	GA	0	100	100	100	100	0	6/24/2008	6/30/2008	1
20080617	13117	Forsyth County	GA	0	100	100	100	63.62	0	6/17/2008	6/23/2008	1
20080610	13117	Forsyth County	GA	0	100	100	100	53.25	0	6/10/2008	6/16/2008	1
20080603	13117	Forsyth County	GA	0	100	100	100	0	0	6/3/2008	6/9/2008	1
20080527	13117	Forsyth County	GA	0	100	100	100	0	0	5/27/2008	6/2/2008	1
20080520	13117	Forsyth County	GA	0	100	100	100	0	0	5/20/2008	5/26/2008	1
20080513	13117	Forsyth County	GA	0	100	100	100	100	0	5/13/2008	5/19/2008	1
20080506	13117	Forsyth County	GA	0	100	100	100	100	0	5/6/2008	5/12/2008	1
20080429	13117	Forsyth County	GA	0	100	100	100	100	0	4/29/2008	5/5/2008	1
20080422	13117	Forsyth County	GA	0	100	100	100	100	0	4/22/2008	4/28/2008	1
20080415	13117	Forsyth County	GA	0	100	100	100	100	0	4/15/2008	4/21/2008	1
20080408	13117	Forsyth County	GA	0	100	100	100	100	0	4/8/2008	4/14/2008	1
20080401	13117	Forsyth County	GA	0	100	100	100	100	0	4/1/2008	4/7/2008	1
20080325	13117	Forsyth County	GA	0	100	100	100	100	0	3/25/2008	3/31/2008	1
20080318	13117	Forsyth County	GA	0	100	100	100	100	0	3/18/2008	3/24/2008	1
20080311	13117	Forsyth County	GA	0	100	100	100	100	0	3/11/2008	3/17/2008	1
20080304	13117	Forsyth County	GA	0	100	100	100	100	0	3/4/2008	3/10/2008	1
20080226	13117	Forsyth County	GA	0	100	100	100	100	0	2/26/2008	3/3/2008	1
20080219	13117	Forsyth County	GA	0	100	100	100	100	26.01	2/19/2008	2/25/2008	1
20080212	13117	Forsyth County	GA	0	100	100	100	100	75.2	2/12/2008	2/18/2008	1
20080205	13117	Forsyth County	GA	0	100	100	100	100	75.2	2/5/2008	2/11/2008	1
20080129	13117	Forsyth County	GA	0	100	100	100	100	75.2	1/29/2008	2/4/2008	1
20080122	13117	Forsyth County	GA	0	100	100	100	100	75.2	1/22/2008	1/28/2008	1
20080115	13117	Forsyth County	GA	0	100	100	100	100	77.66	1/15/2008	1/21/2008	1
20080108	13117	Forsyth County	GA	0	100	100	100	100	77.66	1/8/2008	1/14/2008	1
20080101	13117	Forsyth County	GA	0	100	100	100	100	77.66	1/1/2008	1/7/2008	1

20071225	13117	Forsyth County	GA	0	100	100	100	100	100	12/25/2007	12/31/2007	1
20071218	13117	Forsyth County	GA	0	100	100	100	100	100	12/18/2007	12/24/2007	1
20071211	13117	Forsyth County	GA	0	100	100	100	100	100	12/11/2007	12/17/2007	1
20071204	13117	Forsyth County	GA	0	100	100	100	100	100	12/4/2007	12/10/2007	1
20071127	13117	Forsyth County	GA	0	100	100	100	100	100	11/27/2007	12/3/2007	1
20071120	13117	Forsyth County	GA	0	100	100	100	100	100	11/20/2007	11/26/2007	1
20071113	13117	Forsyth County	GA	0	100	100	100	100	100	11/13/2007	11/19/2007	1
20071106	13117	Forsyth County	GA	0	100	100	100	100	100	11/6/2007	11/12/2007	1
20071030	13117	Forsyth County	GA	0	100	100	100	100	100	10/30/2007	11/5/2007	1
20071023	13117	Forsyth County	GA	0	100	100	100	100	100	10/23/2007	10/29/2007	1
20071016	13117	Forsyth County	GA	0	100	100	100	100	100	10/16/2007	10/22/2007	1
20071009	13117	Forsyth County	GA	0	100	100	100	100	100	10/9/2007	10/15/2007	1
20071002	13117	Forsyth County	GA	0	100	100	100	100	100	10/2/2007	10/8/2007	1
20070925	13117	Forsyth County	GA	0	100	100	100	100	100	9/25/2007	10/1/2007	1
20070918	13117	Forsyth County	GA	0	100	100	100	100	100	9/18/2007	9/24/2007	1
20070911	13117	Forsyth County	GA	0	100	100	100	100	100	9/11/2007	9/17/2007	1
20070904	13117	Forsyth County	GA	0	100	100	100	100	51.28	9/4/2007	9/10/2007	1
20070828	13117	Forsyth County	GA	0	100	100	100	100	100	8/28/2007	9/3/2007	1
20070821	13117	Forsyth County	GA	0	100	100	100	100	100	8/21/2007	8/27/2007	1
20070814	13117	Forsyth County	GA	0	100	100	100	100	0	8/14/2007	8/20/2007	1
20070807	13117	Forsyth County	GA	0	100	100	100	100	0	8/7/2007	8/13/2007	1
20070731	13117	Forsyth County	GA	0	100	100	100	100	0	7/31/2007	8/6/2007	1
20070724	13117	Forsyth County	GA	0	100	100	100	100	0	7/24/2007	7/30/2007	1
20070717	13117	Forsyth County	GA	0	100	100	100	100	0	7/17/2007	7/23/2007	1
20070710	13117	Forsyth County	GA	0	100	100	100	100	0	7/10/2007	7/16/2007	1
20070703	13117	Forsyth County	GA	0	100	100	100	100	0	7/3/2007	7/9/2007	1
20070626	13117	Forsyth County	GA	0	100	100	100	100	0	6/26/2007	7/2/2007	1
20070619	13117	Forsyth County	GA	0	100	100	100	100	0	6/19/2007	6/25/2007	1
20070612	13117	Forsyth County	GA	0	100	100	100	100	0	6/12/2007	6/18/2007	1
20070605	13117	Forsyth County	GA	0	100	100	100	100	0	6/5/2007	6/11/2007	1
20070529	13117	Forsyth County	GA	0	100	100	100	100	0	5/29/2007	6/4/2007	1
20070522	13117	Forsyth County	GA	0	100	100	100	100	0	5/22/2007	5/28/2007	1
20070515	13117	Forsyth County	GA	0	100	100	100	100	0	5/15/2007	5/21/2007	1
20070508	13117	Forsyth County	GA	0	100	100	100	100	0	5/8/2007	5/14/2007	1
20070501	13117	Forsyth County	GA	0	100	100	100	100	0	5/1/2007	5/7/2007	1
20070424	13117	Forsyth County	GA	0	100	100	72.16	0	0	4/24/2007	4/30/2007	1
20070417	13117	Forsyth County	GA	0	100	15.29	0	0	0	4/17/2007	4/23/2007	1
20070410	13117	Forsyth County	GA	0	100	100	0	0	0	4/10/2007	4/16/2007	1
20070403	13117	Forsyth County	GA	0	100	100	0	0	0	4/3/2007	4/9/2007	1
20070327	13117	Forsyth County	GA	0	100	0	0	0	0	3/27/2007	4/2/2007	1
20070320	13117	Forsyth County	GA	0	100	0	0	0	0	3/20/2007	3/26/2007	1
20070313	13117	Forsyth County	GA	0	100	0	0	0	0	3/13/2007	3/19/2007	1
20070306	13117	Forsyth County	GA	0	100	0	0	0	0	3/6/2007	3/12/2007	1
20070227	13117	Forsyth County	GA	0	100	0	0	0	0	2/27/2007	3/5/2007	1
20070220	13117	Forsyth County	GA	0	100	0	0	0	0	2/20/2007	2/26/2007	1
20070213	13117	Forsyth County	GA	0	100	0	0	0	0	2/13/2007	2/19/2007	1
20070206	13117	Forsyth County	GA	0	100	0	0	0	0	2/6/2007	2/12/2007	1
20070130	13117	Forsyth County	GA	0	100	0	0	0	0	1/30/2007	2/5/2007	1
20070123	13117	Forsyth County	GA	0	100	0	0	0	0	1/23/2007	1/29/2007	1
20070116	13117	Forsyth County	GA	0	100	0	0	0	0	1/16/2007	1/22/2007	1
20070109	13117	Forsyth County	GA	0	100	0	0	0	0	1/9/2007	1/15/2007	1
20070102	13117	Forsyth County	GA	0	100	0	0	0	0	1/2/2007	1/8/2007	1
20061226	13117	Forsyth County	GA	0	100	0	0	0	0	12/26/2006	1/1/2007	1
20061219	13117	Forsyth County	GA	0	100	0	0	0	0	12/19/2006	12/25/2006	1
20061212	13117	Forsyth County	GA	100	0	0	0	0	0	12/12/2006	12/18/2006	1
20061205	13117	Forsyth County	GA	100	0	0	0	0	0	12/5/2006	12/11/2006	1
20061128	13117	Forsyth County	GA	100	0	0	0	0	0	11/28/2006	12/4/2006	1
20061121	13117	Forsyth County	GA	100	0	0	0	0	0	11/21/2006	11/27/2006	1
20061114	13117	Forsyth County	GA	0	100	0	0	0	0	11/14/2006	11/20/2006	1

20061107	13117	Forsyth County	GA	0	100	0	0	0	0	11/7/2006	11/13/2006	1
20061031	13117	Forsyth County	GA	0	100	0	0	0	0	10/31/2006	11/6/2006	1
20061024	13117	Forsyth County	GA	0	100	9.25	0	0	0	10/24/2006	10/30/2006	1
20061017	13117	Forsyth County	GA	0	100	94.06	0	0	0	10/17/2006	10/23/2006	1
20061010	13117	Forsyth County	GA	0	100	94.06	0	0	0	10/10/2006	10/16/2006	1
20061003	13117	Forsyth County	GA	0	100	94.06	0	0	0	10/3/2006	10/9/2006	1
20060926	13117	Forsyth County	GA	0	100	94.06	0	0	0	9/26/2006	10/2/2006	1
20060919	13117	Forsyth County	GA	0	100	100	0	0	0	9/19/2006	9/25/2006	1
20060912	13117	Forsyth County	GA	0	100	100	100	0	0	9/12/2006	9/18/2006	1
20060905	13117	Forsyth County	GA	0	100	100	100	0	0	9/5/2006	9/11/2006	1
20060829	13117	Forsyth County	GA	0	100	100	100	0	0	8/29/2006	9/4/2006	1
20060822	13117	Forsyth County	GA	0	100	100	100	0	0	8/22/2006	8/28/2006	1
20060815	13117	Forsyth County	GA	0	100	100	0	0	0	8/15/2006	8/21/2006	1
20060808	13117	Forsyth County	GA	0	100	100	0	0	0	8/8/2006	8/14/2006	1
20060801	13117	Forsyth County	GA	0	100	100	0	0	0	8/1/2006	8/7/2006	1
20060725	13117	Forsyth County	GA	0	100	100	0	0	0	7/25/2006	7/31/2006	1
20060718	13117	Forsyth County	GA	0	100	100	0	0	0	7/18/2006	7/24/2006	1
20060711	13117	Forsyth County	GA	0	100	100	0	0	0	7/11/2006	7/17/2006	1
20060704	13117	Forsyth County	GA	0	100	100	0	0	0	7/4/2006	7/10/2006	1
20060627	13117	Forsyth County	GA	0	100	100	0	0	0	6/27/2006	7/3/2006	1
20060620	13117	Forsyth County	GA	0	100	100	0	0	0	6/20/2006	6/26/2006	1
20060613	13117	Forsyth County	GA	0	100	100	0	0	0	6/13/2006	6/19/2006	1
20060606	13117	Forsyth County	GA	0	100	87.73	0	0	0	6/6/2006	6/12/2006	1
20060530	13117	Forsyth County	GA	0	100	0	0	0	0	5/30/2006	6/5/2006	1
20060523	13117	Forsyth County	GA	0	100	0	0	0	0	5/23/2006	5/29/2006	1
20060516	13117	Forsyth County	GA	0	100	0	0	0	0	5/16/2006	5/22/2006	1
20060509	13117	Forsyth County	GA	0	100	0	0	0	0	5/9/2006	5/15/2006	1
20060502	13117	Forsyth County	GA	0	100	0	0	0	0	5/2/2006	5/8/2006	1
20060425	13117	Forsyth County	GA	0	100	0	0	0	0	4/25/2006	5/1/2006	1
20060418	13117	Forsyth County	GA	0	100	0	0	0	0	4/18/2006	4/24/2006	1
20060411	13117	Forsyth County	GA	0	100	0	0	0	0	4/11/2006	4/17/2006	1
20060404	13117	Forsyth County	GA	0	100	0	0	0	0	4/4/2006	4/10/2006	1
20060328	13117	Forsyth County	GA	100	0	0	0	0	0	3/28/2006	4/3/2006	1
20060321	13117	Forsyth County	GA	100	0	0	0	0	0	3/21/2006	3/27/2006	1
20060314	13117	Forsyth County	GA	100	0	0	0	0	0	3/14/2006	3/20/2006	1
20060307	13117	Forsyth County	GA	100	0	0	0	0	0	3/7/2006	3/13/2006	1
20060228	13117	Forsyth County	GA	100	0	0	0	0	0	2/28/2006	3/6/2006	1
20060221	13117	Forsyth County	GA	100	0	0	0	0	0	2/21/2006	2/27/2006	1
20060214	13117	Forsyth County	GA	100	0	0	0	0	0	2/14/2006	2/20/2006	1
20060207	13117	Forsyth County	GA	100	0	0	0	0	0	2/7/2006	2/13/2006	1
20060131	13117	Forsyth County	GA	100	0	0	0	0	0	1/31/2006	2/6/2006	1
20060124	13117	Forsyth County	GA	100	0	0	0	0	0	1/24/2006	1/30/2006	1
20060117	13117	Forsyth County	GA	100	0	0	0	0	0	1/17/2006	1/23/2006	1
20060110	13117	Forsyth County	GA	100	0	0	0	0	0	1/10/2006	1/16/2006	1
20060103	13117	Forsyth County	GA	100	0	0	0	0	0	1/3/2006	1/9/2006	1
20051227	13117	Forsyth County	GA	100	0	0	0	0	0	12/27/2005	1/2/2006	1
20051220	13117	Forsyth County	GA	100	0	0	0	0	0	12/20/2005	12/26/2005	1
20051213	13117	Forsyth County	GA	100	0	0	0	0	0	12/13/2005	12/19/2005	1
20051206	13117	Forsyth County	GA	100	0	0	0	0	0	12/6/2005	12/12/2005	1
20051129	13117	Forsyth County	GA	100	0	0	0	0	0	11/29/2005	12/5/2005	1
20051122	13117	Forsyth County	GA	0	100	0	0	0	0	11/22/2005	11/28/2005	1
20051115	13117	Forsyth County	GA	0	100	0	0	0	0	11/15/2005	11/21/2005	1
20051108	13117	Forsyth County	GA	100	0	0	0	0	0	11/8/2005	11/14/2005	1
20051101	13117	Forsyth County	GA	100	0	0	0	0	0	11/1/2005	11/7/2005	1
20051025	13117	Forsyth County	GA	100	0	0	0	0	0	10/25/2005	10/31/2005	1
20051018	13117	Forsyth County	GA	100	0	0	0	0	0	10/18/2005	10/24/2005	1
20051011	13117	Forsyth County	GA	100	0	0	0	0	0	10/11/2005	10/17/2005	1
20051004	13117	Forsyth County	GA	100	0	0	0	0	0	10/4/2005	10/10/2005	1
20050927	13117	Forsyth County	GA	100	0	0	0	0	0	9/27/2005	10/3/2005	1

20050920	13117	Forsyth County	GA	100	0	0	0	0	0	9/20/2005	9/26/2005	1
20050913	13117	Forsyth County	GA	100	0	0	0	0	0	9/13/2005	9/19/2005	1
20050906	13117	Forsyth County	GA	100	0	0	0	0	0	9/6/2005	9/12/2005	1
20050830	13117	Forsyth County	GA	100	0	0	0	0	0	8/30/2005	9/5/2005	1
20050823	13117	Forsyth County	GA	100	0	0	0	0	0	8/23/2005	8/29/2005	1
20050816	13117	Forsyth County	GA	100	0	0	0	0	0	8/16/2005	8/22/2005	1
20050809	13117	Forsyth County	GA	100	0	0	0	0	0	8/9/2005	8/15/2005	1
20050802	13117	Forsyth County	GA	100	0	0	0	0	0	8/2/2005	8/8/2005	1
20050726	13117	Forsyth County	GA	100	0	0	0	0	0	7/26/2005	8/1/2005	1
20050719	13117	Forsyth County	GA	100	0	0	0	0	0	7/19/2005	7/25/2005	1
20050712	13117	Forsyth County	GA	100	0	0	0	0	0	7/12/2005	7/18/2005	1
20050705	13117	Forsyth County	GA	100	0	0	0	0	0	7/5/2005	7/11/2005	1
20050628	13117	Forsyth County	GA	100	0	0	0	0	0	6/28/2005	7/4/2005	1
20050621	13117	Forsyth County	GA	100	0	0	0	0	0	6/21/2005	6/27/2005	1
20050614	13117	Forsyth County	GA	100	0	0	0	0	0	6/14/2005	6/20/2005	1
20050607	13117	Forsyth County	GA	100	0	0	0	0	0	6/7/2005	6/13/2005	1
20050531	13117	Forsyth County	GA	100	0	0	0	0	0	5/31/2005	6/6/2005	1
20050524	13117	Forsyth County	GA	100	0	0	0	0	0	5/24/2005	5/30/2005	1
20050517	13117	Forsyth County	GA	100	0	0	0	0	0	5/17/2005	5/23/2005	1
20050510	13117	Forsyth County	GA	100	0	0	0	0	0	5/10/2005	5/16/2005	1
20050503	13117	Forsyth County	GA	100	0	0	0	0	0	5/3/2005	5/9/2005	1
20050426	13117	Forsyth County	GA	100	0	0	0	0	0	4/26/2005	5/2/2005	1
20050419	13117	Forsyth County	GA	100	0	0	0	0	0	4/19/2005	4/25/2005	1
20050412	13117	Forsyth County	GA	100	0	0	0	0	0	4/12/2005	4/18/2005	1
20050405	13117	Forsyth County	GA	100	0	0	0	0	0	4/5/2005	4/11/2005	1
20050329	13117	Forsyth County	GA	100	0	0	0	0	0	3/29/2005	4/4/2005	1
20050322	13117	Forsyth County	GA	100	0	0	0	0	0	3/22/2005	3/28/2005	1
20050315	13117	Forsyth County	GA	100	0	0	0	0	0	3/15/2005	3/21/2005	1
20050308	13117	Forsyth County	GA	100	0	0	0	0	0	3/8/2005	3/14/2005	1
20050301	13117	Forsyth County	GA	100	0	0	0	0	0	3/1/2005	3/7/2005	1
20050222	13117	Forsyth County	GA	100	0	0	0	0	0	2/22/2005	2/28/2005	1
20050215	13117	Forsyth County	GA	100	0	0	0	0	0	2/15/2005	2/21/2005	1
20050208	13117	Forsyth County	GA	100	0	0	0	0	0	2/8/2005	2/14/2005	1
20050201	13117	Forsyth County	GA	100	0	0	0	0	0	2/1/2005	2/7/2005	1
20050125	13117	Forsyth County	GA	100	0	0	0	0	0	1/25/2005	1/31/2005	1
20050118	13117	Forsyth County	GA	100	0	0	0	0	0	1/18/2005	1/24/2005	1
20050111	13117	Forsyth County	GA	100	0	0	0	0	0	1/11/2005	1/17/2005	1
20050104	13117	Forsyth County	GA	100	0	0	0	0	0	1/4/2005	1/10/2005	1
20041228	13117	Forsyth County	GA	100	0	0	0	0	0	12/28/2004	1/3/2005	1
20041221	13117	Forsyth County	GA	100	0	0	0	0	0	12/21/2004	12/27/2004	1
20041214	13117	Forsyth County	GA	100	0	0	0	0	0	12/14/2004	12/20/2004	1
20041207	13117	Forsyth County	GA	100	0	0	0	0	0	12/7/2004	12/13/2004	1
20041130	13117	Forsyth County	GA	100	0	0	0	0	0	11/30/2004	12/6/2004	1
20041123	13117	Forsyth County	GA	100	0	0	0	0	0	11/23/2004	11/29/2004	1
20041116	13117	Forsyth County	GA	100	0	0	0	0	0	11/16/2004	11/22/2004	1
20041109	13117	Forsyth County	GA	100	0	0	0	0	0	11/9/2004	11/15/2004	1
20041102	13117	Forsyth County	GA	100	0	0	0	0	0	11/2/2004	11/8/2004	1
20041026	13117	Forsyth County	GA	100	0	0	0	0	0	10/26/2004	11/1/2004	1
20041019	13117	Forsyth County	GA	100	0	0	0	0	0	10/19/2004	10/25/2004	1
20041012	13117	Forsyth County	GA	100	0	0	0	0	0	10/12/2004	10/18/2004	1
20041005	13117	Forsyth County	GA	100	0	0	0	0	0	10/5/2004	10/11/2004	1
20040928	13117	Forsyth County	GA	100	0	0	0	0	0	9/28/2004	10/4/2004	1
20040921	13117	Forsyth County	GA	100	0	0	0	0	0	9/21/2004	9/27/2004	1
20040914	13117	Forsyth County	GA	100	0	0	0	0	0	9/14/2004	9/20/2004	1
20040907	13117	Forsyth County	GA	100	0	0	0	0	0	9/7/2004	9/13/2004	1
20040831	13117	Forsyth County	GA	100	0	0	0	0	0	8/31/2004	9/6/2004	1
20040824	13117	Forsyth County	GA	100	0	0	0	0	0	8/24/2004	8/30/2004	1
20040817	13117	Forsyth County	GA	100	0	0	0	0	0	8/17/2004	8/23/2004	1
20040810	13117	Forsyth County	GA	100	0	0	0	0	0	8/10/2004	8/16/2004	1


20040803	13117	Forsyth County	GA	100	0	0	0	0	0	8/3/2004	8/9/2004	1
20040727	13117	Forsyth County	GA	100	0	0	0	0	0	7/27/2004	8/2/2004	1
20040720	13117	Forsyth County	GA	100	0	0	0	0	0	7/20/2004	7/26/2004	1
20040713	13117	Forsyth County	GA	100	0	0	0	0	0	7/13/2004	7/19/2004	1
20040706	13117	Forsyth County	GA	100	0	0	0	0	0	7/6/2004	7/12/2004	1
20040629	13117	Forsyth County	GA	100	0	0	0	0	0	6/29/2004	7/5/2004	1
20040622	13117	Forsyth County	GA	0	100	0	0	0	0	6/22/2004	6/28/2004	1
20040615	13117	Forsyth County	GA	0	100	0	0	0	0	6/15/2004	6/21/2004	1
20040608	13117	Forsyth County	GA	0	100	0	0	0	0	6/8/2004	6/14/2004	1
20040601	13117	Forsyth County	GA	0	100	0	0	0	0	6/1/2004	6/7/2004	1
20040525	13117	Forsyth County	GA	0	100	0	0	0	0	5/25/2004	5/31/2004	1
20040518	13117	Forsyth County	GA	0	100	0	0	0	0	5/18/2004	5/24/2004	1
20040511	13117	Forsyth County	GA	0	100	0	0	0	0	5/11/2004	5/17/2004	1
20040504	13117	Forsyth County	GA	0.5	99.5	0	0	0	0	5/4/2004	5/10/2004	1
20040427	13117	Forsyth County	GA	1.63	98.37	0	0	0	0	4/27/2004	5/3/2004	1
20040420	13117	Forsyth County	GA	0	100	0	0	0	0	4/20/2004	4/26/2004	1
20040413	13117	Forsyth County	GA	0	100	0	0	0	0	4/13/2004	4/19/2004	1
20040406	13117	Forsyth County	GA	0	100	0	0	0	0	4/6/2004	4/12/2004	1
20040330	13117	Forsyth County	GA	0	100	0	0	0	0	3/30/2004	4/5/2004	1
20040323	13117	Forsyth County	GA	0	100	0	0	0	0	3/23/2004	3/29/2004	1
20040316	13117	Forsyth County	GA	100	0	0	0	0	0	3/16/2004	3/22/2004	1
20040309	13117	Forsyth County	GA	100	0	0	0	0	0	3/9/2004	3/15/2004	1
20040302	13117	Forsyth County	GA	100	0	0	0	0	0	3/2/2004	3/8/2004	1
20040224	13117	Forsyth County	GA	100	0	0	0	0	0	2/24/2004	3/1/2004	1
20040217	13117	Forsyth County	GA	100	0	0	0	0	0	2/17/2004	2/23/2004	1
20040210	13117	Forsyth County	GA	100	0	0	0	0	0	2/10/2004	2/16/2004	1
20040203	13117	Forsyth County	GA	100	0	0	0	0	0	2/3/2004	2/9/2004	1
20040127	13117	Forsyth County	GA	100	0	0	0	0	0	1/27/2004	2/2/2004	1
20040120	13117	Forsyth County	GA	100	0	0	0	0	0	1/20/2004	1/26/2004	1
20040113	13117	Forsyth County	GA	100	0	0	0	0	0	1/13/2004	1/19/2004	1
20040106	13117	Forsyth County	GA	100	0	0	0	0	0	1/6/2004	1/12/2004	1
20031230	13117	Forsyth County	GA	100	0	0	0	0	0	12/30/2003	1/5/2004	1
20031223	13117	Forsyth County	GA	100	0	0	0	0	0	12/23/2003	12/29/2003	1
20031216	13117	Forsyth County	GA	100	0	0	0	0	0	12/16/2003	12/22/2003	1
20031209	13117	Forsyth County	GA	100	0	0	0	0	0	12/9/2003	12/15/2003	1
20031202	13117	Forsyth County	GA	100	0	0	0	0	0	12/2/2003	12/8/2003	1
20031125	13117	Forsyth County	GA	100	0	0	0	0	0	11/25/2003	12/1/2003	1
20031118	13117	Forsyth County	GA	100	0	0	0	0	0	11/18/2003	11/24/2003	1
20031111	13117	Forsyth County	GA	100	0	0	0	0	0	11/11/2003	11/17/2003	1
20031104	13117	Forsyth County	GA	100	0	0	0	0	0	11/4/2003	11/10/2003	1
20031028	13117	Forsyth County	GA	100	0	0	0	0	0	10/28/2003	11/3/2003	1
20031021	13117	Forsyth County	GA	100	0	0	0	0	0	10/21/2003	10/27/2003	1
20031014	13117	Forsyth County	GA	100	0	0	0	0	0	10/14/2003	10/20/2003	1
20031007	13117	Forsyth County	GA	100	0	0	0	0	0	10/7/2003	10/13/2003	1
20030930	13117	Forsyth County	GA	100	0	0	0	0	0	9/30/2003	10/6/2003	1
20030923	13117	Forsyth County	GA	100	0	0	0	0	0	9/23/2003	9/29/2003	1
20030916	13117	Forsyth County	GA	100	0	0	0	0	0	9/16/2003	9/22/2003	1
20030909	13117	Forsyth County	GA	100	0	0	0	0	0	9/9/2003	9/15/2003	1
20030902	13117	Forsyth County	GA	100	0	0	0	0	0	9/2/2003	9/8/2003	1
20030826	13117	Forsyth County	GA	100	0	0	0	0	0	8/26/2003	9/1/2003	1
20030819	13117	Forsyth County	GA	100	0	0	0	0	0	8/19/2003	8/25/2003	1
20030812	13117	Forsyth County	GA	100	0	0	0	0	0	8/12/2003	8/18/2003	1
20030805	13117	Forsyth County	GA	100	0	0	0	0	0	8/5/2003	8/11/2003	1
20030729	13117	Forsyth County	GA	100	0	0	0	0	0	7/29/2003	8/4/2003	1
20030722	13117	Forsyth County	GA	100	0	0	0	0	0	7/22/2003	7/28/2003	1
20030715	13117	Forsyth County	GA	100	0	0	0	0	0	7/15/2003	7/21/2003	1
20030708	13117	Forsyth County	GA	100	0	0	0	0	0	7/8/2003	7/14/2003	1
20030701	13117	Forsyth County	GA	100	0	0	0	0	0	7/1/2003	7/7/2003	1
20030624	13117	Forsyth County	GA	100	0	0	0	0	0	6/24/2003	6/30/2003	1

20030617	13117	Forsyth County	GA	100	0	0	0	0	0	6/17/2003	6/23/2003	1
20030610	13117	Forsyth County	GA	100	0	0	0	0	0	6/10/2003	6/16/2003	1
20030603	13117	Forsyth County	GA	100	0	0	0	0	0	6/3/2003	6/9/2003	1
20030527	13117	Forsyth County	GA	100	0	0	0	0	0	5/27/2003	6/2/2003	1
20030520	13117	Forsyth County	GA	100	0	0	0	0	0	5/20/2003	5/26/2003	1
20030513	13117	Forsyth County	GA	100	0	0	0	0	0	5/13/2003	5/19/2003	1
20030506	13117	Forsyth County	GA	100	0	0	0	0	0	5/6/2003	5/12/2003	1
20030429	13117	Forsyth County	GA	100	0	0	0	0	0	4/29/2003	5/5/2003	1
20030422	13117	Forsyth County	GA	100	0	0	0	0	0	4/22/2003	4/28/2003	1
20030415	13117	Forsyth County	GA	100	0	0	0	0	0	4/15/2003	4/21/2003	1
20030408	13117	Forsyth County	GA	100	0	0	0	0	0	4/8/2003	4/14/2003	1
20030401	13117	Forsyth County	GA	100	0	0	0	0	0	4/1/2003	4/7/2003	1
20030325	13117	Forsyth County	GA	100	0	0	0	0	0	3/25/2003	3/31/2003	1
20030318	13117	Forsyth County	GA	100	0	0	0	0	0	3/18/2003	3/24/2003	1
20030311	13117	Forsyth County	GA	100	0	0	0	0	0	3/11/2003	3/17/2003	1
20030304	13117	Forsyth County	GA	100	0	0	0	0	0	3/4/2003	3/10/2003	1
20030225	13117	Forsyth County	GA	100	0	0	0	0	0	2/25/2003	3/3/2003	1
20030218	13117	Forsyth County	GA	100	0	0	0	0	0	2/18/2003	2/24/2003	1
20030211	13117	Forsyth County	GA	100	0	0	0	0	0	2/11/2003	2/17/2003	1
20030204	13117	Forsyth County	GA	100	0	0	0	0	0	2/4/2003	2/10/2003	1
20030128	13117	Forsyth County	GA	100	0	0	0	0	0	1/28/2003	2/3/2003	1
20030121	13117	Forsyth County	GA	100	0	0	0	0	0	1/21/2003	1/27/2003	1
20030114	13117	Forsyth County	GA	100	0	0	0	0	0	1/14/2003	1/20/2003	1
20030107	13117	Forsyth County	GA	100	0	0	0	0	0	1/7/2003	1/13/2003	1
20021231	13117	Forsyth County	GA	100	0	0	0	0	0	12/31/2002	1/6/2003	1
20021224	13117	Forsyth County	GA	8.69	91.31	0	0	0	0	12/24/2002	12/30/2002	1
20021217	13117	Forsyth County	GA	20.11	79.89	0	0	0	0	12/17/2002	12/23/2002	1
20021210	13117	Forsyth County	GA	0	100	90.81	0	0	0	12/10/2002	12/16/2002	1
20021203	13117	Forsyth County	GA	0	100	100	0	0	0	12/3/2002	12/9/2002	1
20021126	13117	Forsyth County	GA	0	100	98.33	0	0	0	11/26/2002	12/2/2002	1
20021119	13117	Forsyth County	GA	0	100	98.13	0	0	0	11/19/2002	11/25/2002	1
20021112	13117	Forsyth County	GA	0	100	78.57	0	0	0	11/12/2002	11/18/2002	1
20021105	13117	Forsyth County	GA	0	100	100	0	0	0	11/5/2002	11/11/2002	1
20021029	13117	Forsyth County	GA	0	100	100	0	0	0	10/29/2002	11/4/2002	1
20021022	13117	Forsyth County	GA	0	100	100	0	0	0	10/22/2002	10/28/2002	1
20021015	13117	Forsyth County	GA	0	100	100	80.68	0	0	10/15/2002	10/21/2002	1
20021008	13117	Forsyth County	GA	0	100	100	100	0	0	10/8/2002	10/14/2002	1
20021001	13117	Forsyth County	GA	0	100	100	100	0	0	10/1/2002	10/7/2002	1
20020924	13117	Forsyth County	GA	0	100	100	100	0	0	9/24/2002	9/30/2002	1
20020917	13117	Forsyth County	GA	0	100	100	100	100	0	9/17/2002	9/23/2002	1
20020910	13117	Forsyth County	GA	0	100	100	100	100	0	9/10/2002	9/16/2002	1
20020903	13117	Forsyth County	GA	0	100	100	100	100	0	9/3/2002	9/9/2002	1
20020827	13117	Forsyth County	GA	0	100	100	100	0	0	8/27/2002	9/2/2002	1
20020820	13117	Forsyth County	GA	0	100	100	100	0	0	8/20/2002	8/26/2002	1
20020813	13117	Forsyth County	GA	0	100	100	100	0	0	8/13/2002	8/19/2002	1
20020806	13117	Forsyth County	GA	0	100	100	100	0	0	8/6/2002	8/12/2002	1
20020730	13117	Forsyth County	GA	0	100	100	98.77	0	0	7/30/2002	8/5/2002	1
20020723	13117	Forsyth County	GA	0	100	100	0	0	0	7/23/2002	7/29/2002	1
20020716	13117	Forsyth County	GA	0	100	100	0	0	0	7/16/2002	7/22/2002	1
20020709	13117	Forsyth County	GA	0	100	100	0.4	0	0	7/9/2002	7/15/2002	1
20020702	13117	Forsyth County	GA	0	100	100	0	0	0	7/2/2002	7/8/2002	1
20020625	13117	Forsyth County	GA	0	100	100	0.02	0	0	6/25/2002	7/1/2002	1
20020618	13117	Forsyth County	GA	0	100	100	13.46	0	0	6/18/2002	6/24/2002	1
20020611	13117	Forsyth County	GA	0	100	100	19.07	0	0	6/11/2002	6/17/2002	1
20020604	13117	Forsyth County	GA	0	100	100	4.26	0	0	6/4/2002	6/10/2002	1
20020528	13117	Forsyth County	GA	0	100	100	85.04	0	0	5/28/2002	6/3/2002	1
20020521	13117	Forsyth County	GA	0	100	100	0	0	0	5/21/2002	5/27/2002	1
20020514	13117	Forsyth County	GA	0	100	100	43.71	0	0	5/14/2002	5/20/2002	1
20020507	13117	Forsyth County	GA	0	100	100	81.41	0	0	5/7/2002	5/13/2002	1

20020430	13117	Forsyth County	GA	0	100	100	100	0	0	4/30/2002	5/6/2002	1
20020423	13117	Forsyth County	GA	0	100	99.94	0	0	0	4/23/2002	4/29/2002	1
20020416	13117	Forsyth County	GA	0	100	99.68	0	0	0	4/16/2002	4/22/2002	1
20020409	13117	Forsyth County	GA	0	100	100	0	0	0	4/9/2002	4/15/2002	1
20020402	13117	Forsyth County	GA	0	100	100	0	0	0	4/2/2002	4/8/2002	1
20020326	13117	Forsyth County	GA	0	100	100	100	0	0	3/26/2002	4/1/2002	1
20020319	13117	Forsyth County	GA	0	100	100	100	0	0	3/19/2002	3/25/2002	1
20020312	13117	Forsyth County	GA	0	100	100	100	0	0	3/12/2002	3/18/2002	1
20020305	13117	Forsyth County	GA	0	100	97.05	0	0	0	3/5/2002	3/11/2002	1
20020226	13117	Forsyth County	GA	0	100	97.92	0	0	0	2/26/2002	3/4/2002	1
20020219	13117	Forsyth County	GA	0	100	14.51	0	0	0	2/19/2002	2/25/2002	1
20020212	13117	Forsyth County	GA	0	100	0.36	0	0	0	2/12/2002	2/18/2002	1
20020205	13117	Forsyth County	GA	0	100	56.55	0	0	0	2/5/2002	2/11/2002	1
20020129	13117	Forsyth County	GA	0	100	97.32	21.5	0	0	1/29/2002	2/4/2002	1
20020122	13117	Forsyth County	GA	0	100	100	79.97	0	0	1/22/2002	1/28/2002	1
20020115	13117	Forsyth County	GA	0	100	100	100	0	0	1/15/2002	1/21/2002	1
20020108	13117	Forsyth County	GA	0	100	100	100	0	0	1/8/2002	1/14/2002	1
20020101	13117	Forsyth County	GA	0	100	100	83.78	0	0	1/1/2002	1/7/2002	1
20011225	13117	Forsyth County	GA	0	100	100	100	0	0	12/25/2001	12/31/2001	1
20011218	13117	Forsyth County	GA	0	100	100	100	0	0	12/18/2001	12/24/2001	1
20011211	13117	Forsyth County	GA	0	100	100	100	0	0	12/11/2001	12/17/2001	1
20011204	13117	Forsyth County	GA	0	100	100	100	0	0	12/4/2001	12/10/2001	1
20011127	13117	Forsyth County	GA	0	100	100	100	0	0	11/27/2001	12/3/2001	1
20011120	13117	Forsyth County	GA	0	100	100	100	0	0	11/20/2001	11/26/2001	1
20011113	13117	Forsyth County	GA	0	100	100	37.13	0	0	11/13/2001	11/19/2001	1
20011106	13117	Forsyth County	GA	0	100	100	0	0	0	11/6/2001	11/12/2001	1
20011030	13117	Forsyth County	GA	0	100	26.34	0	0	0	10/30/2001	11/5/2001	1
20011023	13117	Forsyth County	GA	0	100	0	0	0	0	10/23/2001	10/29/2001	1
20011016	13117	Forsyth County	GA	2.7	97.3	0	0	0	0	10/16/2001	10/22/2001	1
20011009	13117	Forsyth County	GA	2.7	97.3	0	0	0	0	10/9/2001	10/15/2001	1
20011002	13117	Forsyth County	GA	2.7	97.3	0	0	0	0	10/2/2001	10/8/2001	1
20010925	13117	Forsyth County	GA	49.68	50.32	0	0	0	0	9/25/2001	10/1/2001	1
20010918	13117	Forsyth County	GA	16.29	83.71	0	0	0	0	9/18/2001	9/24/2001	1
20010911	13117	Forsyth County	GA	100	0	0	0	0	0	9/11/2001	9/17/2001	1
20010904	13117	Forsyth County	GA	100	0	0	0	0	0	9/4/2001	9/10/2001	1
20010828	13117	Forsyth County	GA	100	0	0	0	0	0	8/28/2001	9/3/2001	1
20010821	13117	Forsyth County	GA	100	0	0	0	0	0	8/21/2001	8/27/2001	1
20010814	13117	Forsyth County	GA	100	0	0	0	0	0	8/14/2001	8/20/2001	1
20010807	13117	Forsyth County	GA	100	0	0	0	0	0	8/7/2001	8/13/2001	1
20010731	13117	Forsyth County	GA	0	100	0	0	0	0	7/31/2001	8/6/2001	1
20010724	13117	Forsyth County	GA	0	100	0	0	0	0	7/24/2001	7/30/2001	1
20010717	13117	Forsyth County	GA	0	100	0	0	0	0	7/17/2001	7/23/2001	1
20010710	13117	Forsyth County	GA	0	100	0	0	0	0	7/10/2001	7/16/2001	1
20010703	13117	Forsyth County	GA	0	100	0	0	0	0	7/3/2001	7/9/2001	1
20010626	13117	Forsyth County	GA	0	100	8.82	0	0	0	6/26/2001	7/2/2001	1
20010619	13117	Forsyth County	GA	0	100	8.82	0	0	0	6/19/2001	6/25/2001	1
20010612	13117	Forsyth County	GA	0	100	100	0	0	0	6/12/2001	6/18/2001	1
20010605	13117	Forsyth County	GA	0	100	100	0	0	0	6/5/2001	6/11/2001	1
20010529	13117	Forsyth County	GA	0	100	100	1.38	0	0	5/29/2001	6/4/2001	1
20010522	13117	Forsyth County	GA	0	100	100	5.1	0	0	5/22/2001	5/28/2001	1
20010515	13117	Forsyth County	GA	0	100	100	0.19	0	0	5/15/2001	5/21/2001	1
20010508	13117	Forsyth County	GA	0	100	100	0	0	0	5/8/2001	5/14/2001	1
20010501	13117	Forsyth County	GA	0	100	53.36	0	0	0	5/1/2001	5/7/2001	1
20010424	13117	Forsyth County	GA	0	100	100	0	0	0	4/24/2001	4/30/2001	1
20010417	13117	Forsyth County	GA	0	100	100	0	0	0	4/17/2001	4/23/2001	1
20010410	13117	Forsyth County	GA	0	100	100	0	0	0	4/10/2001	4/16/2001	1
20010403	13117	Forsyth County	GA	0	100	100	0	0	0	4/3/2001	4/9/2001	1
20010327	13117	Forsyth County	GA	0	100	100	0	0	0	3/27/2001	4/2/2001	1
20010320	13117	Forsyth County	GA	0	100	100	0	0	0	3/20/2001	3/26/2001	1

20010313	13117	Forsyth County	GA	0	100	100	0	0	0	3/13/2001	3/19/2001	1
20010306	13117	Forsyth County	GA	0	100	100	100	0	0	3/6/2001	3/12/2001	1
20010227	13117	Forsyth County	GA	0	100	100	100	0	0	2/27/2001	3/5/2001	1
20010220	13117	Forsyth County	GA	0	100	100	100	0	0	2/20/2001	2/26/2001	1
20010213	13117	Forsyth County	GA	0	100	100	100	0	0	2/13/2001	2/19/2001	1
20010206	13117	Forsyth County	GA	0	100	100	100	0	0	2/6/2001	2/12/2001	1
20010130	13117	Forsyth County	GA	0	100	100	100	0	0	1/30/2001	2/5/2001	1
20010123	13117	Forsyth County	GA	0	100	100	100	0	0	1/23/2001	1/29/2001	1
20010116	13117	Forsyth County	GA	0	100	100	100	0	0	1/16/2001	1/22/2001	1
20010109	13117	Forsyth County	GA	0	100	100	100	0	0	1/9/2001	1/15/2001	1
20010102	13117	Forsyth County	GA	0	100	100	100	0	0	1/2/2001	1/8/2001	1
20001226	13117	Forsyth County	GA	0	100	100	100	0	0	12/26/2000	1/1/2001	1
20001219	13117	Forsyth County	GA	0	100	100	100	0	0	12/19/2000	12/25/2000	1
20001212	13117	Forsyth County	GA	0	100	100	100	0	0	12/12/2000	12/18/2000	1
20001205	13117	Forsyth County	GA	0	100	100	100	0	0	12/5/2000	12/11/2000	1
20001128	13117	Forsyth County	GA	0	100	100	100	0	0	11/28/2000	12/4/2000	1
20001121	13117	Forsyth County	GA	0	100	100	100	0	0	11/21/2000	11/27/2000	1
20001114	13117	Forsyth County	GA	0	100	100	100	100	0	11/14/2000	11/20/2000	1
20001107	13117	Forsyth County	GA	0	100	100	100	100	0	11/7/2000	11/13/2000	1
20001031	13117	Forsyth County	GA	0	100	100	100	100	0	10/31/2000	11/6/2000	1
20001024	13117	Forsyth County	GA	0	100	100	100	0	0	10/24/2000	10/30/2000	1
20001017	13117	Forsyth County	GA	0	100	100	77.7	0	0	10/17/2000	10/23/2000	1
20001010	13117	Forsyth County	GA	0	100	100	100	0	0	10/10/2000	10/16/2000	1
20001003	13117	Forsyth County	GA	0	100	100	100	0	0	10/3/2000	10/9/2000	1
20000926	13117	Forsyth County	GA	0	100	100	100	0	0	9/26/2000	10/2/2000	1
20000919	13117	Forsyth County	GA	0	100	100	100	15.43	0	9/19/2000	9/25/2000	1
20000912	13117	Forsyth County	GA	0	100	100	100	15.43	0	9/12/2000	9/18/2000	1
20000905	13117	Forsyth County	GA	0	100	100	100	0	0	9/5/2000	9/11/2000	1
20000829	13117	Forsyth County	GA	0	100	100	100	38.53	0	8/29/2000	9/4/2000	1
20000822	13117	Forsyth County	GA	0	100	100	100	79.66	0	8/22/2000	8/28/2000	1
20000815	13117	Forsyth County	GA	0	100	100	100	81.5	0	8/15/2000	8/21/2000	1
20000808	13117	Forsyth County	GA	0	100	100	100	100	0	8/8/2000	8/14/2000	1
20000801	13117	Forsyth County	GA	0	100	100	100	100	0.25	8/1/2000	8/7/2000	1
20000725	13117	Forsyth County	GA	0	100	100	100	100	30.46	7/25/2000	7/31/2000	1
20000718	13117	Forsyth County	GA	0	100	100	100	100	0	7/18/2000	7/24/2000	1
20000711	13117	Forsyth County	GA	0	100	100	100	100	0	7/11/2000	7/17/2000	1
20000704	13117	Forsyth County	GA	0	100	100	100	100	0	7/4/2000	7/10/2000	1
20000627	13117	Forsyth County	GA	0	100	100	100	100	0	6/27/2000	7/3/2000	1
20000620	13117	Forsyth County	GA	0	100	100	100	100	0	6/20/2000	6/26/2000	1
20000613	13117	Forsyth County	GA	0	100	100	100	100	0	6/13/2000	6/19/2000	1
20000606	13117	Forsyth County	GA	0	100	100	100	0	0	6/6/2000	6/12/2000	1
20000530	13117	Forsyth County	GA	0	100	100	100	0	0	5/30/2000	6/5/2000	1
20000523	13117	Forsyth County	GA	0	100	100	100	0	0	5/23/2000	5/29/2000	1
20000516	13117	Forsyth County	GA	0	100	100	100	0	0	5/16/2000	5/22/2000	1
20000509	13117	Forsyth County	GA	0	100	100	0	0	0	5/9/2000	5/15/2000	1
20000502	13117	Forsyth County	GA	0	100	100	0	0	0	5/2/2000	5/8/2000	1
20000425	13117	Forsyth County	GA	0	100	100	0	0	0	4/25/2000	5/1/2000	1
20000418	13117	Forsyth County	GA	0	100	100	0	0	0	4/18/2000	4/24/2000	1
20000411	13117	Forsyth County	GA	0	100	100	0	0	0	4/11/2000	4/17/2000	1
20000404	13117	Forsyth County	GA	0	100	100	0	0	0	4/4/2000	4/10/2000	1
20000328	13117	Forsyth County	GA	0	100	100	0	0	0	3/28/2000	4/3/2000	1
20000321	13117	Forsyth County	GA	0	100	100	0	0	0	3/21/2000	3/27/2000	1
20000314	13117	Forsyth County	GA	0	100	100	0	0	0	3/14/2000	3/20/2000	1
20000307	13117	Forsyth County	GA	0	100	100	0	0	0	3/7/2000	3/13/2000	1
20000229	13117	Forsyth County	GA	0	100	100	0	0	0	2/29/2000	3/6/2000	1
20000222	13117	Forsyth County	GA	0	100	100	0	0	0	2/22/2000	2/28/2000	1
20000215	13117	Forsyth County	GA	0	100	100	0	0	0	2/15/2000	2/21/2000	1
20000208	13117	Forsyth County	GA	0	100	100	0	0	0	2/8/2000	2/14/2000	1
20000201	13117	Forsyth County	GA	0	100	100	0	0	0	2/1/2000	2/7/2000	1

20000125	13117	Forsyth County	GA	0	100	100	0	0	0	1/25/2000	1/31/2000	1
20000118	13117	Forsyth County	GA	0	100	100	0.18	0	0	1/18/2000	1/24/2000	1
20000111	13117	Forsyth County	GA	0	100	100	0.18	0	0	1/11/2000	1/17/2000	1
20000104	13117	Forsyth County	GA	0	100	100	63.82	0	0	1/4/2000	1/10/2000	1



Drought.gov

National Integrated Drought Information System

DATA & MAPS

Historical Drought Data & Conditions Tool: U.S. Drought Portal

National Oceanic and Atmospheric Administration (NOAA), NOAA's National Centers for Environmental Information (NCEI), U.S. Department of Agriculture (USDA), National Drought Mitigation Center (NDMC)

United States

Land-based Station

Paleoclimate

Various

csv, json, xml

By looking back at historical data, communities can get a better understanding of the drought and extreme weather threats to be prepared for. The U.S. Drought Portal's [Historical Data & Conditions Tool \(https://www.drought.gov/historical-information\)](https://www.drought.gov/historical-information) displays three historical drought datasets side by side on an interactive time series graph and map: *U.S. Drought Monitor* (2000 - Present), *Standardized Precipitation Index* (1895 - Present), and *Palmer Modified Drought Index* (0 BCE - 2017). These data are available for download in CSV, XML, and JSON format.

Users can view national data or select a state, county, or combination of states/counties to view a customized map and time series for each of these three historical drought datasets.

In addition to downloading these data as a CSV, XML, or JSON file, users can also download a high-quality image of the map/data panel, save a permalink to a specific dataset and time period, or embed the interactive tool directly on their own website.

DATASETS

US Drought Monitor (USDM files) | 2000 - Present

The *U.S. Drought Monitor (USDM)* is released every Thursday, showing parts of the U.S. that are currently in drought. The USDM relies on drought experts to synthesize the best available data and work with local observers to interpret the information and is a joint effort of the National Drought Mitigation Center, U.S. Department of Agriculture, National Oceanic and Atmospheric Administration, and National Aeronautics and Space Administration.

[More information on the U.S. Drought Monitor data \(/data-maps-tools/us-drought-monitor\)](/data-maps-tools/us-drought-monitor)

Standardized Precipitation Index (SPI files) | 1895 - Present

The *Standardized Precipitation Index (SPI)* is an index to characterize meteorological drought on a range of timescales, ranging from 1 to 72 months, for the lower 48 U.S. states. The SPI is the number of standard deviations that observed cumulative precipitation deviates from the climatological average.

[More information on the Standardized Precipitation Index data \(/data-maps-tools/us-gridded-standardized-precipitation-index-spi-nclimgrid-monthly\)](/data-maps-tools/us-gridded-standardized-precipitation-index-spi-nclimgrid-monthly)

Palmer Modified Drought Index (PALEO files) | 0 BCE - 2017

Tree rings are used to extend the instrumental record of drought to over 2,000 years. The Living Blended Drought Product (*LBDP*) is a recalibrated data series of June-July-August *Palmer Modified Drought Index (PMDI)* values in the lower 48 U.S. states. This dataset blends tree-ring reconstructions and instrumental data to estimate the average summer PMDI values, which extend over 2,000 years in some parts of the U.S.

[More information on the Palmer Modified Drought Index data \(/data-maps-tools/living-blended-](/data-maps-tools/living-blended-)

drought-product-lbdp-historical-drought-information)

FORMATS

Comma-Separated Values (CSV/Excel)

The *CSV* files provide an option for importing data into a spreadsheet or database. Record values are provided on individual lines with an initial header row.

Extensible Markup Language (XML)

The *XML* files provide an option for importing data using a web service. Record values are provided within ordered tags.

JavaScript Object Notation (JSON)

The *JSON* files provide an option for importing data using a web applications and scripts. Records values are provided as properties of objects within an array.

PARAMETERS

The definitions for the following parameters are common to each format, though each parameter may not be found in each format:

Area of Interest (AreaOfInterest) - *USDM only*

Area of Interest references the regions within the dataset to which the records are relevant. For example, 'conus' would indicate that the record is relevant to the Continental United States and 'total' would indicate that the record is relevant to the total United States.

Date (DATE) - *PALEO and SPI only*

Date references the year or month to which the records are relevant.

- *PALEO files*: This field is formatted year_#, where # is a 1- to 4-digit year.
- *SPI files*: This field is formatted d_YYYYMMDD, where YYYY is a 4-digit year, MM is a two-digit month, and DD is a two-digit day (typically 01 to represent the start of the month).

Drought Categories (D0, D1, D2, D3, D4, W0, W1, W2, W3, W4, 0, -9, None)

Drought Categories are typically based on percentile statistics, where the percentile indicates percentage of measurements under the given value. For example, a one month precipitation total in the 5th percentile indicates that only 5% of all available one month precipitation totals are lower than the observed month. Values provided indicate the percent of the given area that falls within the designated category.

- D4 - Exceptional Drought (0-2 percentile)
- D3 - Extreme Drought (2-5 percentile)
- D2 - Severe Drought (5-10 percentile)
- D1 - Moderate Drought (10-20 percentile)
- D0 - Abnormally Dry (20-30 percentile)
- None or 0 - Neither Wet or Dry
- W0 - Abnormally Wet (70-80 percentile)
- W1 - Moderate Wet (80-90 percentile)
- W2 - Severe Wet (90-95 percentile)
- W3 - Extreme Wet (95-98 percentile)
- W4 - Exceptional Wet (98-100 percentile)
- -9 - No Data Available

Note: These categories are inherently cumulative, so an area reporting 25% in D4 must also show 25% or greater in D3.

Map Date (MapDate)

Map Date provides the *Valid Start* in ISO 8601 format YYYYMMDD, where YYYY is a 4-digit year, MM is a two-digit month, and DD is a two-digit day.

Statistic Format (StatisticFormatID)

Statistic Format indicates whether categorical statistics were used in the data. The standard value is 1 and indicates that cumulative statistics were

used. Cumulative statistics show the percent area in a given drought category or worse (for example, D1 shows the percent area in D1–D4; D2 shows the percent area in D2–D4).

Valid Start (ValidStart)

Valid Start references the first day of the period for which the record is valid. This is provided in the format mm/dd/YYYY, where mm is a 1- to 2-digit month, dd is a 1- to 2-digit day, and YYYY is a 4-digit year.

Valid End (ValidEnd)

Valid End references the last day of the period through which the record is valid. This is provided in the format mm/dd/YYYY, where mm is a 1- to 2-digit month, dd is a 1- to 2-digit day, and YYYY is a 4-digit year.

METADATA

View metadata for each of the three historical datasets in this tool:

- [U.S. Drought Monitor](https://droughtmonitor.unl.edu/DmData/Metadata.aspx)
(<https://droughtmonitor.unl.edu/DmData/Metadata.aspx>)
- Standardized Precipitation Index from [nClimGrid-Monthly](https://www.ncei.noaa.gov/access/metadata/landing-page/bin/iso?id=gov.noaa.ncdc:C00332)
(<https://www.ncei.noaa.gov/access/metadata/landing-page/bin/iso?id=gov.noaa.ncdc:C00332>)
- Palmer Modified Drought Index from the [Living Blended Drought Atlas](https://www.ncei.noaa.gov/metadata/geoportal/rest/metadata/item/noaa-recon-22454/html)
(<https://www.ncei.noaa.gov/metadata/geoportal/rest/metadata/item/noaa-recon-22454/html>)

DOWNLOAD DATA

Download data for all three datasets for a region(s) of interest (national, state, county, or a custom region of combined states/counties) through the [Historical Data & Conditions tool](#). (</historical-information>) Data are available in CSV, XML, and JSON formats.

PARTNER(S)



**National
Oceanic
and
Atmospheric
Administration
(NOAA)**



**National
Environmental
Satellite,
Data, and
Information
Service
(NESDIS)**



**National
Centers
for
Environmental
Information
(NCEI)**



**National
Integrated
Drought
Information
System
(NIDIS)**




**National
Drought
Mitigation
Center
(NDMC)**



**U.S.
Department
of
Agriculture
(USDA)**



**National
Aeronautics
and Space
Administration
(NASA)**



HISTORICAL DATA & CONDITIONS TOOL (/HISTORICAL-INFORMATION)

U.S. DROUGHT MONITOR (/DATA-MAPS-TOOLS/US-DROUGHT-MONITOR)

STANDARDIZED PRECIPITATION INDEX (/DATA-MAPS-TOOLS/US-GRIDDED-STANDARDIZED-PRECIPITATION-INDEX-SPI-NCLIMGRID-MONTHLY)

PALMER MODIFIED DROUGHT INDEX (/DATA-MAPS-TOOLS/LIVING-BLENDED-DROUGHT-PRODUCT-LBDP-HISTORICAL-DROUGHT-INFORMATION)